

## Environmental Protection Agency

## § 420.35

### § 420.33 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable (BAT).

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.

#### (a) Iron blast furnace.

#### SUBPART C

Pollutant or pollutant property	BAT effluent limitations	
	Maximum for any 1 day	Average of daily values for 30 consecutive days
Kg/kkg (pounds per 1,000 lb) of product		
Ammonia-N .....	0.00876	0.00292
Cyanide .....	0.00175	0.000876
Phenols (4AAP) .....	0.0000584	0.0000292
TRC <sup>1</sup> .....	0.000146	.....
Lead .....	0.000263	0.0000876
Zinc .....	0.000394	0.000131

<sup>1</sup>The limitation for TRC shall be applicable only when chlorination of ironmaking wastewaters is practiced.

#### (b) Ferromanganese blast furnace. [Reserved].

[47 FR 23284, May 27, 1982; 47 FR 41739, Sept. 22, 1982, as amended at 49 FR 21030, May 17, 1984]

### § 420.34 New source performance standards (NSPS).

The discharge of wastewater pollutants from any new source subject to this subpart shall not exceed the standards set forth below.

#### (a) Iron blast furnace.

#### SUBPART C

Pollutant or pollutant property	New source performance standards	
	Maximum for any 1 day	Average of daily values for 30 consecutive days
Kg/kkg (pounds per 1,000 lb) of products		
TSS .....	0.0117	0.00438
O&G .....	0.00292	.....
Ammonia-N .....	0.00876	0.00292
Cyanide .....	0.0000584	0.0000292
Phenols (4AAP) .....	0.0000584	0.0000292
TRC <sup>1</sup> .....	0.000146	.....
Lead .....	0.000263	0.0000876
Zinc .....	0.000394	0.000131
pH .....	( <sup>2</sup> )	( <sup>2</sup> )

<sup>1</sup>The standards for TRC shall be applicable only when chlorination of ironmaking wastewaters is practiced.

<sup>2</sup>Within the range of 6.0 to 9.0.

#### (b) Ferromanganese blast furnace. [Reserved]

[47 FR 23284, May 27, 1982; 47 FR 41739, Sept. 22, 1982, as amended at 49 FR 21030, May 17, 1984]

### § 420.35 Pretreatment standards for existing sources (PSES).

Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for existing sources.

#### (a) Iron blast furnace.

#### SUBPART C

Pollutant or pollutant property	Pretreatment standards for existing sources	
	Maximum for any 1 day	Average of daily values for 30 consecutive days
Kg/kkg (pounds per 1,000 lb) of products		
Ammonia-N .....	0.00876	0.00292
Cyanide .....	0.00175	0.000876
Phenols (4AAP) .....	0.0000584	0.0000292
Lead .....	0.000263	0.0000876
Zinc .....	0.000394	0.000131

#### (b) Ferromanganese blast furnace. [Reserved]

#### (c) Existing indirect dischargers.