

HUD, by an independent insurance consulting firm that has at least one person on staff who has received the professional designation of chartered property/casualty underwriter (CPCU), associate in risk management (ARM), or associate in claims (AIC), of the following:

- (i) Efficiency of any Third Party Administrator;
- (ii) Timeliness of the claim payments and reserving practices; and
- (iii) The adequacy of reinsurance coverage.

(e) *Revocation of approval of a non-profit insurance entity.* HUD may revoke its approval of a nonprofit insurance entity under this section when it no longer meets the requirements of this section. The nonprofit insurance entity will be notified in writing of: the proposed revocation of its approval, the reasons for the action, and the manner and time in which to request a hearing to challenge the determination. The procedure to be followed is specified in 24 CFR part 26, subpart A.

[41 FR 20276, May 17, 1976, as amended at 61 FR 7969, Feb. 29, 1996; 61 FR 50219, Sept. 24, 1996]

**§ 965.215 Lead-based paint liability insurance coverage.**

(a) *General.* The purpose of this section is to specify what HUD deems reasonable insurance coverage with respect to the hazards associated with testing for and abatement of lead-based paint that the PHA undertakes, in accordance with the PHA's ACC with HUD. The insurance coverage does not relieve the PHA of its responsibility for assuring that lead-based paint testing and abatement activities are conducted in a responsible manner.

(b) *Insurance coverage requirements.* When the PHA undertakes lead-based paint testing and abatement, it must assure that it has reasonable insurance coverage for itself for potential personal injury liability associated with those activities. If the work is being done by PHA employees, the PHA must obtain a liability insurance policy directly to protect the PHA. If the work is being done by a contractor, the PHA may obtain, from the insurer of the contractor performing this type of work in accordance with a contract, a

certificate of insurance providing evidence of such insurance and naming the PHA as an additional insured; or it may obtain such insurance directly. Insurance must remain in effect during the entire period of testing and abatement and must comply with the following requirements:

(1) *Named insured.* If purchased by the PHA, the policy shall name the PHA as insured. If purchased by an independent contractor, the policy shall name the contractor as insured and the PHA as an additional insured, in connection with performing work under the PHA's lead-based paint testing and abatement contract. If the PHA has executed a contract with a Resident Management Corporation (RMC) to manage a building/project on behalf of the PHA, the RMC shall be an additional insured under the policy in connection with the lead-based paint testing and abatement contract. (The duties of the RMC are similar to those of a real estate management firm.)

(2) *Coverage limits.* The minimum limit of liability shall be \$500,000 per occurrence written, with a combined single limit for bodily injury and property damage.

(3) *Deductible.* A deductible, if any, may not exceed \$5,000 per occurrence.

(4) *Supplementary payments.* Payments for such supplementary costs as the costs of defending against a claim must be in addition to, and not as a reduction of, the limit of liability. However, it will be permissible for the policy to have a limit on the amount payable for defense costs. If a limit is applicable, it must not be less than \$250,000 per claim prior to such costs being deducted from the limit of liability.

(5) *Occurrence form policy.* The form used must be an "occurrence" form, or a "claims made" form that contains an extended reporting period of at least five years. (Under an occurrence form, coverage applies to any loss regardless of when the claim is made.)

(6) *Aggregate limit.* If the policy contains an aggregate limit, the minimum acceptable limit is \$1,000,000.

(7) *Cancellation.* In the event of cancellation, at least 30 days' advance notice is to be given to the insured and any additional insured.

(c) *Exception to requirements.* Insurance already purchased by the PHA or contractor and in force on the date this rule is effective which provides coverage for the hazards involved in testing for and abatement of lead-based paint, shall be considered as meeting the requirements of this rule until the expiration of the policy. This rule is not applicable to architects, engineers, or consultants who do not physically perform lead-based paint testing and abatement work.

(d) *Insurance for the existence hazard.* A PHA may also purchase special liability insurance against the existence hazard of lead-based paint, although it is not a required coverage. A PHA may purchase this coverage if, in the opinion of the PHA, the policy meets the PHA's requirements, the premium is reasonable, and the policy is obtained in accordance with applicable procurement standards. (See 24 CFR part 85 and §§ 965.205.) If this coverage is purchased, the premium must be paid from funds available under the Performance Funding System or from reserves.

[59 FR 31930, June 21, 1994]

### Subpart C—Energy Audits and Energy Conservation Measures

SOURCE: 61 FR 7969, Feb. 29, 1996, unless otherwise noted.

#### § 965.301 Purpose and applicability.

(a) *Purpose.* The purpose of this subpart C is to implement HUD policies in support of national energy conservation goals by requiring PHAs to conduct energy audits and undertake certain cost-effective energy conservation measures.

(b) *Applicability.* The provisions of this subpart apply to all PHAs with PHA-owned housing, but they do not apply to Indian Housing Authorities. (For similar provisions applicable to Indian housing, see part 950 of this chapter.) No PHA-leased project or Section 8 Housing Assistance Payments Program project, including a PHA-owned Section 8 project, is covered by this subpart.

#### § 965.302 Requirements for energy audits.

All PHAs shall complete an energy audit for each PHA-owned project under management, not less than once every five years. Standards for energy audits shall be equivalent to State standards for energy audits. Energy audits shall analyze all of the energy conservation measures, and the payback period for these measures, that are pertinent to the type of buildings and equipment operated by the PHA.

#### § 965.303 [Reserved]

#### § 965.304 Order of funding.

Within the funds available to a PHA, energy conservation measures should be accomplished with the shortest payback periods funded first. A PHA may make adjustments to this funding order because of insufficient funds to accomplish high-cost energy conservation measures (ECM) or where an ECM with a longer pay-back period can be more efficiently installed in conjunction with other planned modernization. A PHA may not install individual utility meters that measure the energy or fuel used for space heating in dwelling units that need substantial weatherization, when installation of meters would result in economic hardship for residents. In these cases, the ECMs related to weatherization shall be accomplished before the installation of individual utility meters.

#### § 965.305 Funding.

(a) The cost of accomplishing cost-effective energy conservation measures, including the cost of performing energy audits, shall be funded from operating funds of the PHA to the extent feasible. When sufficient operating funds are not available for this purpose, such costs are eligible for inclusion in a modernization program, for funding from any available development funds in the case of projects still in development, or for other available funds that HUD may designate to be used for energy conservation.

(b) If a PHA finances energy conservation measures from sources other than modernization or operating reserves, such as a loan from a utility entity or a guaranteed savings agreement