

Does a list of the hazardous chemicals exist in each work area or at a central location?

Are methods the employer will use to inform employees of the hazards of non-routine tasks outlined?

Are employees informed of the hazards associated with chemicals contained in unlabeled pipes in their work areas?

On multi-employer worksites, has the employer provided other employers with information about labeling systems and precautionary measures where the other employers have employees exposed to the initial employer's chemicals?

Is the written program made available to employees and their designated representatives?

If your program adequately addresses the means of communicating information to employees in your workplace, and provides answers to the basic questions outlined above, it will be found to be in compliance with the rule.

#### 5. Checklist for Compliance

The following checklist will help to ensure you are in compliance with the rule:

Obtained a copy of the rule. \_\_\_\_\_  
Read and understood the requirements.

Assigned responsibility for tasks. \_\_\_\_\_  
Prepared an inventory of chemicals. \_\_\_\_\_  
Ensured containers are labeled. \_\_\_\_\_  
Obtained MSDS for each chemical. \_\_\_\_\_  
Prepared written program. \_\_\_\_\_  
Made MSDSs available to workers. \_\_\_\_\_  
Conducted training of workers. \_\_\_\_\_  
Established procedures to maintain current program. \_\_\_\_\_  
Established procedures to evaluate effectiveness. \_\_\_\_\_

#### 6. Further Assistance

If you have a question regarding compliance with the HCS, you should contact your local OSHA Area Office for assistance. In addition, each OSHA Regional Office has a Hazard Communication Coordinator who can answer your questions. Free consultation services are also available to assist employers, and information regarding these services can be obtained through the Area and Regional offices as well.

The telephone number for the OSHA office closest to you should be listed in your local telephone directory. If you are not able to obtain this information, you may contact OSHA's Office of Information and Consumer Affairs at (202) 219-8151 for further assistance in identifying the appropriate contacts.

[59 FR 6170, Feb. 9, 1994, as amended at 59 FR 17479, Apr. 13, 1994; 59 FR 65948, Dec. 22, 1994; 61 FR 9245, Mar. 7, 1996]

#### §1910.1201 Retention of DOT markings, placards and labels.

(a) Any employer who receives a package of hazardous material which is required to be marked, labeled or placarded in accordance with the U. S. Department of Transportation's Hazardous Materials Regulations (49 CFR Parts 171 through 180) shall retain those markings, labels and placards on the package until the packaging is sufficiently cleaned of residue and purged of vapors to remove any potential hazards.

(b) Any employer who receives a freight container, rail freight car, motor vehicle, or transport vehicle that is required to be marked or placarded in accordance with the Hazardous Materials Regulations shall retain those markings and placards on the freight container, rail freight car, motor vehicle or transport vehicle until the hazardous materials which require the marking or placarding are sufficiently removed to prevent any potential hazards.

(c) Markings, placards and labels shall be maintained in a manner that ensures that they are readily visible.

(d) For non-bulk packages which will not be reshipped, the provisions of this section are met if a label or other acceptable marking is affixed in accordance with the Hazard Communication Standard (29 CFR 1910.1200).

(e) For the purposes of this section, the term "hazardous material" and any other terms not defined in this section have the same definition as in the Hazardous Materials Regulations (49 CFR Parts 171 through 180).

[59 FR 36700, July 19, 1994]

#### § 1910.1450 Occupational exposure to hazardous chemicals in laboratories.

(a) *Scope and application.* (1) This section shall apply to all employers engaged in the laboratory use of hazardous chemicals as defined below.

(2) Where this section applies, it shall supersede, for laboratories, the requirements of all other OSHA health standards in 29 CFR part 1910, subpart Z, except as follows:

(i) For any OSHA health standard, only the requirement to limit employee exposure to the specific permissible exposure limit shall apply for laboratories, unless that particular standard states otherwise or unless the conditions of paragraph (a)(2)(iii) of this section apply.

(ii) Prohibition of eye and skin contact where specified by any OSHA health standard shall be observed.

(iii) Where the action level (or in the absence of an action level, the permissible exposure limit) is routinely exceeded for an OSHA regulated substance with exposure monitoring and medical surveillance requirements, paragraphs (d) and (g)(1)(ii) of this section shall apply.

(3) This section shall not apply to:

(i) Uses of hazardous chemicals which do not meet the definition of laboratory use, and in such cases, the employer shall comply with the relevant standard in 29 CFR part 1910, subpart Z, even if such use occurs in a laboratory.

(ii) Laboratory uses of hazardous chemicals which provide no potential for employee exposure. Examples of such conditions might include:

(A) Procedures using chemically-impregnated test media such as Dip-and-Read tests where a reagent strip is dipped into the specimen to be tested and the results are interpreted by comparing the color reaction to a color chart supplied by the manufacturer of the test strip; and

(B) Commercially prepared kits such as those used in performing pregnancy tests in which all of the reagents needed to conduct the test are contained in the kit.

(b) *Definitions*—

*Action level* means a concentration designated in 29 CFR part 1910 for a specific substance, calculated as an eight (8)-hour time-weighted average, which initiates certain required activities such as exposure monitoring and medical surveillance.

*Assistant Secretary* means the Assistant Secretary of Labor for Occupational Safety and Health, U.S. Department of Labor, or designee.

*Carcinogen* (see *select carcinogen*).

*Chemical Hygiene Officer* means an employee who is designated by the employer, and who is qualified by training

or experience, to provide technical guidance in the development and implementation of the provisions of the Chemical Hygiene Plan. This definition is not intended to place limitations on the position description or job classification that the designated individual shall hold within the employer's organizational structure.

*Chemical Hygiene Plan* means a written program developed and implemented by the employer which sets forth procedures, equipment, personal protective equipment and work practices that (i) are capable of protecting employees from the health hazards presented by hazardous chemicals used in that particular workplace and (ii) meets the requirements of paragraph (e) of this section.

*Combustible liquid* means any liquid having a flashpoint at or above 100 °F (37.8 °C), but below 200 °F (93.3 °C), except any mixture having components with flashpoints of 200 °F (93.3 °C), or higher, the total volume of which make up 99 percent or more of the total volume of the mixture.

*Compressed gas* means:

(i) A gas or mixture of gases having, in a container, an absolute pressure exceeding 40 psi at 70 °F (21.1 °C); or

(ii) A gas or mixture of gases having, in a container, an absolute pressure exceeding 104 psi at 130 °F (54.4 °C) regardless of the pressure at 70 °F (21.1 °C); or

(iii) A liquid having a vapor pressure exceeding 40 psi at 100 °F (37.8 °C) as determined by ASTM D-323-72.

*Designated area* means an area which may be used for work with "select carcinogens," reproductive toxins or substances which have a high degree of acute toxicity. A designated area may be the entire laboratory, an area of a laboratory or a device such as a laboratory hood.

*Emergency* means any occurrence such as, but not limited to, equipment failure, rupture of containers or failure of control equipment which results in an uncontrolled release of a hazardous chemical into the workplace.

*Employee* means an individual employed in a laboratory workplace who may be exposed to hazardous chemicals in the course of his or her assignments.

*Explosive* means a chemical that causes a sudden, almost instantaneous

release of pressure, gas, and heat when subjected to sudden shock, pressure, or high temperature.

*Flammable* means a chemical that falls into one of the following categories:

(i) *Aerosol, flammable* means an aerosol that, when tested by the method described in 16 CFR 1500.45, yields a flame protection exceeding 18 inches at full valve opening, or a flashback (a flame extending back to the valve) at any degree of valve opening;

(ii) *Gas, flammable* means:

(A) A gas that, at ambient temperature and pressure, forms a flammable mixture with air at a concentration of 13 percent by volume or less; or

(B) A gas that, at ambient temperature and pressure, forms a range of flammable mixtures with air wider than 12 percent by volume, regardless of the lower limit.

(iii) *Liquid, flammable* means any liquid having a flashpoint below 100 °F (37.8 °C), except any mixture having components with flashpoints of 100 °F (37.8 °C) or higher, the total of which make up 99 percent or more of the total volume of the mixture.

(iv) *Solid, flammable* means a solid, other than a blasting agent or explosive as defined in §1910.109(a), that is liable to cause fire through friction, absorption of moisture, spontaneous chemical change, or retained heat from manufacturing or processing, or which can be ignited readily and when ignited burns so vigorously and persistently as to create a serious hazard. A chemical shall be considered to be a flammable solid if, when tested by the method described in 16 CFR 1500.44, it ignites and burns with a self-sustained flame at a rate greater than one-tenth of an inch per second along its major axis.

*Flashpoint* means the minimum temperature at which a liquid gives off a vapor in sufficient concentration to ignite when tested as follows:

(i) Tagliabue Closed Tester (See American National Standard Method of Test for Flash Point by Tag Closed Tester, Z11.24-1979 (ASTM D 56-79))-for liquids with a viscosity of less than 45 Saybolt Universal Seconds (SUS) at 100 °F (37.8 °C), that do not contain suspended solids and do not have a tend-

ency to form a surface film under test; or

(ii) Pensky-Martens Closed Tester (see American National Standard Method of Test for Flash Point by Pensky-Martens Closed Tester, Z11.7-1979 (ASTM D 93-79))-for liquids with a viscosity equal to or greater than 45 SUS at 100 °F (37.8 °C), or that contain suspended solids, or that have a tendency to form a surface film under test; or

(iii) Setaflash Closed Tester (see American National Standard Method of Test for Flash Point by Setaflash Closed Tester (ASTM D 3278-78)).

Organic peroxides, which undergo autoaccelerating thermal decomposition, are excluded from any of the flashpoint determination methods specified above.

*Hazardous chemical* means a chemical for which there is statistically significant evidence based on at least one study conducted in accordance with established scientific principles that acute or chronic health effects may occur in exposed employees. The term *health hazard* includes chemicals which are carcinogens, toxic or highly toxic agents, reproductive toxins, irritants, corrosives, sensitizers, hepatotoxins, nephrotoxins, neurotoxins, agents which act on the hematopoietic systems, and agents which damage the lungs, skin, eyes, or mucous membranes.

Appendices A and B of the Hazard Communication Standard (29 CFR 1910.1200) provide further guidance in defining the scope of health hazards and determining whether or not a chemical is to be considered hazardous for purposes of this standard.

*Laboratory* means a facility where the "laboratory use of hazardous chemicals" occurs. It is a workplace where relatively small quantities of hazardous chemicals are used on a non-production basis.

*Laboratory scale* means work with substances in which the containers used for reactions, transfers, and other handling of substances are designed to be easily and safely manipulated by one person. "Laboratory scale" excludes those workplaces whose function is to produce commercial quantities of materials.

*Laboratory-type hood* means a device located in a laboratory, enclosure on five sides with a moveable sash or fixed partial enclosed on the remaining side; constructed and maintained to draw air from the laboratory and to prevent or minimize the escape of air contaminants into the laboratory; and allows chemical manipulations to be conducted in the enclosure without insertion of any portion of the employee's body other than hands and arms.

Walk-in hoods with adjustable sashes meet the above definition provided that the sashes are adjusted during use so that the airflow and the exhaust of air contaminants are not compromised and employees do not work inside the enclosure during the release of airborne hazardous chemicals.

*Laboratory use of hazardous chemicals* means handling or use of such chemicals in which all of the following conditions are met:

- (i) Chemical manipulations are carried out on a "laboratory scale;"
- (ii) Multiple chemical procedures or chemicals are used;
- (iii) The procedures involved are not part of a production process, nor in any way simulate a production process; and
- (iv) "Protective laboratory practices and equipment" are available and in common use to minimize the potential for employee exposure to hazardous chemicals.

*Medical consultation* means a consultation which takes place between an employee and a licensed physician for the purpose of determining what medical examinations or procedures, if any, are appropriate in cases where a significant exposure to a hazardous chemical may have taken place.

*Organic peroxide* means an organic compound that contains the bivalent -O-O-structure and which may be considered to be a structural derivative of hydrogen peroxide where one or both of the hydrogen atoms has been replaced by an organic radical.

*Oxidizer* means a chemical other than a blasting agent or explosive as defined in §1910.109(a), that initiates or promotes combustion in other materials, thereby causing fire either of itself or through the release of oxygen or other gases.

*Physical hazard* means a chemical for which there is scientifically valid evidence that it is a combustible liquid, a compressed gas, explosive, flammable, an organic peroxide, an oxidizer, pyrophoric, unstable (reactive) or water-reactive.

*Protective laboratory practices and equipment* means those laboratory procedures, practices and equipment accepted by laboratory health and safety experts as effective, or that the employer can show to be effective, in minimizing the potential for employee exposure to hazardous chemicals.

*Reproductive toxins* means chemicals which affect the reproductive capabilities including chromosomal damage (mutations) and effects on fetuses (teratogenesis)

*Select carcinogen* means any substance which meets one of the following criteria:

- (i) It is regulated by OSHA as a carcinogen; or
- (ii) It is listed under the category, "known to be carcinogens," in the Annual Report on Carcinogens published by the National Toxicology Program (NTP) (latest edition); or
- (iii) It is listed under Group 1 ("carcinogenic to humans") by the International Agency for Research on Cancer Monographs (IARC) (latest editions); or
- (iv) It is listed in either Group 2A or 2B by IARC or under the category, "reasonably anticipated to be carcinogens" by NTP, and causes statistically significant tumor incidence in experimental animals in accordance with any of the following criteria:

(A) After inhalation exposure of 6-7 hours per day, 5 days per week, for a significant portion of a lifetime to dosages of less than 10 mg/m<sup>3</sup>;

(B) After repeated skin application of less than 300 (mg/kg of body weight) per week; or

(C) After oral dosages of less than 50 mg/kg of body weight per day.

*Unstable (reactive)* means a chemical which is the pure state, or as produced or transported, will vigorously polymerize, decompose, condense, or will become self-reactive under conditions of shocks, pressure or temperature.

*Water-reactive* means a chemical that reacts with water to release a gas that

is either flammable or presents a health hazard.

(c) *Permissible exposure limits.* For laboratory uses of OSHA regulated substances, the employer shall assure that laboratory employees' exposures to such substances do not exceed the permissible exposure limits specified in 29 CFR part 1910, subpart Z.

(d) *Employee exposure determination—*  
(1) *Initial monitoring.* The employer shall measure the employee's exposure to any substance regulated by a standard which requires monitoring if there is reason to believe that exposure levels for that substance routinely exceed the action level (or in the absence of an action level, the PEL).

(2) *Periodic monitoring.* If the initial monitoring prescribed by paragraph (d)(1) of this section discloses employee exposure over the action level (or in the absence of an action level, the PEL), the employer shall immediately comply with the exposure monitoring provisions of the relevant standard.

(3) *Termination of monitoring.* Monitoring may be terminated in accordance with the relevant standard.

(4) *Employee notification of monitoring results.* The employer shall, within 15 working days after the receipt of any monitoring results, notify the employee of these results in writing either individually or by posting results in an appropriate location that is accessible to employees.

(e) *Chemical hygiene plan—General.* (Appendix A of this section is non-mandatory but provides guidance to assist employers in the development of the Chemical Hygiene Plan.)

(1) Where hazardous chemicals as defined by this standard are used in the workplace, the employer shall develop and carry out the provisions of a written Chemical Hygiene Plan which is:

(i) Capable of protecting employees from health hazards associated with hazardous chemicals in that laboratory and

(ii) Capable of keeping exposures below the limits specified in paragraph (c) of this section.

(2) The Chemical Hygiene Plan shall be readily available to employees, employee representatives and, upon request, to the Assistant Secretary.

(3) The Chemical Hygiene Plan shall include each of the following elements and shall indicate specific measures that the employer will take to ensure laboratory employee protection:

(i) Standard operating procedures relevant to safety and health considerations to be followed when laboratory work involves the use of hazardous chemicals;

(ii) Criteria that the employer will use to determine and implement control measures to reduce employee exposure to hazardous chemicals including engineering controls, the use of personal protective equipment and hygiene practices; particular attention shall be given to the selection of control measures for chemicals that are known to be extremely hazardous;

(iii) A requirement that fume hoods and other protective equipment are functioning properly and specific measures that shall be taken to ensure proper and adequate performance of such equipment;

(iv) Provisions for employee information and training as prescribed in paragraph (f) of this section;

(v) The circumstances under which a particular laboratory operation, procedure or activity shall require prior approval from the employer or the employer's designee before implementation;

(vi) Provisions for medical consultation and medical examinations in accordance with paragraph (g) of this section;

(vii) Designation of personnel responsible for implementation of the Chemical Hygiene Plan including the assignment of a Chemical Hygiene Officer and, if appropriate, establishment of a Chemical Hygiene Committee; and

(viii) Provisions for additional employee protection for work with particularly hazardous substances. These include "select carcinogens," reproductive toxins and substances which have a high degree of acute toxicity. Specific consideration shall be given to the following provisions which shall be included where appropriate:

(A) Establishment of a designated area;

(B) Use of containment devices such as fume hoods or glove boxes;

(C) Procedures for safe removal of contaminated waste; and

(D) Decontamination procedures.

(4) The employer shall review and evaluate the effectiveness of the Chemical Hygiene Plan at least annually and update it as necessary.

(f) *Employee information and training.*

(1) The employer shall provide employees with information and training to ensure that they are apprised of the hazards of chemicals present in their work area.

(2) Such information shall be provided at the time of an employee's initial assignment to a work area where hazardous chemicals are present and prior to assignments involving new exposure situations. The frequency of refresher information and training shall be determined by the employer.

(3) *Information.* Employees shall be informed of:

(i) The contents of this standard and its appendices which shall be made available to employees;

(ii) The location and availability of the employer's Chemical Hygiene Plan;

(iii) The permissible exposure limits for OSHA regulated substances or recommended exposure limits for other hazardous chemicals where there is no applicable OSHA standard;

(iv) Signs and symptoms associated with exposures to hazardous chemicals used in the laboratory; and

(v) The location and availability of known reference material on the hazards, safe handling, storage and disposal of hazardous chemicals found in the laboratory including, but not limited to, Material Safety Data Sheets received from the chemical supplier.

(4) *Training.* (i) Employee training shall include:

(A) Methods and observations that may be used to detect the presence or release of a hazardous chemical (such as monitoring conducted by the employer, continuous monitoring devices, visual appearance or odor of hazardous chemicals when being released, etc.);

(B) The physical and health hazards of chemicals in the work area; and

(C) The measures employees can take to protect themselves from these hazards, including specific procedures the employer has implemented to protect employees from exposure to hazardous

chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used.

(ii) The employee shall be trained on the applicable details of the employer's written Chemical Hygiene Plan.

(g) *Medical consultation and medical examinations.* (1) The employer shall provide all employees who work with hazardous chemicals an opportunity to receive medical attention, including any follow-up examinations which the examining physician determines to be necessary, under the following circumstances:

(i) Whenever an employee develops signs or symptoms associated with a hazardous chemical to which the employee may have been exposed in the laboratory, the employee shall be provided an opportunity to receive an appropriate medical examination.

(ii) Where exposure monitoring reveals an exposure level routinely above the action level (or in the absence of an action level, the PEL) for an OSHA regulated substance for which there are exposure monitoring and medical surveillance requirements, medical surveillance shall be established for the affected employee as prescribed by the particular standard.

(iii) Whenever an event takes place in the work area such as a spill, leak, explosion or other occurrence resulting in the likelihood of a hazardous exposure, the affected employee shall be provided an opportunity for a medical consultation. Such consultation shall be for the purpose of determining the need for a medical examination.

(2) All medical examinations and consultations shall be performed by or under the direct supervision of a licensed physician and shall be provided without cost to the employee, without loss of pay and at a reasonable time and place.

(3) *Information provided to the physician.* The employer shall provide the following information to the physician:

(i) The identity of the hazardous chemical(s) to which the employee may have been exposed;

(ii) A description of the conditions under which the exposure occurred including quantitative exposure data, if available; and

(iii) A description of the signs and symptoms of exposure that the employee is experiencing, if any.

(4) *Physician's written opinion.* (i) For examination or consultation required under this standard, the employer shall obtain a written opinion from the examining physician which shall include the following:

(A) Any recommendation for further medical follow-up;

(B) The results of the medical examination and any associated tests;

(C) Any medical condition which may be revealed in the course of the examination which may place the employee at increased risk as a result of exposure to a hazardous chemical found in the workplace; and

(D) A statement that the employee has been informed by the physician of the results of the consultation or medical examination and any medical condition that may require further examination or treatment.

(ii) The written opinion shall not reveal specific findings of diagnoses unrelated to occupational exposure.

(h) *Hazard identification.* (1) With respect to labels and material safety data sheets:

(i) Employers shall ensure that labels on incoming containers of hazardous chemicals are not removed or defaced.

(ii) Employers shall maintain any material safety data sheets that are received with incoming shipments of hazardous chemicals, and ensure that they are readily accessible to laboratory employees.

(2) The following provisions shall apply to chemical substances developed in the laboratory:

(i) If the composition of the chemical substance which is produced exclusively for the laboratory's use is known, the employer shall determine if it is a hazardous chemical as defined in paragraph (b) of this section. If the chemical is determined to be hazardous, the employer shall provide appropriate training as required under paragraph (f) of this section.

(ii) If the chemical produced is a by-product whose composition is not

known, the employer shall assume that the substance is hazardous and shall implement paragraph (e) of this section.

(iii) If the chemical substance is produced for another user outside of the laboratory, the employer shall comply with the Hazard Communication Standard (29 CFR 1910.1200) including the requirements for preparation of material safety data sheets and labeling.

(i) *Use of respirators.* Where the use of respirators is necessary to maintain exposure below permissible exposure limits, the employer shall provide, at no cost to the employee, the proper respiratory equipment. Respirators shall be selected and used in accordance with the requirements of 29 CFR 1910.134.

(j) *Recordkeeping.* (1) The employer shall establish and maintain for each employee an accurate record of any measurements taken to monitor employee exposures and any medical consultation and examinations including tests or written opinions required by this standard.

(2) The employer shall assure that such records are kept, transferred, and made available in accordance with 29 CFR 1910.20.

(k) *Dates—(1) Effective date.* This section shall become effective May 1, 1990.

(2) *Start-up dates.* (i) Employers shall have developed and implemented a written Chemical Hygiene Plan no later than January 31, 1991.

(ii) Paragraph (a)(2) of this section shall not take effect until the employer has developed and implemented a written Chemical Hygiene Plan.

(1) *Appendices.* The information contained in the appendices is not intended, by itself, to create any additional obligations not otherwise imposed or to detract from any existing obligation.

[55 FR 3327, Jan. 31, 1990, 55 FR 7967, Mar. 6, 1990, 55 FR 12111, Mar. 30, 1990]

§ 1910.1450

29 CFR Ch. XVII (7-1-01 Edition)

APPENDIX A TO §1910.1450—NATIONAL RESEARCH COUNCIL RECOMMENDATIONS CONCERNING CHEMICAL HYGIENE IN LABORATORIES (NON-MANDATORY)

TABLE OF CONTENTS

Foreword

Corresponding Sections of the Standard and This Appendix

A. General Principles

1. Minimize all Chemical Exposures
2. Avoid Underestimation of Risk
3. Provide Adequate Ventilation
4. Institute a Chemical Hygiene Program
5. Observe the PELs and TLVs

B. Responsibilities

1. Chief Executive Officer
2. Supervisor of Administrative Unit
3. Chemical Hygiene Officer
4. Laboratory Supervisor
5. Project Director
6. Laboratory Worker

C. The Laboratory Facility

1. Design
2. Maintenance
3. Usage
4. Ventilation

D. Components of the Chemical Hygiene Plan

1. Basic Rules and Procedures
2. Chemical Procurement, Distribution, and Storage
3. Environmental Monitoring
4. Housekeeping, Maintenance and Inspections
5. Medical Program
6. Personal Protective Apparel and Equipment
7. Records
8. Signs and Labels
9. Spills and Accidents
10. Training and Information
11. Waste Disposal

E. General Procedures for Working With Chemicals

1. General Rules for all Laboratory Work with Chemicals
2. Allergens and Embryotoxins
3. Chemicals of Moderate Chronic or High Acute Toxicity
4. Chemicals of High Chronic Toxicity
5. Animal Work with Chemicals of High Chronic Toxicity

F. Safety Recommendations

G. Material Safety Data Sheets

Foreword

As guidance for each employer's development of an appropriate laboratory Chemical

Hygiene Plan, the following non-mandatory recommendations are provided. They were extracted from "Prudent Practices for Handling Hazardous Chemicals in Laboratories" (referred to below as "Prudent Practices"), which was published in 1981 by the National Research Council and is available from the National Academy Press, 2101 Constitution Ave., NW., Washington DC 20418.

"Prudent Practices" is cited because of its wide distribution and acceptance and because of its preparation by members of the laboratory community through the sponsorship of the National Research Council. However, none of the recommendations given here will modify any requirements of the laboratory standard. This Appendix merely presents pertinent recommendations from "Prudent Practices", organized into a form convenient for quick reference during operation of a laboratory facility and during development and application of a Chemical Hygiene Plan. Users of this appendix should consult "Prudent Practices" for a more extended presentation and justification for each recommendation.

"Prudent Practices" deals with both safety and chemical hazards while the laboratory standard is concerned primarily with chemical hazards. Therefore, only those recommendations directed primarily toward control of toxic exposures are cited in this appendix, with the term "chemical hygiene" being substituted for the word "safety". However, since conditions producing or threatening physical injury often pose toxic risks as well, page references concerning major categories of safety hazards in the laboratory are given in section F.

The recommendations from "Prudent Practices" have been paraphrased, combined, or otherwise reorganized, and headings have been added. However, their sense has not been changed.

Corresponding Sections of the Standard and this Appendix

The following table is given for the convenience of those who are developing a Chemical Hygiene Plan which will satisfy the requirements of paragraph (e) of the standard. It indicates those sections of this appendix which are most pertinent to each of the sections of paragraph (e) and related paragraphs.

Paragraph and topic in laboratory standard	Relevant appendix section
(e)(3)(i) Standard operating procedures for handling toxic chemicals.	C, D, E
(e)(3)(ii) Criteria to be used for implementation of measures to reduce exposures.	D
(e)(3)(iii) Fume hood performance .....	C4b
(e)(3)(iv) Employee information and training (including emergency procedures).	D10, D9
(e)(3)(v) Requirements for prior approval of laboratory activities.	E2b, E4b

Paragraph and topic in laboratory standard	Relevant appendix section
(e)(3)(vi) Medical consultation and medical examinations.	D5, E4f
(e)(3)(vii) Chemical hygiene responsibilities ....	B
(e)(3)(viii) Special precautions for work with particularly hazardous substances.	E2, E3, E4

In this appendix, those recommendations directed primarily at administrators and supervisors are given in sections A–D. Those recommendations of primary concern to employees who are actually handling laboratory chemicals are given in section E. (Reference to page numbers in “Prudent Practices” are given in parentheses.)

#### A. General Principles for Work with Laboratory Chemicals

In addition to the more detailed recommendations listed below in sections B–E, “Prudent Practices” expresses certain general principles, including the following:

1. *It is prudent to minimize all chemical exposures.* Because few laboratory chemicals are without hazards, general precautions for handling all laboratory chemicals should be adopted, rather than specific guidelines for particular chemicals (2, 10). Skin contact with chemicals should be avoided as a cardinal rule (198).

2. *Avoid underestimation of risk.* Even for substances of no known significant hazard, exposure should be minimized; for work with substances which present special hazards, special precautions should be taken (10, 37, 38). One should assume that any mixture will be more toxic than its most toxic component (30, 103) and that all substances of unknown toxicity are toxic (3, 34).

3. *Provide adequate ventilation.* The best way to prevent exposure to airborne substances is to prevent their escape into the working atmosphere by use of hoods and other ventilation devices (32, 198).

4. *Institute a chemical hygiene program.* A mandatory chemical hygiene program designed to minimize exposures is needed; it should be a regular, continuing effort, not merely a standby or short-term activity (6, 11). Its recommendations should be followed in academic teaching laboratories as well as by full-time laboratory workers (13).

5. *Observe the PELs, TLVs.* The Permissible Exposure Limits of OSHA and the Threshold Limit Values of the American Conference of Governmental Industrial Hygienists should not be exceeded (13).

#### B. Chemical Hygiene Responsibilities

Responsibility for chemical hygiene rests at all levels (6, 11, 21) including the:

1. *Chief executive officer*, who has ultimate responsibility for chemical hygiene within the institution and must, with other admin-

istrators, provide continuing support for institutional chemical hygiene (7, 11).

2. *Supervisor of the department or other administrative unit*, who is responsible for chemical hygiene in that unit (7).

3. *Chemical hygiene officer(s)*, whose appointment is essential (7) and who must:

(a) Work with administrators and other employees to develop and implement appropriate chemical hygiene policies and practices (7);

(b) Monitor procurement, use, and disposal of chemicals used in the lab (8);

(c) See that appropriate audits are maintained (8);

(d) Help project directors develop precautions and adequate facilities (10);

(e) Know the current legal requirements concerning regulated substances (50); and

(f) Seek ways to improve the chemical hygiene program (8, 11).

4. *Laboratory supervisor*, who has overall responsibility for chemical hygiene in the laboratory (21) including responsibility to:

(a) Ensure that workers know and follow the chemical hygiene rules, that protective equipment is available and in working order, and that appropriate training has been provided (21, 22);

(b) Provide regular, formal chemical hygiene and housekeeping inspections including routine inspections of emergency equipment (21, 171);

(c) Know the current legal requirements concerning regulated substances (50, 231);

(d) Determine the required levels of protective apparel and equipment (156, 160, 162); and

(e) Ensure that facilities and training for use of any material being ordered are adequate (215).

5. *Project director or director of other specific operation*, who has primary responsibility for chemical hygiene procedures for that operation (7).

6. *Laboratory worker*, who is responsible for:

(a) Planning and conducting each operation in accordance with the institutional chemical hygiene procedures (7, 21, 22, 230); and

(b) Developing good personal chemical hygiene habits (22).

#### C. The Laboratory Facility

1. *Design.* The laboratory facility should have:

(a) An appropriate general ventilation system (see C4 below) with air intakes and exhausts located so as to avoid intake of contaminated air (194);

(b) Adequate, well-ventilated stockrooms/storerooms (218, 219);

(c) Laboratory hoods and sinks (12, 162);

(d) Other safety equipment including eye-wash fountains and drench showers (162, 169); and

(e) Arrangements for waste disposal (12, 240).

2. *Maintenance.* Chemical-hygiene-related equipment (hoods, incinerator, etc.) should undergo continuing appraisal and be modified if inadequate (11, 12).

3. *Usage.* The work conducted (10) and its scale (12) must be appropriate to the physical facilities available and, especially, to the quality of ventilation (13).

4. *Ventilation*—(a) *General laboratory ventilation.* This system should: Provide a source of air for breathing and for input to local ventilation devices (199); it should not be relied on for protection from toxic substances released into the laboratory (198); ensure that laboratory air is continually replaced, preventing increase of air concentrations of toxic substances during the working day (194); direct air flow into the laboratory from non-laboratory areas and out to the exterior of the building (194).

(b) *Hoods.* A laboratory hood with 2.5 linear feet of hood space per person should be provided for every 2 workers if they spend most of their time working with chemicals (199); each hood should have a continuous monitoring device to allow convenient confirmation of adequate hood performance before use (200, 209). If this is not possible, work with substances of unknown toxicity should be avoided (13) or other types of local ventilation devices should be provided (199). See pp. 201–206 for a discussion of hood design, construction, and evaluation.

(c) *Other local ventilation devices.* Ventilated storage cabinets, canopy hoods, snorkels, etc. should be provided as needed (199). Each canopy hood and snorkel should have a separate exhaust duct (207).

(d) *Special ventilation areas.* Exhaust air from glove boxes and isolation rooms should be passed through scrubbers or other treatment before release into the regular exhaust system (208). Cold rooms and warm rooms should have provisions for rapid escape and for escape in the event of electrical failure (209).

(e) *Modifications.* Any alteration of the ventilation system should be made only if thorough testing indicates that worker protection from airborne toxic substances will continue to be adequate (12, 193, 204).

(f) *Performance.* Rate: 4–12 room air changes/hour is normally adequate general ventilation if local exhaust systems such as hoods are used as the primary method of control (194).

(g) *Quality.* General air flow should not be turbulent and should be relatively uniform throughout the laboratory, with no high velocity or static areas (194, 195); airflow into and within the hood should not be excessively turbulent (200); hood face velocity should be adequate (typically 60–100 fpm) (200, 204).

(h) *Evaluation.* Quality and quantity of ventilation should be evaluated on installation (202), regularly monitored (at least

every 3 months) (6, 12, 14, 195), and reevaluated whenever a change in local ventilation devices is made (12, 195, 207). See pp. 195–198 for methods of evaluation and for calculation of estimated airborne contaminant concentrations.

#### *D. Components of the Chemical Hygiene Plan*

1. Basic Rules and Procedures (Recommendations for these are given in section E, below)

2. Chemical Procurement, Distribution, and Storage

(a) *Procurement.* Before a substance is received, information on proper handling, storage, and disposal should be known to those who will be involved (215, 216). No container should be accepted without an adequate identifying label (216). Preferably, all substances should be received in a central location (216).

(b) *Stockrooms/storerooms.* Toxic substances should be segregated in a well-identified area with local exhaust ventilation (221). Chemicals which are highly toxic (227) or other chemicals whose containers have been opened should be in unbreakable secondary containers (219). Stored chemicals should be examined periodically (at least annually) for replacement, deterioration, and container integrity (218–19).

Stockrooms/storerooms should not be used as preparation or repackaging areas, should be open during normal working hours, and should be controlled by one person (219).

(c) *Distribution.* When chemicals are hand carried, the container should be placed in an outside container or bucket. Freight-only elevators should be used if possible (223).

(d) *Laboratory storage.* Amounts permitted should be as small as practical. Storage on bench tops and in hoods is inadvisable. Exposure to heat or direct sunlight should be avoided. Periodic inventories should be conducted, with unneeded items being discarded or returned to the storeroom/stockroom (225–6, 229).

#### 3. Environmental Monitoring

Regular instrumental monitoring of airborne concentrations is not usually justified or practical in laboratories but may be appropriate when testing or redesigning hoods or other ventilation devices (12) or when a highly toxic substance is stored or used regularly (e.g., 3 times/week) (13).

#### 4. Housekeeping, Maintenance, and Inspections

(a) *Cleaning.* Floors should be cleaned regularly (24).

(b) *Inspections.* Formal housekeeping and chemical hygiene inspections should be held at least quarterly (6, 21) for units which have frequent personnel changes and semiannually

for others; informal inspections should be continual (21).

(c) *Maintenance.* Eye wash fountains should be inspected at intervals of not less than 3 months (6). Respirators for routine use should be inspected periodically by the laboratory supervisor (169). Safety showers should be tested routinely (169). Other safety equipment should be inspected regularly. (e.g., every 3–6 months) (6, 24, 171). Procedures to prevent restarting of out-of-service equipment should be established (25).

(d) *Passageways.* Stairways and hallways should not be used as storage areas (24). Access to exits, emergency equipment, and utility controls should never be blocked (24).

#### 5. Medical Program

(a) *Compliance with regulations.* Regular medical surveillance should be established to the extent required by regulations (12).

(b) *Routine surveillance.* Anyone whose work involves regular and frequent handling of toxicologically significant quantities of a chemical should consult a qualified physician to determine on an individual basis whether a regular schedule of medical surveillance is desirable (11, 50).

(c) *First aid.* Personnel trained in first aid should be available during working hours and an emergency room with medical personnel should be nearby (173). See pp. 176–178 for description of some emergency first aid procedures.

#### 6. Protective Apparel and Equipment

These should include for each laboratory:

(a) Protective apparel compatible with the required degree of protection for substances being handled (158–161);

(b) An easily accessible drench-type safety shower (162, 169);

(c) An eyewash fountain (162);

(d) A fire extinguisher (162–164);

(e) Respiratory protection (164–9), fire alarm and telephone for emergency use (162) should be available nearby; and

(f) Other items designated by the laboratory supervisor (156, 160).

#### 7. Records

(a) Accident records should be written and retained (174).

(b) Chemical Hygiene Plan records should document that the facilities and precautions were compatible with current knowledge and regulations (7).

(c) Inventory and usage records for high-risk substances should be kept as specified in sections E3e below.

(d) Medical records should be retained by the institution in accordance with the requirements of state and federal regulations (12).

#### 8. Signs and Labels

Prominent signs and labels of the following types should be posted:

(a) Emergency telephone numbers of emergency personnel/facilities, supervisors, and laboratory workers (28);

(b) Identity labels, showing contents of containers (including waste receptacles) and associated hazards (27, 48);

(c) Location signs for safety showers, eye-wash stations, other safety and first aid equipment, exits (27) and areas where food and beverage consumption and storage are permitted (24); and

(d) Warnings at areas or equipment where special or unusual hazards exist (27).

#### 9. Spills and Accidents

(a) A written emergency plan should be established and communicated to all personnel; it should include procedures for ventilation failure (200), evacuation, medical care, reporting, and drills (172).

(b) There should be an alarm system to alert people in all parts of the facility including isolation areas such as cold rooms (172).

(c) A spill control policy should be developed and should include consideration of prevention, containment, cleanup, and reporting (175).

(d) All accidents or near accidents should be carefully analyzed with the results distributed to all who might benefit (8, 28).

#### 10. Information and Training Program

(a) Aim: To assure that all individuals at risk are adequately informed about the work in the laboratory, its risks, and what to do if an accident occurs (5, 15).

(b) Emergency and Personal Protection Training: Every laboratory worker should know the location and proper use of available protective apparel and equipment (154, 169).

Some of the full-time personnel of the laboratory should be trained in the proper use of emergency equipment and procedures (6).

Such training as well as first aid instruction should be available to (154) and encouraged for (176) everyone who might need it.

(c) Receiving and stockroom/storeroom personnel should know about hazards, handling equipment, protective apparel, and relevant regulations (217).

(d) Frequency of Training: The training and education program should be a regular, continuing activity—not simply an annual presentation (15).

(e) Literature/Consultation: Literature and consulting advice concerning chemical hygiene should be readily available to laboratory personnel, who should be encouraged to use these information resources (14).

11. *Waste Disposal Program.*

(a) *Aim:* To assure that minimal harm to people, other organisms, and the environment will result from the disposal of waste laboratory chemicals (5).

(b) *Content* (14, 232, 233, 240): The waste disposal program should specify how waste is to be collected, segregated, stored, and transported and include consideration of what materials can be incinerated. Transport from the institution must be in accordance with DOT regulations (244).

(c) *Discarding Chemical Stocks:* Unlabeled containers of chemicals and solutions should undergo prompt disposal; if partially used, they should not be opened (24, 27).

Before a worker's employment in the laboratory ends, chemicals for which that person was responsible should be discarded or returned to storage (226).

(d) *Frequency of Disposal:* Waste should be removed from laboratories to a central waste storage area at least once per week and from the central waste storage area at regular intervals (14).

(e) *Method of Disposal:* Incineration in an environmentally acceptable manner is the most practical disposal method for combustible laboratory waste (14, 238, 241).

Indiscriminate disposal by pouring waste chemicals down the drain (14, 231, 242) or adding them to mixed refuse for landfill burial is unacceptable (14).

Hoods should not be used as a means of disposal for volatile chemicals (40, 200).

Disposal by recycling (233, 243) or chemical decontamination (40, 230) should be used when possible.

*E. Basic Rules and Procedures for Working with Chemicals*

The Chemical Hygiene Plan should require that laboratory workers know and follow its rules and procedures. In addition to the procedures of the sub programs mentioned above, these should include the rules listed below.

1. *General Rules*

The following should be used for essentially all laboratory work with chemicals:

(a) *Accidents and spills—Eye Contact:* Promptly flush eyes with water for a prolonged period (15 minutes) and seek medical attention (33, 172).

*Ingestion:* Encourage the victim to drink large amounts of water (178).

*Skin Contact:* Promptly flush the affected area with water (33, 172, 178) and remove any contaminated clothing (172, 178). If symptoms persist after washing, seek medical attention (33).

*Clean-up.* Promptly clean up spills, using appropriate protective apparel and equipment and proper disposal (24 33). See pp. 233-237 for specific clean-up recommendations.

(b) *Avoidance of "routine" exposure:* Develop and encourage safe habits (23); avoid unnecessary exposure to chemicals by any route (23);

Do not smell or taste chemicals (32). Vent apparatus which may discharge toxic chemicals (vacuum pumps, distillation columns, etc.) into local exhaust devices (199).

Inspect gloves (157) and test glove boxes (208) before use.

Do not allow release of toxic substances in cold rooms and warm rooms, since these have contained recirculated atmospheres (209).

(c) *Choice of chemicals:* Use only those chemicals for which the quality of the available ventilation system is appropriate (13).

(d) *Eating, smoking, etc.:* Avoid eating, drinking, smoking, gum chewing, or application of cosmetics in areas where laboratory chemicals are present (22, 24, 32, 40); wash hands before conducting these activities (23, 24).

Avoid storage, handling or consumption of food or beverages in storage areas, refrigerators, glassware or utensils which are also used for laboratory operations (23, 24, 226).

(e) *Equipment and glassware:* Handle and store laboratory glassware with care to avoid damage; do not use damaged glassware (25). Use extra care with Dewar flasks and other evacuated glass apparatus; shield or wrap them to contain chemicals and fragments should implosion occur (25). Use equipment only for its designed purpose (23, 26).

(f) *Exiting:* Wash areas of exposed skin well before leaving the laboratory (23).

(g) *Horseplay:* Avoid practical jokes or other behavior which might confuse, startle or distract another worker (23).

(h) *Mouth suction:* Do not use mouth suction for pipeting or starting a siphon (23, 32).

(i) *Personal apparel:* Confine long hair and loose clothing (23, 158). Wear shoes at all times in the laboratory but do not wear sandals, perforated shoes, or sneakers (158).

(j) *Personal housekeeping:* Keep the work area clean and uncluttered, with chemicals and equipment being properly labeled and stored; clean up the work area on completion of an operation or at the end of each day (24).

(k) *Personal protection:* Assure that appropriate eye protection (154-156) is worn by all persons, including visitors, where chemicals are stored or handled (22, 23, 33, 154).

Wear appropriate gloves when the potential for contact with toxic materials exists (157); inspect the gloves before each use, wash them before removal, and replace them periodically (157). (A table of resistance to chemicals of common glove materials is given p. 159).

Use appropriate (164-168) respiratory equipment when air contaminant concentrations are not sufficiently restricted by engineering

controls (164-5), inspecting the respirator before use (169).

Use any other protective and emergency apparel and equipment as appropriate (22, 157-162).

Avoid use of contact lenses in the laboratory unless necessary; if they are used, inform supervisor so special precautions can be taken (155).

Remove laboratory coats immediately on significant contamination (161).

(l) *Planning*: Seek information and advice about hazards (7), plan appropriate protective procedures, and plan positioning of equipment before beginning any new operation (22, 23).

(m) *Unattended operations*: Leave lights on, place an appropriate sign on the door, and provide for containment of toxic substances in the event of failure of a utility service (such as cooling water) to an unattended operation (27, 128).

(n) *Use of hood*: Use the hood for operations which might result in release of toxic chemical vapors or dust (198-9).

As a rule of thumb, use a hood or other local ventilation device when working with any appreciably volatile substance with a TLV of less than 50 ppm (13).

Confirm adequate hood performance before use; keep hood closed at all times except when adjustments within the hood are being made (200); keep materials stored in hoods to a minimum and do not allow them to block vents or air flow (200).

Leave the hood "on" when it is not in active use if toxic substances are stored in it or if it is uncertain whether adequate general laboratory ventilation will be maintained when it is "off" (200).

(o) *Vigilance*: Be alert to unsafe conditions and see that they are corrected when detected (22).

(p) *Waste disposal*: Assure that the plan for each laboratory operation includes plans and training for waste disposal (230).

Deposit chemical waste in appropriately labeled receptacles and follow all other waste disposal procedures of the Chemical Hygiene Plan (22, 24).

Do not discharge to the sewer concentrated acids or bases (231); highly toxic, malodorous, or lachrymatory substances (231); or any substances which might interfere with the biological activity of waste water treatment plants, create fire or explosion hazards, cause structural damage or obstruct flow (242).

(q) *Working alone*: Avoid working alone in a building; do not work alone in a laboratory if the procedures being conducted are hazardous (28).

## 2. Working with Allergens and Embryotoxins

(a) *Allergens* (examples: diazomethane, isocyanates, bichromates): Wear suitable gloves to prevent hand contact with aller-

gens or substances of unknown allergenic activity (35).

(b) *Embryotoxins* (34-5) (examples: organomercurials, lead compounds, formamide): If you are a woman of childbearing age, handle these substances only in a hood whose satisfactory performance has been confirmed, using appropriate protective apparel (especially gloves) to prevent skin contact.

Review each use of these materials with the research supervisor and review continuing uses annually or whenever a procedural change is made.

Store these substances, properly labeled, in an adequately ventilated area in an unbreakable secondary container.

Notify supervisors of all incidents of exposure or spills; consult a qualified physician when appropriate.

## 3. Work with Chemicals of Moderate Chronic or High Acute Toxicity

EXAMPLES: diisopropylfluorophosphate (41), hydrofluoric acid (43), hydrogen cyanide (45).

Supplemental rules to be followed in addition to those mentioned above (Procedure B of "Prudent Practices", pp. 39-41):

(a) *Aim*: To minimize exposure to these toxic substances by any route using all reasonable precautions (39).

(b) *Applicability*: These precautions are appropriate for substances with moderate chronic or high acute toxicity used in significant quantities (39).

(c) *Location*: Use and store these substances only in areas of restricted access with special warning signs (40, 229).

Always use a hood (previously evaluated to confirm adequate performance with a face velocity of at least 60 linear feet per minute) (40) or other containment device for procedures which may result in the generation of aerosols or vapors containing the substance (39); trap released vapors to prevent their discharge with the hood exhaust (40).

(d) *Personal protection*: Always avoid skin contact by use of gloves and long sleeves (and other protective apparel as appropriate) (39). Always wash hands and arms immediately after working with these materials (40).

(e) *Records*: Maintain records of the amounts of these materials on hand, amounts used, and the names of the workers involved (40, 229).

(f) *Prevention of spills and accidents*: Be prepared for accidents and spills (41).

Assure that at least 2 people are present at all times if a compound in use is highly toxic or of unknown toxicity (39).

Store breakable containers of these substances in chemically resistant trays; also work and mount apparatus above such trays or cover work and storage surfaces with removable, absorbent, plastic backed paper (40).

If a major spill occurs outside the hood, evacuate the area; assure that cleanup personnel wear suitable protective apparel and equipment (41).

(g) *Waste*: Thoroughly decontaminate or incinerate contaminated clothing or shoes (41). If possible, chemically decontaminate by chemical conversion (40).

Store contaminated waste in closed, suitably labeled, impervious containers (for liquids, in glass or plastic bottles half-filled with vermiculite) (40).

#### 4. Work with Chemicals of High Chronic Toxicity

(Examples: dimethylmercury and nickel carbonyl (48), benzo-a-pyrene (51), N-nitrosodiethylamine (54), other human carcinogens or substances with high carcinogenic potency in animals (38).)

Further supplemental rules to be followed, in addition to all these mentioned above, for work with substances of known high chronic toxicity (in quantities above a few milligrams to a few grams, depending on the substance) (47). (Procedure A of "Prudent Practices" pp. 47-50).

(a) *Access*: Conduct all transfers and work with these substances in a "controlled area": a restricted access hood, glove box, or portion of a lab, designated for use of highly toxic substances, for which all people with access are aware of the substances being used and necessary precautions (48).

(b) *Approvals*: Prepare a plan for use and disposal of these materials and obtain the approval of the laboratory supervisor (48).

(c) *Non-contamination/Decontamination*: Protect vacuum pumps against contamination by scrubbers or HEPA filters and vent them into the hood (49). Decontaminate vacuum pumps or other contaminated equipment, including glassware, in the hood before removing them from the controlled area (49, 50).

Decontaminate the controlled area before normal work is resumed there (50).

(d) *Exiting*: On leaving a controlled area, remove any protective apparel (placing it in an appropriate, labeled container) and thoroughly wash hands, forearms, face, and neck (49).

(e) *Housekeeping*: Use a wet mop or a vacuum cleaner equipped with a HEPA filter instead of dry sweeping if the toxic substance was a dry powder (50).

(f) *Medical surveillance*: If using toxicologically significant quantities of such a substance on a regular basis (e.g., 3 times per week), consult a qualified physician concerning desirability of regular medical surveillance (50).

(g) *Records*: Keep accurate records of the amounts of these substances stored (229) and used, the dates of use, and names of users (48).

(h) *Signs and labels*: Assure that the controlled area is conspicuously marked with

warning and restricted access signs (49) and that all containers of these substances are appropriately labeled with identity and warning labels (48).

(i) *Spills*: Assure that contingency plans, equipment, and materials to minimize exposures of people and property in case of accident are available (233-4).

(j) *Storage*: Store containers of these chemicals only in a ventilated, limited access (48, 227, 229) area in appropriately labeled, unbreakable, chemically resistant, secondary containers (48, 229).

(k) *Glove boxes*: For a negative pressure glove box, ventilation rate must be at least 2 volume changes/hour and pressure at least 0.5 inches of water (48). For a positive pressure glove box, thoroughly check for leaks before each use (49). In either case, trap the exit gases or filter them through a HEPA filter and then release them into the hood (49).

(l) *Waste*: Use chemical decontamination whenever possible; ensure that containers of contaminated waste (including washings from contaminated flasks) are transferred from the controlled area in a secondary container under the supervision of authorized personnel (49, 50, 233).

#### 5. Animal Work with Chemicals of High Chronic Toxicity

(a) *Access*: For large scale studies, special facilities with restricted access are preferred (56).

(b) *Administration of the toxic substance*: When possible, administer the substance by injection or gavage instead of in the diet. If administration is in the diet, use a caging system under negative pressure or under laminar air flow directed toward HEPA filters (56).

(c) *Aerosol suppression*: Devise procedures which minimize formation and dispersal of contaminated aerosols, including those from food, urine, and feces (e.g., use HEPA filtered vacuum equipment for cleaning, moisten contaminated bedding before removal from the cage, mix diets in closed containers in a hood) (55, 56).

(d) *Personal protection*: When working in the animal room, wear plastic or rubber gloves, fully buttoned laboratory coat or jumpsuit and, if needed because of incomplete suppression of aerosols, other apparel and equipment (shoe and head coverings, respirator) (56).

(e) *Waste disposal*: Dispose of contaminated animal tissues and excreta by incineration if the available incinerator can convert the contaminant to non-toxic products (238); otherwise, package the waste appropriately for burial in an EPA-approved site (239).

#### F. Safety Recommendations

The above recommendations from "Prudent Practices" do not include those which

are directed primarily toward prevention of physical injury rather than toxic exposure. However, failure of precautions against injury will often have the secondary effect of causing toxic exposures. Therefore, we list below page references for recommendations concerning some of the major categories of safety hazards which also have implications for chemical hygiene:

1. Corrosive agents: (35-6)
2. Electrically powered laboratory apparatus: (179-92)
3. Fires, explosions: (26, 57-74, 162-4, 174-5, 219-20, 226-7)
4. Low temperature procedures: (26, 88)
5. Pressurized and vacuum operations (including use of compressed gas cylinders): (27, 75-101)

#### G. Material Safety Data Sheets

Material safety data sheets are presented in "Prudent Practices" for the chemicals listed below. Asterisks denote that comprehensive material safety data sheets are provided).

\*Acetyl peroxide (105)  
 \*Acrolein (106)  
 \*Acrylonitrile (107)  
 Ammonia (anhydrous) (91)  
 \*Aniline (109)  
 \*Benzene (110)  
 \*Benzo[a]pyrene (112)  
 \*Bis(chloromethyl) ether (113)  
 Boron trichloride (91)  
 Boron trifluoride (92)  
 Bromine (114)  
 \*Tert-butyl hydroperoxide (148)  
 \*Carbon disulfide (116)  
 Carbon monoxide (92)  
 \*Carbon tetrachloride (118)  
 \*Chlorine (119)  
 Chlorine trifluoride (94)  
 \*Chloroform (121)  
 Chloromethane (93)  
 \*Diethyl ether (122)  
 Diisopropyl fluorophosphate (41)  
 \*Dimethylformamide (123)  
 \*Dimethyl sulfate (125)  
 \*Dioxane (126)  
 \*Ethylene dibromide (128)  
 \*Fluorine (95)  
 \*Formaldehyde (130)  
 \*Hydrazine and salts (132)  
 Hydrofluoric acid (43)  
 Hydrogen bromide (98)  
 Hydrogen chloride (98)  
 \*Hydrogen cyanide (133)  
 \*Hydrogen sulfide (135)  
 Mercury and compounds (52)  
 \*Methanol (137)  
 \*Morpholine (138)  
 \*Nickel carbonyl (99)  
 \*Nitrobenzene (139)  
 Nitrogen dioxide (100)  
 N-nitrosodiethylamine (54)  
 \*Peracetic acid (141)

\*Phenol (142)  
 \*Phosgene (143)  
 \*Pyridine (144)  
 \*Sodium azide (145)  
 \*Sodium cyanide (147)  
 Sulfur dioxide (101)  
 \*Trichloroethylene (149)  
 \*Vinyl chloride (150)

#### APPENDIX B TO § 1910.1450—REFERENCES (NON-MANDATORY)

The following references are provided to assist the employer in the development of a Chemical Hygiene Plan. The materials listed below are offered as non-mandatory guidance. References listed here do not imply specific endorsement of a book, opinion, technique, policy or a specific solution for a safety or health problem. Other references not listed here may better meet the needs of a specific laboratory. (a) Materials for the development of the Chemical Hygiene Plan:

1. American Chemical Society, Safety in Academic Chemistry Laboratories, 4th edition, 1985.
2. Fawcett, H.H. and W. S. Wood, Safety and Accident Prevention in Chemical Operations, 2nd edition, Wiley-Interscience, New York, 1982.
3. Flury, Patricia A., Environmental Health and Safety in the Hospital Laboratory, Charles C. Thomas Publisher, Springfield IL, 1978.
4. Green, Michael E. and Turk, Amos, Safety in Working with Chemicals, Macmillan Publishing Co., NY, 1978.
5. Kaufman, James A., Laboratory Safety Guidelines, Dow Chemical Co., Box 1713, Midland, MI 48640, 1977.
6. National Institutes of Health, NIH Guidelines for the Laboratory use of Chemical Carcinogens, NIH Pub. No. 81-2385, GPO, Washington, DC 20402, 1981.
7. National Research Council, Prudent Practices for Disposal of Chemicals from Laboratories, National Academy Press, Washington, DC, 1983.
8. National Research Council, Prudent Practices for Handling Hazardous Chemicals in Laboratories, National Academy Press, Washington, DC, 1981.
9. Renfrew, Malcolm, Ed., Safety in the Chemical Laboratory, Vol. IV, *J. Chem. Ed.*, American Chemical Society, Easlon, PA, 1981.
10. Steere, Norman V., Ed., Safety in the Chemical Laboratory, *J. Chem. Ed.* American Chemical Society, Easlon, PA, 18042, Vol. I, 1967, Vol. II, 1971, Vol. III 1974.
11. Steere, Norman V., Handbook of Laboratory Safety, the Chemical Rubber Company Cleveland, OH, 1971.
12. Young, Jay A., Ed., Improving Safety in the Chemical Laboratory, John Wiley & Sons, Inc. New York, 1987.

(b) Hazardous Substances Information:

§ 1910.1450

29 CFR Ch. XVII (7-1-01 Edition)

1. American Conference of Governmental Industrial Hygienists, Threshold Limit Values for Chemical Substances and Physical Agents in the Workroom Environment with Intended Changes, 6500 Glenway Avenue, Bldg. D-7 Cincinnati, OH 45211-4438 (latest edition).

2. Annual Report on Carcinogens, National Toxicology Program U.S. Department of Health and Human Services, Public Health Service, U.S. Government Printing Office, Washington, DC, (latest edition).

3. Best Company, Best Safety Directory, Vols. I and II, Oldwick, N.J., 1981.

4. Bretherick, L., Handbook of Reactive Chemical Hazards, 2nd edition, Butterworths, London, 1979.

5. Bretherick, L., Hazards in the Chemical Laboratory, 3rd edition, Royal Society of Chemistry, London, 1986.

6. Code of Federal Regulations, 29 CFR part 1910 subpart Z. U.S. Govt. Printing Office, Washington, DC 20402 (latest edition).

7. IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, World Health Organization Publications Center, 49 Sheridan Avenue, Albany, New York 12210 (latest editions).

8. NIOSH/OSHA Pocket Guide to Chemical Hazards. NIOSH Pub. No. 85-114, U.S. Government Printing Office, Washington, DC, 1985 (or latest edition).

9. Occupational Health Guidelines, NIOSH/OSHA NIOSH Pub. No. 81-123 U.S. Government Printing Office, Washington, DC, 1981.

10. Patty, F.A., Industrial Hygiene and Toxicology, John Wiley & Sons, Inc., New York, NY (Five Volumes).

11. Registry of Toxic Effects of Chemical Substances, U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Revised Annually, for sale from Superintendent of Documents U.S. Govt. Printing Office, Washington, DC 20402.

12. The Merck Index: An Encyclopedia of Chemicals and Drugs. Merck and Company Inc. Rahway, N.J., 1976 (or latest edition).

13. Sax, N.I. Dangerous Properties of Industrial Materials, 5th edition, Van Nostrand Reinhold, NY., 1979.

14. Sittig, Marshall, Handbook of Toxic and Hazardous Chemicals, Noyes Publications, Park Ridge, NJ, 1981.

(c) Information on Ventilation:

1. American Conference of Governmental Industrial Hygienists Industrial Ventilation (latest edition), 6500 Glenway Avenue, Bldg. D-7, Cincinnati, Ohio 45211-4438.

2. American National Standards Institute, Inc. American National Standards Fundamentals Governing the Design and Operation of Local Exhaust Systems ANSI Z 9.2-1979 American National Standards Institute, N.Y. 1979.

3. Imad, A.P. and Watson, C.L. Ventilation Index: An Easy Way to Decide about Hazardous Liquids, Professional Safety pp 15-18, April 1980.

4. National Fire Protection Association, Fire Protection for Laboratories Using Chemicals NFPA-45, 1982.

Safety Standard for Laboratories in Health Related Institutions, NFPA, 56c, 1980.

Fire Protection Guide on Hazardous Materials, 7th edition, 1978.

National Fire Protection Association, Batterymarch Park, Quincy, MA 02269.

5. Scientific Apparatus Makers Association (SAMA), Standard for Laboratory Fume Hoods, SAMA LF7-1980, 1101 16th Street, NW., Washington, DC 20036.

(d) Information on Availability of Referenced Material:

1. American National Standards Institute (ANSI), 1430 Broadway, New York, NY 10018.

2. American Society for Testing and Materials (ASTM), 1916 Race Street, Philadelphia, PA 19103.

[55 FR 3327, Jan. 31, 1990; 55 FR 7967, Mar. 6, 1990; 57 FR 29204, July 1, 1992; 61 FR 5508, Feb. 13, 1996]

SUBJECT INDEX FOR 29 CFR PART 1910—  
OCCUPATIONAL SAFETY AND HEALTH  
STANDARDS

EDITORIAL NOTE: This listing is provided for information purposes only. It is compiled and kept up-to-date by the Department of Labor.

Subject term	Section No.
A-Frame Derricks: (see also Derricks)	.181
AIDS (see Bloodborne pathogens)	.1030
Aboveground storage tanks, flammable and combustible liquid.	.106(b)(2)
Spacing	.106(b)(2)(ii)
Venting	.106(b)(2) (iv), (v), (vi)
Spill control	.106(b)(2) (viii)
Abrasive Blasting: (see also Ventilation).	.94
Air Compressors, Breathing Air	.94(a)(6)
Air Supply, Breathing	.94(a)(6)
Blast Cleaning Enclosures	.94(a)(3)
Cleaning Nozzles	.244(b)
Dust Hazards	.94(a)(2)
Abrasive Wheel Machinery:	
Blotters	.215(c)(6)
Definitions	.211(b)
Effective Dates	.220
Excluded Machinery	.215(a)(5)
Flanges	.215(a)(3), (c)
Guard Design	.215(a)(2)
Specifications	.215(b)(12)
Guard Exposure Angles	.215(b)(2)
Band Type	.215(b)(11)
Bench and Floor Stands	.215(b)(3)
Cup Wheels	.215(b)(1)
Cylindrical Grinders	.215(b)(4)
Dimensions	.215(b)(10)
Material Requirements	.215(b)(10)
Snagging Machines	.215(b)(7)
Surface Grinding	.215(b)(5)
Swing Frame	.215(b)(6)
Guarding	.215(a)(1), (b)
Mounting	.215(d)
Arbor Size	.215(d)(2)
Blotters	.215(d)(5)
Bushings	.215(d)(4)
Inspections	.215(d)(1)
Multiple Wheel	.215(d)(6)
Ring Test	.215(d)(1)
Surface Conditions	.215(d)(3)
Standards Sources	.221
Work Rests	.215(a)(4)
Abrasive Wheel Machinery, Portable:	
Definitions	.241(b)
Guarding	.243(c)
Cup Wheels	.243(c)(2)
General Requirements	.243(c)(1)
Other Type Grinders	.243(c)(4)
Vertical Grinders	.243(c)(3)
Inspection	.243(c)(5)
Mounting	.243(c)(5)
Abrasive Wheels: (see Abrasive Wheel Machinery)	
Access:	
Bulk Oxygen Systems	.104(b)(2)(ii)
Cranes	.179(c)(2)
Exposure and medical records	.1020
Industrial Plants	.106(e)(9)(ii)
Powered Platforms	.66
Processing Plants	.106(h)(8)(ii)
Spraying Operations, Vents	.107(d)(10)
Sprinkler valve	.107(f)(2)

Subject term	Section No.
Accident Prevention Signs and Tags: (see also Signs and Tags).	.145
Effective Dates	.149(a)
Standards Sources	.150
2-Acetylaminofluorene	.1003
Area requirements	.1003(c)
Closed system operation	.1003(c)(2)
Isolated systems	.1003(c)(1)
Maintenance and decontamination activities.	.1003(c)(5)
Open-vessel system operations.	.1003(c)(3)
Transfer from a closed operation.	.1003(c)(4)
Medical surveillance	.1003(g)
Examinations	.1003(g)(1)
Records	.1003(g)(2)
Regulated area requirements	.1003(d)
Contamination control	.1003(d)(4)
Emergencies	.1003(d)(2)
Hygiene facilities and practices.	.1003(d)(3)
Reports	.1003(f)
Incidents	.1003(f)(2)
Operations	.1003(f)(1)
Signs, information, and training	.1003(e)
Container contents identification.	.1003(e)(2)
Lettering	.1003(e)(3)
Prohibited statements	.1003(e)(4)
Signs	.1003(e)(1)
Training and indoctrination	.1003(e)(5)
Acetylene	.102
Cylinders	.102(a), (c)
Generators	.102(c)
Pipe Systems	.102(b)
Acetylene Generators	.253(f)
Approval	.253(f)(1)
Location	.253(f)(3)
Maintenance	.253(f)(7)
Marking	.253(f)(1)
Operation	.253(f)(7)
Portable	.253(f)(5)
Pressure Limits	.253(f)(2)
Rating	.253(f)(2)
Stationary	.253(f)(4)
Houses and Rooms	.253(f)(6)
Acid Carboys	.262(m)
Acrylonitrile	.1045
Emergency situations	.1045(i)
Employee information and training	.1045(o)
Exposure monitoring	.1045(e)
Housekeeping	.1045(k)
Hygiene facilities and practices	.1045(m)
Medical surveillance	.1045(n)
Methods of compliance	.1045(g)
Notification of regulated areas and emergencies.	.1045(d)
Observation and monitoring	.1045(r)
Permissible exposure limit	.1045(c)
Protective clothing and equipment	.1045(j)
Recordkeeping	.1045(q)
Regulated areas	.1045(f)
Respiratory protection	.1045(h)
Signs and labels	.1045(p)
Waste disposal	.1045(l)
Adjustments:	
Cranes	.179(l)(3)
Derricks	.181(f)(2), (3)
AEC Licensees	.96(p)
Agricultural Operations	.267
Air Compressors, Abrasive Blasting	.94(a)(6), .134(d)(2)(ii)
Air Contaminants	.1000, .1001

## Pt. 1910, Index

## 29 CFR Ch. XVII (7–1–01 Edition)

Subject term	Section No.	Subject term	Section No.
Effective Dates .....	.98, .1000	Location .....	.111(b)(5)
Exposure Limits .....	.1000, .1001	Motor Vehicle .....	.111(f)
Permissible exposure limits .....	.1000	Markings .....	.111(b)(3)
Standards Sources .....	.99	Non-Refrigerated .....	.111(b)(2), (c)
Air Controlling Equipment, Power Presses.	.217(b)(10)	Refrigerated .....	.111(d)
Air Lift Hammers, Forging .....	.218(e)(1)	Markings .....	.111(b)(4)
Air Quality .....	.134(d)	Safety Relief Devices .....	.111(b)(9), (c)(3), (d)(4), (f)(5)
Air Receivers:		Electrical Systems .....	.111(b)(16)
Application .....	.169(a)(1)	Fittings .....	.111(b)(7)
Compressed Air .....	.169	Handling .....	.111
Equipment:		Hoses .....	.111(b)(8)
Drains .....	.169(b)(2)	Liquid Level Gaging Devices .....	.111(b)(14)
Installation .....	.169(b)(1)	Liquid Transfer .....	.111(b)(12), (f)(6)
Pressure Gages .....	.169(b)(3)	Piping .....	.111(b)(7)
Traps .....	.169(b)(2)	Standards Sources .....	.115
Valves .....	.169(b)(3)	Storage .....	.111
Standards Sources .....	.169(a)(2), .170	Tank Car Unloading .....	.111(b)(13)
Air Supply .....	.94(a)(6), .134(d)	Tubing .....	.111(b)(7)
Airborne Radioactive Materials Exposure Limits.	.96(c)	Appliances:	
Airhoses .....	.243(b)(2)	Electric .....	.306(d)(1)
Aisles:		Liquefied Petroleum Gases .....	.110(b)(20), (g)(11)
Working Surfaces .....	.22(b)	Arbor Grinding Wheels .....	.215(d)(2)
Alarms: (see also Fire Alarms, Sprinklers, Warning Devices)		Arc Welding .....	.254
Employee alarm systems .....	.165	Environmental Conditions .....	.254(b)(2)
Mills and Calenders .....	.216(g)	Equipment:	
Rubber and Plastics .....	.216(g)	Design .....	.254(b)(4)
4-Aminodiphenyl .....	.1003	Disconnecting Means .....	.305(j)(3)
Area requirements .....	.1003(c)	Grounding .....	.254(c)(2)
Closed system operation .....	.1003(c)(2)	Installation .....	.254(c)
Isolated systems .....	.1003(c)(1)	Maintenance .....	.254(d)(9)
Maintenance and decontamination activities.	.1003(c)(5)	Operation .....	.254(d)
Open-vessel system operations.	.1003(c)(3)	Personnel Protection .....	.252(b)
Transfer from a closed operation.	.1003(c)(4)	Protection from Rays .....	.252(b)(2)(iii)
Medical surveillance .....	.1003(g)	Supply Connections .....	.254(c)(3), (d)(3)
Examinations .....	.1003(g)(1)	Health Protection .....	.252(c)
Records .....	.1003(g)(2)	Ventilation .....	.252(b)(4)(ii), (c)
Regulated area requirements .....	.1003(d)	Voltage .....	.254(b)(3)
Contamination control .....	.1003(d)(4)	Arsenic, Inorganic .....	.1018
Emergencies .....	.1003(d)(2)	Asbestos:	
Hygiene facilities and practices.	.1003(d)(3)	Airborne Concentration .....	.1001(c)
Reports .....	.1003(f)	Caution Signs and Labels .....	.1001(g)
Incidents .....	.1003(f)(2)	Change Rooms .....	.1001(d)(4)
Operations .....	.1003(f)(1)	Compliance .....	.1001(f)
Signs, information, and training .....	.1003(e)	Definitions .....	.1001(a)
Container contents identification.	.1003(e)(2)	Exposure, Permissible .....	.1001(c)
Lettering .....	.1003(e)(3)	Fibers Exposure, Permissible .....	.1001(b)
Prohibited statements .....	.1003(e)(4)	Hazard Communication .....	.1001(j)
Signs .....	.1003(e)(1)	Housekeeping .....	.1001(k)
Training and indoctrination .....	.1003(e)(5)	Hygiene Facilities and Practices .....	.1001(i)
Ammonia, Anhydrous: (see also Anhydrous Ammonia).	.111	Medical Surveillance .....	.1001(l)
Ammonium Nitrate .....	.109(i)	Measurements .....	.1001(e)
Bulk Storage .....	.109(i)(4)	Medical Examinations .....	.1001(j)
Containers .....	.109(i)(3)	Monitoring .....	.1001(d)
Contaminants .....	.109(i)(5)	Personal Protective Equipment .....	.1001(h)
Electrical Installations .....	.109(i)(6)	Recordkeeping .....	.1001(m)
Fire Protection .....	.109(i)(7)	Regulated Areas .....	.1001(e)
Separation Walls .....	.109(i)(5)	Respiratory protection .....	.1001(g)
Warehouses .....	.109(i)(4)	Special Clothing .....	.1001(d)(3)
Anchoring Fixed Machinery .....	.212(a)(5), (b)	Waste Disposal .....	.1001(h)(2)
Anhydrous Ammonia:		Atmospheric Contaminants: (see Air Contaminants)	
Containers:		Atmospheric Tanks .....	.106(b)(1)(iii)
Appurtenances .....	.111(b)(6)	Attendants:	
Charging .....	.111(b)(11)	Liquefied Hydrogen Systems .....	.103(c)(4)(ii)
DOT .....	.111(e)	Liquefied Petroleum Gases .....	.110(b)(14)
Farm Vehicles .....	.111(g), (h)	Automatic Sprinkler Systems: (see also Sprinkler Systems, Automatic).	.159
		Automobile Undercoatings .....	.107(k)
		Baffle Plates:	
		Spray Booths .....	.107(b)(4)
		Bakery Equipment .....	.263(k)
		Air Conditioning .....	.268(i)(14)
		Bag Chutes and Lifts .....	.263(d)(2)

Subject term	Section No.	Subject term	Section No.
Biscuit Equipment .....	.263(k)	Signs, information, and training ....	.1003(e)
Blenders .....	.263(d)(3)	Container contents identifica-	.1003(e)(2)
Bolting Reels .....	.263(d)(5)	tion.	
Conveyors .....	.263(d)(7), (i)(7)	Lettering .....	.1003(e)(3)
Cracker Equipment .....	.263(k)	Prohibited statements .....	.1003(e)(4)
Dividers .....	.263(f)	Signs .....	.1003(e)(1)
Dough Brakes .....	.263(h)	Training and indoctrination ....	.1003(e)(5)
Dumpbins .....	.263(d)(3)	Beryllium .....	.1000, Table Z-2
Flour Elevators .....	.263(d)(4)	Bins, Bulk Storage of Explosives .....	.109(g)(4)
Flour Handling Equipment .....	.263(d)	Biological Hazards Signs and Tags ....	.145(e)(4), (f)(8)
Machine Guarding .....	.263(c)	Blades Exposure .....	.212(a)(5)
Miscellaneous Equipment .....	.263(i)	Blankets, Rubber Insulating .....	.137
Mixers .....	.263(e)	Blasting Agents (see also Explosives	.109(g), (k) (1), (2),
Moulders .....	.263(g)	and Blasting Agents).	.119
Ovens .....	.263(l)	Bulk Delivery .....	.109(g)(3), (h)(4)
Pulverizers .....	.263(k)(2)	Bulk Storage Bins .....	.109(g)(4)
Scales, Flour .....	.263(d)(9)	Effective Dates .....	.114
Sifters .....	.263(d)(8)	Mixing, Fixed Location .....	.109(g)(2), (h)(3)
Slicers .....	.263(j)	Mixing Vehicles .....	.109(g)(3), (h)(4)
Storage Bins .....	.263(d)(6)	Slurries .....	.109(h)
Wrappers .....	.263(j)	Standards Sources .....	.115
Ballast, Cranes .....	.180(i)(2)	Storage .....	.109(g)(5)
Band Saws and Resaws .....	.213(i)	Transportation .....	.109(g)(6)
Barking Devices:		Use .....	.109(g)(7)
Hydraulic .....	.261(e)(14)	Water Gels .....	.109(h)
Pulp Wood and Chips .....	.261(c), (e)(8)	Bleaching:	
Sawmills .....	.265(d)(4)	Pulp and Paper Mills .....	.261(h)
Barrels:		Textiles .....	.262(p)
Guarding .....	.212(a)(4)	Bloodborne pathogens .....	.1030
Basket Derricks: (see Derricks) .....	.181	Effective dates .....	.1030(i)
Bathing Facilities:		Engineering and work-practice	.1030(d)(2)
Labor Camps .....	.142(f)	controls.	
Battery Changing and Charging .....	.178(g), .305(j)(7)	Housekeeping .....	.1030(d)(4)
Bearings .....	.219(j), (p)(3)	Laboratories and production facili-	.1030(e)
Belts:		ties, HIV and HBVresearch.	
Definitions .....	.211(f)(1)-(3)	Personal protective equipment ....	.1030(c)(2)(ii),
Manlifts .....	.68(c)(1)	(d)(2)(i), (3)	(d)(2)(i), (3)
Power Transmission Apparatus ....	.219(e)(1), (o)(3),	Recordkeeping .....	.1030(f)(6), (h)
(p)(6)		Training .....	.1030(e)(5), (g)(2)
Bench and Floor Stands Guarding .....	.215(b)(3)	Vaccinations, HBV .....	.1030(f)
Benzene .....	.1028	Warning labels and signs .....	.1030(g)(1)
Communication of benzene haz-	.1028(j)	Blotters .....	.215(c)(1)(v), (c)(6),
ards to employees.		(d)(5)	(d)(5)
Exposure monitoring and meas-	.1028(e)	Board Drop Hammers .....	.218(e)(2)
urement.		Boatswain's Chair Scaffolds .....	.28(j)
Medical surveillance .....	.1028(i)	Employee Protection .....	.28(j)(4)
Methods of compliance .....	.1028(f)	Fiber Ropes .....	.28(j)(2)
Observation of monitoring .....	.1028(l)	Life Belts .....	.28(j)(4)
Permissible exposure limit .....	.1028(c)	Roof Irons, Hooks .....	.28(j)(6)
Protective clothing and equipment	.1028(h)	Seat Slings .....	.28(j)(3)
Recordkeeping .....	.1028(k)	Size .....	.28(j)(1)
Regulated areas .....	.1028(d)	Tackle .....	.28(j)(5)
Respiratory protection .....	.1028(g)	Boom Guards:	
Benzidine .....	.1003	Cranes .....	.180(j)(2)
Area requirements .....	.1003(c)	Derricks .....	.181(j)(5)(ii)
Closed system operation .....	.1003(c)(2)	Booms, Derricks .....	.181(i)(6)
Isolated systems .....	.1003(c)(1)	Boring Machines .....	.213(l)
Maintenance and decon-	.1003(c)(5)	Brakes:	
tamination activities.		Bandsaws .....	.213(j)(1)
Open-vessel system oper-	.1003(c)(3)	Bridges .....	.179(f)(4), (6)
ations.		Control .....	.179(f)(3)
Transfer from a closed oper-	.1003(c)(4)	Cranes .....	.179(f)
ation.		Friction, Power Presses .....	.217(b)(2)
Medical surveillance .....	.1003(g)	Hoists .....	.179(f)(1)
Examinations .....	.1003(g)(1)	Holding .....	.179(f)(2)
Records .....	.1003(g)(2)	Industrial Trucks .....	.178(g), (h), (m)(5)
Regulated area requirements .....	.1003(d)	Manlifts .....	.68(c)(1)(f)
Contamination control .....	.1003(d)(4)	Power Control .....	.179(f)(3)
Emergencies .....	.1003(d)(2)	Trolleys .....	.179(f)(4), (5)
Hygiene facilities and prac-	.1003(d)(3)	Brazing: (see also Welding) .....	.252
tices.		Definitions .....	.251
Reports .....	.1003(f)	Standards Sources .....	.256
Incidents .....	.1003(f)(2)	Breast Derricks: (see also Derricks) ...	.181(a)(4)
Operations .....	.1003(f)(1)	Bricklayers' Square Scaffolds .....	.28(l)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–01 Edition)

Subject term	Section No.
Bridge Bumpers, Cranes .....	.179(e)(2)
Bridge Plates: (see also Dockboards) ..	.30(a)
Buffing: (see Grinding, Polishing and Buffing)	
Building Maintenance Powered Platforms.	.66
Buildings, Sawmills .....	.265(c)
Bulk Delivery:	
Blasting Agents .....	.109(g)(3), (h)(4)
Explosives .....	.109(h)(4)
Bulk Oxygen Systems .....	.104
Accessibility .....	.104(b)(2)(ii)
Cleaning .....	.104(b)(8)(i)
Clear Zone .....	.104(b)(10)(ii)
Containers .....	.104(b)(4), (6)
Gaseous .....	.104(b)(4)(iii)
Liquid .....	.104(b)(4)(ii)
Dikes .....	.104(b)(2)(v)
Distances from Hazards .....	.104(b)(3)
Combustible Liquids .....	.104(b)(3)(vii), (viii)
Combustible Materials .....	.104(b)(3)(x)
Combustible Structures .....	.104(b)(3)(ii)
Congested Areas .....	.104(b)(3)(xiii)
Fire Resistant Structures .....	.104(b)(3)(iii)
Flammable Gases .....	.104(b)(3)(ix)
Flammable Liquids .....	.104(b)(3)(v), (vi)
Openings .....	.104(b)(3)(iv)
Slow-Burning Materials .....	.104(b)(3)(xi)
Electrical Wiring .....	.104(b)(8)(ix)
Firewalls .....	.104(b)(3)(viii)
Fittings .....	.104(b)(5)
Inspection .....	.104(b)(10)(f)
Installation .....	.104(b)(8)(iv)
Joints .....	.104(b)(8)(ii)
Leakage .....	.104(b)(2)(iii)
Liquid Oxygen Vaporizers .....	.104(b)(7)
Grounding .....	.104(b)(7)(iv)
Location .....	.104(b)(2)
Maintenance .....	.104(b)(10)
Marking .....	.104(b)(8)(viii)
Operating Instructions .....	.104(b)(9)
Piping .....	.104(b)(5)
Placarding .....	.104(b)(8)(viii)
Safety Relief Devices .....	.104(b)(6), (7)(ii)
All Containers .....	.104(b)(6)(i)
ASME Containers .....	.104(b)(6)(iii)
DOT Containers .....	.104(b)(6)(ii)
Security .....	.104(b)(8)(vi)
Storage Containers .....	.104(b)(4), (6)
Testing .....	.104(b)(8)(v)
Tubing .....	.104(b)(5)
Vaporizers .....	.104(b)(7)
Ventilation .....	.104(b)(3)(xii)
Venting .....	.104(b)(8)(vii)
Bulk Plants, Flammable and Combustible Liquids.	.106(f)
Buildings .....	.106(f)(2)
Drainage .....	.106(f)(7)
Electrical Equipment .....	.106(f)(5)
Fire Protection .....	.106(f)(8)
Ignition Sources .....	.106(f)(6)
Liquid Storage .....	.106(f)(1)
Loading .....	.106(f)(3)
Waste Disposal .....	.106(f)(7)
Wharves .....	.106(f)(4)
Bumpers:	
Bridge .....	.179(e)(2)
Trolley .....	.179(e)(3)
1,3 Butadiene:	
Permissible Exposure Limits .....	.1051(c)
Exposure Monitoring .....	.1051(d)
Regulated Areas .....	.1051(e)
Methods of Compliance .....	.1051(f)
Exposure Goal Program .....	.1051(g)

Subject term	Section No.
Respiratory Protection .....	.1051(h)
Protective Clothing and Equipment .....	.1051(i)
Emergency Situations .....	.1051(j)
Medical Screening and Surveillance.	.1051(k)
Communication of BD Hazards to Employees.	.1051(l)
Recordkeeping .....	.1051(m)
Cabinets, Flammable and Combustible Liquid storage.	.106(d)(3)
Size .....	.106(d)(3)(i)
Fire resistance .....	.106(d)(3)(ii)
Cabs:	
Cranes .....	.179(c), (o)(2); 180(i)(3)
Derricks .....	.181(j)(6)
Cadmium .....	.252(c)(9)
Airborne Concentration .....	.1027(c)
Compliance .....	.1027(f)
Confined Spaces .....	.252(c)(9)(ii)
Emergency Situations .....	.1027(h)
Exposure, Permissible .....	.1027(c)
Hazard Communication .....	.1027(m)
Housekeeping .....	.1027(k)
Hygiene Areas and Practices .....	.1027(j)
Indoors .....	.252(c)(9)(i)
Medical Surveillance .....	.1027(l)
Monitoring .....	.1027(d)
Personal Protective Equipment .....	.1027(i)
Clothing .....	.1027(i)
Recordkeeping .....	.1027(n)
Regulated Areas .....	.1027(e)
Respiratory protection .....	.1027(g)
Warning Labels .....	.252(c)(1)(v),
Calcium Carbide:	
Indoors .....	.253(g)(2)
Packaging .....	.253(g)(1)
Storage .....	.253(g)(2), (3)
Calenders .....	.262(ee)
Rubber and Plastics Industry:	
Alarms .....	.216(g)
Location Protection .....	.216(d)(2)
Safety Controls .....	.216(c)
Stopping Limits .....	.216(f)(1), (3)
Switches, Trip and Emergency.	.216(e)
Textiles (see also Gas Mask Canisters, Respirators)	.262(ee)
Canisters, Gas Mask: (see Gas Mask Canisters, Respirators)	
Cantilever Gantry Cranes: (see Gantry Cranes)	
Carpenters' Bracket Scaffolds .....	.28(k)
Bracket Attachment .....	.28(k)(2)
Bracket Dimensions .....	.28(k)(1)
Employee Protection .....	.28(k)(3)
Guardrails .....	.28(k)(5)
Platform Size .....	.28(k)(4)
Caustics .....	.262(oo)
Emergency Showers .....	.261(g)(18)(i)
Pipeline Identification .....	.261(h)(3)(vi)
Caution Signs and Labels .....	.145(c)(2), (d)(4)
Asbestos .....	.1001(g)
Fluorides .....	.252(c)(1)(iv)
Ionizing Radiation .....	.96(e), (g), (h)
Welding .....	.252(c)(1)(iv)
Ceiling Workers' Scaffolds: (see also Plasterers' Scaffolds).	.28(o)
Chain Guarding .....	.219(f)
Change Rooms:	
Asbestos .....	.1001(d)(4)
Drying Facilities .....	.141(f)
Separate Facilities .....	.141(e)
Charge Initiation .....	.109(e)(4)
Chemical Plants: (see also Refineries, Chemical Plants and Distilleries).	.106(i)

Subject term	Section No.	Subject term	Section No.
Chemicals, hazard communication .....	.1200	Degreasing .....	.252(c)(11)(ii)
Chemicals, hazardous; occupational exposure in laboratories:		Manufacturer's Instructions .....	.252(c)(11)(i)
Chemical Hygiene Plan .....	.1450(e)	Cleaning Solvents:	
Exposure determination, monitoring.	.1450(d)	Spraying .....	.107(g)(5)
Hazard identification .....	.1450(h)	Clear Zones:	
Hygiene recommendations .....	.1450, App. A	Bulk Oxygen Systems .....	.104(b)(10)
Medical consultations and examinations.	.1450(g)	Industrial Plants .....	.106(e)(9)(iv)
Permissible exposure limits .....	.1450(c)	Liquefied Hydrogen Systems .....	.103(c)(5)(ii)
Recordkeeping .....	.1450(j)	Processing Plants .....	.106(h)(8)(iv)
Respirator use .....	.1450(i)	Clearances:	
Training .....	.1450(f)	Cranes .....	.179(b)(6), .180(j)(1)
Chemicals, highly hazardous; process safety management.	.119	Derricks .....	.181(j)(5)
Chemicals, toxic and reactive, threshold list.	.119, App. A	Fixed Ladders .....	.27(c)
Compliance guidelines .....	.119, App. A	Back .....	.27(c)(4)
Contractor, employer responsibilities.	.119(h)	Climbing Side .....	.27(c)(1)
Emergency planning and response	.119(h)	Grab Bars .....	.27(c)(5)
Hot work (welding) permits .....	.119(n)	Hatch Covers .....	.27(c)(7)
Trade secrets .....	.119(p)	Step-Across Distance .....	.27(c)(6)
Training .....	.119(g)	With Cages or Baskets .....	.27(c)(3)
Chicago Boom Derricks: (see also Derricks).	.181	Without Cages or Wells .....	.27(c)(2)
Chicken Ladders: (see also Crawling Boards).	.28(t)	Manlifts .....	.68(b)(11)
bis-Chloromethyl ether .....	.1003	Spraying Discharges .....	.107(d)(8)
Area requirements .....	.1003(c)	Stairs .....	.24(i)
Closed system operation .....	.1003(c)(2)	Clothing, Protective: (see also Personal Protective Equipment).	.252(b)(3), .132
Isolated systems .....	.1003(c)(1)	Asbestos .....	.1001(d)(3)
Maintenance and decontamination activities.	.1003(c)(5)	Body .....	.156(e)(3)
Open-vessel system operations.	.1003(c)(3)	Electrical .....	.137
Transfer from a closed operation.	.1003(c)(4)	Eye .....	.133, .156(e)(5)
Medical surveillance .....	.1003(g)	Face .....	.133, .156(e)(5)
Examinations .....	.1003(g)(1)	Fire brigade .....	.156
Records .....	.1003(g)(2)	Footwear .....	.136, .156(e)(2)
Regulated area requirements .....	.1003(d)	Goggles .....	.133
Contamination control .....	.1003(d)(4)	Hand .....	.156(e)(4)
Emergencies .....	.1003(d)(2)	Head .....	.135, .156(e)(5)
Hygiene facilities and practices.	.1003(d)(3)	Helmets .....	.135
Reports .....	.1003(f)	Leg .....	.156(e)(3)
Incidents .....	.1003(f)(2)	Rubber .....	.137
Operations .....	.1003(f)(1)	Storage .....	.107(g)(4)
Signs, information, and training .....	.1003(e)	Welders .....	.252(b)(3), (7)
Container contents identification.	.1003(e)(2)	Clutches .....	.217(b)(3), (7)
Lettering .....	.1003(e)(3)	Definition .....	.180(a)(19)
Prohibited statements .....	.1003(e)(4)	Power Transmission Apparatus .....	.219(k)
Signs .....	.1003(e)(1)	Coatings, Spray:	
Training and indoctrination .....	.1003(e)(5)	Dual Component .....	.107(m)
Chute Openings .....	.23(a)(2)	Organic Peroxide .....	.107(m)
Circular Resaws .....	.213(e)	Powder .....	.107(l)
Circular Saws .....	.213(f)	Undercoatings .....	.107(k)
Arbors .....	.213(s)(4)	Collars .....	.219(i)
Portable .....	.243(a)(1)	Coke oven emissions .....	.1029
Clean Air, Spray Finishing .....	.94(c)(7)	Employee information and training	.1029(k)
Cleaning:		Exposure monitoring and measurement.	.1029(e)
Air Receivers .....	.169	Hygiene facilities and practices .....	.1029(i)
Bulk Oxygen Systems .....	.104(b)(8)(i)	Medical surveillance .....	.1029(j)
Compressed Air .....	.242(b)	Methods of compliance .....	.1029(f)
Powder Coatings .....	.107(l)(4)(i)	Observation of monitoring .....	.1029(n)
Powered Platforms .....	.66(e)(7)	Permissible exposure limit .....	.1029(c)
Respirators .....	.134(f)(3)	Protective clothing and equipment	.1029(h)
Solvents .....	.107(g)(5)	Precautionary signs and labels .....	.1029(l)
Spray Booths .....	.107(b)(9)	Recordkeeping .....	.1029(m)
Spraying Operations .....	.107(g)(2)	Regulated areas .....	.1029(d)
Cleaning Compounds .....	.252(c)(11)	Respiratory protection .....	.1029(g)
		Color Codes:	
		Air Contaminants .....	.134(g)(6)
		Danger .....	.144(a)(1)(ii), .145(d)(2)
		Effective Dates .....	.149
		Gas Mask Canisters .....	.134(g)(6)
		Physical Hazards, Colors .....	.144(a), .145(d)(2)
		Respirators .....	.134(g)(6)
		Standards Sources .....	.150
		Stop .....	.144(a)(1)(iii)
		Combustible Dusts, Trucks Used .....	.178(c)(2)(vi)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–01 Edition)

Subject term	Section No.
Combustible Liquids: (see Flammable and Combustible Liquids)	.106
Effective Dates .....	.114
Standards Sources .....	.115
Combustible Materials:	
Welding .....	.252(a)(2)
Communicable Diseases Reporting:	
Labor Camps .....	.142(l)
Communications, Powered Platforms ..	.66(e)(11)(vi)
Compressed Air, Cleaning .....	.242(b)
Compressed Air Equipment: (see also Compressed Gas Equipment)	
Air Receivers .....	.169
Compressed Gas Cylinders: (see also Compressed Gases)	.253(a)(2)
Approval .....	.252(b)(1)
Inspection .....	.101(a)
Manifolding .....	.253(c)
Markings .....	.253(b)(1)
Operating Procedures .....	.253(b)(5)
Oxygen Manifolds .....	.253(c)(2), (3)
Public Protection .....	.101(c), .252(a)(8)
Safety Relief Valves .....	.101(c)
Standards Sources .....	.170
Storage .....	.253(b)(2)–(4)
Compressed Gas Equipment: (see Compressed Gas Cylinders)	
Compressed Gases: (see also Compressed Gas Cylinders)	.101
Effective Dates .....	.114
Handling .....	.101(b)
Safety Relief Devices .....	.101(c)
Standards Sources .....	.115
Storage .....	.101(b)
Conductors: (see also Electric Wiring)	
Cranes .....	.179(g)(1)(iv), (6)
General Wiring .....	.305(f)
Confined Spaces, Hazardous work .....	.120(b)(4)(ii)(I), (c)(3)
Electrical safety-related work practices.	.333(c)(5)
Confined Spaces:	
Atmospheric testing flow charts ....	.146, App. B
Attendant duties .....	.146(i)
Authorized entrant duties .....	.146(h)
Entry supervisor duties .....	.146(j)
Flow chart, decisions .....	.146, App. A
Instruction of employees relating to.	.21(b)(6)
Permit samples .....	.146, App. D
Program examples .....	.146, App. C
Rescue and emergency services ..	.146(k)
Sewer system entry .....	.146, App. E
Training .....	.146(g)
Welding and Cutting .....	.353(b), .352(g)
Containers: (see also Tank Storage, Portable)	
Ammonium Nitrate .....	.109(i)(3)
Bulk Oxygen Systems .....	.104(b)(4), (6)
Gaseous .....	.104(b)(4)(iii)
Liquid .....	.104(b)(4)(ii)
Flammable and Combustible Liquids.	.106(d)
Design .....	.106(d)(2)
Bulk plants, storage .....	.106(f)
Industrial plants, storage .....	.106(e)(2)(ii)
Service stations, storage .....	.106(g)(1)
Processing plants .....	.106(h)(4)
Gaseous Hydrogen Systems .....	.103(b)(1)(i)
Guarding .....	.212(a)(4)
Liquified Hydrogen Systems .....	.103(c)(1)(i)
Liquefied Petroleum Gases .....	.110
Spraying .....	.107(e)(3), (5)
Welding, Gas .....	.253(a), (b)

Subject term	Section No.
Containers, Liquefied Petroleum Gases	.110
Accessories .....	.110(b)(7); (c)(6); (d)(3), (8); (e)(5)
Awaiting Use or Resale .....	.110(f)
Capacity .....	.110(d)(6), (h)(5)
Charging Plants .....	.110(d)(13)
Construction .....	.110(b)(3)
Cylinder Systems .....	.110(c)
Accessories .....	.110(c)(6)
Indoor .....	.110(c)(5)
Markings .....	.110(c)(2)
Outdoor .....	.110(c)(4)
Valves .....	.110(c)(6)
Filling Densities .....	.110(b)(12)
Fire Protection .....	.110(d)(14)
Fittings .....	.110(b)(8); (e)(6); (h)(7), (9)
Hoses .....	.110(b)(9)
Industrial Plants .....	.110(d)(12)
Installation .....	.110(e)(4), (h)(6)
Lighting .....	.110(d)(16)
Location .....	.110(b)(6), (f)(5)
Markings .....	.110(b)(5), (c)(2)
Non-DOT Containers .....	.110(d)
Accessories .....	.110(d)(3)
Capacity .....	.110(d)(6)
Installation .....	.110(d)(7)
Pipes .....	.110(d)(3)
Pressure, Design .....	.110(d)(2)
Reinstallation .....	.110(d)(5)
Safety Relief Devices .....	.110(d)(4)
Valves .....	.110(d)(3)
Original Testing .....	.110(b)(4)
Piping .....	.110(b)(8), (d)(3), (e)(6), (h)(10), (h)(9)
Pressure Design .....	.110(d)(2), (e)(3)
Safety Relief Devices .....	.110(b)(10), (c)(7), (d)(4), (e)(7), (h)(4)
Tubing .....	.110(b)(8), (e)(6)
Valves .....	.110(b)(7), (c)(6), (d)(3), (e)(5), (h)(9)
Vaporizers .....	.110(b)(11), (d)(17), (e)(8)
Welding .....	.110(b)(4)
Controllers:	
Cranes .....	.179(g)(3)
Conveyors:	
Bakeries .....	.263(d)(7), (i)(7)
Electrostatic Spraying .....	.107(h)(7)
Forging Machines .....	.218(j)(3)
Sawmills .....	.265(c)(18)
Spray Booths .....	.107(b)(7)
Corrosion Protection:	
Piping, Valves and Fittings .....	.106(c)(5)
Storage Tanks .....	.106(b)(1)(vi)
Underground Tanks .....	.106(b)(3)(iii)
Cotton Dust .....	.1043
Counterbalances .....	.217(b)(9)
Counterweights:	
Cranes .....	.180(i)(2)
Covers, Openings:	
Working Surfaces .....	.22(e); 23(a)(1), (3)(i), (5), (6), (8)(ii), (9)
Cranes:	
Crawler .....	.180
Definitions .....	.179(a)
Effective Dates .....	.179(b)(2), .180(b)(2), .182
Electric .....	.306(b)
Gantry .....	.179

Subject term	Section No.	Subject term	Section No.
Locomotive .....	.180	Degreasing:	
Overhead .....	.179	Cleaning Compounds .....	.252(c)(11)(ii)
Pulp and Paper Mills .....	.261(c)(8)	Derricks:	
Standards Sources .....	.183	Adjustments .....	.181(f)(3)
Truck .....	.180	Cabs .....	.181(j)(6)
Crawler Cranes: (see also Crawler, Lo-	.180	Electric Power Lines .....	.181(j)(5)
comotive and Truck Cranes).		Fire Extinguishers .....	.181(j)(3)
Crawler, Locomotive and Truck Cranes	.180	Guards .....	.181(j)(1)
Cabs .....	.180(i)(3)	Hooks .....	.181(j)(2)
Electric Power Lines .....	.180(j)	Inspections .....	.181(d) and (g)
Fire Extinguishers .....	.180(i)(5)	Load Handling .....	.181(i)
Inspections .....	.180(d)	Load Ratings .....	.181(c)
Frequent .....	.180(d)(3)	Maintenance .....	.181(f)
Idle (Irregular) .....	.180(d)(5)	Operations .....	.181(h)
Initial .....	.180(d)(1)	Refueling .....	.181(j)(4)
Periodic .....	.180(d)(4)	Repairs .....	.181(f)(3)
Records .....	.180(d)(6)	Rope Inspections .....	.181(g)
Ropes .....	.180(g)	Standards Sources .....	.183
Load Handling .....	.180(h)	Testing .....	.181(e)
Load Ratings .....	.180(c)	3,3'-Dichlorobenzidine (and its salts) ...	.1003
Maintenance .....	.180(f)	Area requirements .....	.1003(c)
Refueling .....	.180(i)(4)	Closed system operation .....	.1003(c)(2)
Rope Inspection .....	.180(g)	Isolated systems .....	.1003(c)(1)
Standards Sources .....	.183	Maintenance and decon-	.1003(c)(5)
Swinging Locomotives .....	.180(j)(6)	tamination activities.	
Testing .....	.180(e)	Open-vessel system oper-	.1003(c)(3)
Crawling Boards .....	.28(t)	ations.	
Crosscut Table Saws .....	.213(d)	Transfer from a closed oper-	.1003(c)(4)
Cup Wheels .....	.243(c)(2)	ation.	
Flaring-Cup, Type 11 .....	.241(b)(8)	Medical surveillance .....	.1003(g)
Straight-Cup, Type 6 .....	.241(b)(9)	Examinations .....	.1003(g)(1)
Straight, Type 1 .....	.241(b)(10)	Records .....	.1003(g)(2)
Curing Apparatus: (see Drying, Curing		Regulated area requirements .....	.1003(d)
and Fusion Apparatus)		Contamination control .....	.1003(d)(4)
Cutting: (see also Welding) .....	.252	Emergencies .....	.1003(d)(2)
Containers .....	.252(a)(3)	Hygiene facilities and prac-	.1003(d)(3)
Definitions .....	.251	tices.	
Ventilation .....	.252(c)	Reports .....	.1003(f)
Cutting-Off Machines .....	.215(b)(5)	Incidents .....	.1003(f)(2)
Cutoff Couplings .....	.219(k)(1)	Operations .....	.1003(f)(1)
Cutoff Saws, Swing .....	.213(g)	Signs, information, and training ...	.1003(e)
Cylinders, Welding Gas .....	.253(b)	Container contents identifica-	.1003(e)(2)
Manifolding .....	.253(c)	tion.	
Operating Procedures .....	.253(b)(5)	Lettering .....	.1003(e)(3)
Storage .....	.253(b)(2)-(4)	Prohibited statements .....	.1003(e)(4)
Cylindrical Grinders .....	.215(b)(4)	Signs .....	.1003(e)(1)
Danger:		Training and indoctrination ...	.1003(e)(5)
Color Codes .....	.144(a)(1)(ii)	Dies .....	.217(d)
Signs .....	.145(c)(1), (d)(2)	Changing .....	.218(h)(5)
Tag .....	.145(f)(5)	Fastening .....	.217(d)(7)
Dates, Effective: (see Effective Dates)		Guide Post Hazards .....	.217(d)(4)
DBCP (1,2-Dibromo 3-	.1044	Handling .....	.217(d)(3), (8)
Chloropropane).		Requirements .....	.217(d)(1)
Emergency situations .....	.1044(i)	Scrap:	
Employee information and training	.1044(n)	Ejecting .....	.217(d)(2)
Exposure monitoring .....	.1044(f)	Handling .....	.217(d)(3)
Housekeeping .....	.1044(k)	Selling .....	.217(d)(9)
Hygiene facilities and practices ....	.1044(l)	Stroke .....	.217(d)(6)
Medical surveillance .....	.1044(m)	Tonnage .....	.217(d)(6)
Methods of compliance .....	.1044(g)	Unitized Tooling .....	.217(d)(5)
Notification of use .....	.1044(d)	Weight .....	.217(d)(6)
Observation of monitoring .....	.1044(q)	Diesel Powered Trucks .....	.178(b)(1)-(3)
Permissible exposure limit .....	.1044(c)	Dikes:	
Protective clothing and equipment	.1044(j)	Bulk Oxygen Systems .....	.104(b)(2)(v)
Recordkeeping .....	.1044(p)	Storage Tanks .....	.106(b)(2)(vii), (c)
Regulated areas .....	.1044(e)	4-Dimethylaminoazobenzene .....	.1003
Respirators .....	.1044(h)	Area Requirements .....	.1003(c)
Signs and labels .....	.1044(o)	Closed System Operation .....	.1003(c)(2)
Dead-Man Controls .....	.243(a)(2)	Isolated Systems .....	.1003(c)(1)
Decorations:		Maintenance and decon-	.1003(c)(5)
Egress .....	.37(l)	tamination activities.	
Explosives .....	.37(l)	Open-vessel System Oper-	.1003(c)(3)
Decorators' Scaffolds: (see also Plas-	.28(o)	ations.	
terers' Scaffolds).		Transfer from a closed oper-	.1003(c)(4)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–01 Edition)

Subject term	Section No.	Subject term	Section No.
Medical surveillance .....	.1003(g)	Storage Tanks .....	.106(b)(2)(vii)(c)
Examinations .....	.1003(g)(1)	Drains:	
Records .....	.1003(g)(2)	Air Receivers .....	.169(b)(2)
Regulated Area Requirements .....	.1003(d)	Dressing Rooms, Personnel .....	.141(e)
Contamination Control .....	.1003(d)(4)	Drips, Condensed Gas .....	.110(d)(11)
Emergencies .....	.1003(d)(2)	Drives—Belt, Rope and Chain .....	.219(e), (g), (o)(3)
Hygiene facilities and practices.	.1003(d)(3)	Belt Tighteners .....	.219(e)(6)
Reports .....	.1003(f)	Cone-Pulley Belts .....	.219(e)(5)
Incidents .....	.1003(f)(2)	Horizontal Belts and Ropes .....	.219(e)(1)(i)
Operations .....	.1003(f)(1)	Inclined Belts .....	.219(e)(3)
Signs, Information, and Training ...	.1003(e)	Overhead Horizontal Belts .....	.219(e)(2)
Container Contents Identification.	.1003(e)(2)	Vertical Belts .....	.219(e)(3), (4)
Lettering .....	.1003(e)(3)	Drums .....	.212(a)(4)
Prohibited Statements .....	.1003(e)(4)	Dry Chemical Extinguishing Systems, Fixed.	.161
Signs .....	.1003(e)(1)	Scope and Application .....	.161(a)
Training and Indoctrination ...	.1003(e)(5)	Specific Requirements .....	.161(b)
Dining Facilities: (see also Lunchrooms)		Drying:	
Labor Camps .....	.142(i)	Spraying Operations .....	.107(d)(12)
Dip Tanks: .....	.123–126	Drying, Curing, and Fusion Apparatus	.107(j)
Application .....	.123(a)	Adjacent System .....	.107(j)(3)
Bottom Drains .....	.125(c)	Alternate Use:	
Construction .....	.124(a), .125(a)	Permitted .....	.107(j)(4)
Conveyors .....	.125(d), .126(g)(2)	Prohibited .....	.107(j)(2)
Covers .....	.125(f)(3)	Conformance .....	.107(j)(1)
Electrical Ignition Sources .....	.125(e)(1)	Powder Coatings .....	.107(l)(3)
Electrostatic Apparatus .....	.126(g)	Spraying Rooms .....	.107(j)(2)
Fire Extinguishers .....	.125(f)(2)(i)	Dual Component Coatings .....	.107(m)
Fire Protection .....	.125(f)	Dust Hazards:	
Flow Coating .....	.126(b)	Abrasive Blasting .....	.94(a)(2)
Hardening .....	.126(a)(1)(i),(ii)	Asbestos .....	.19, .93a
Heating .....	.125(g)	Employee Exposure .....	.1000(a)
Ignition Sources .....	.125(e)	Grain handling facilities .....	.272
Inspections .....	.124(j)(1),(3)	Effective Dates:	
Liquid Storage .....	.125(e)(2)	Abrasive Wheels .....	.220
Maintenance .....	.125(e)(4)	Accident Prevention Signs and Tags.	.149
Overflow Pipes .....	.125(b)	Acetylene .....	.114
Sprinklers .....	.125(f)	Air Contaminants .....	.98
Tempering .....	.126(a)	Anhydrous Ammonia .....	.114
Ventilation .....	.124(b), .125(d)(2)	Asbestos .....	.1001(b)(1), (2); .98
Warning Signs .....	.125(e)(2)	Blasting Agents .....	.114
Waste Cans .....	.125(e)(4)(ii),(iii)	Clothing, Protective .....	.138
Disposal Systems: (see Waste Disposal Systems)		Color Codes .....	.149
Distances From Hazards:		Combustible Liquids .....	.114
Ammonium Nitrate .....	.109(i)(5)	Compressed Gases .....	.114
Bulk Oxygen Systems .....	.104(b)(3)	Cooperage Machinery .....	.220
Electrostatic Spraying .....	.107(h)(6)	Crawler, Locomotive, and Truck Cranes.	.180(b)(2), .182
Explosives Storage .....	.109(c)	Derricks .....	.181(b)(2), .182
Ignition Sources, Separation .....	.107(c)(2)	Dies .....	.217(d)(1)
Spray Booths, Separations .....	.107(b)(8)	Dip Tanks .....	.114
Distilleries: (see also Refineries, Chemical Plants and Distilleries).	.106(i)	Environmental Controls .....	.98, .149
Distribution Plates:		Explosives .....	.114
Spray Booths .....	.107(b)(4)	Federal Standards .....	.17
Dividers, Bakery Equipment .....	.263(f)	Flammable Liquids .....	.114
Diving, Commercial .....	.401, .410, .411, .420–.427, .430, .440, .441	Forging .....	.221
Scientific .....	.401(iv), 402, Appendix B	Guarding Machinery .....	.220
Dockboards .....	.30(a)	Hand-Held Equipment .....	.245
Dough Brakes, Manually Fed .....	.263(h)	Hazardous Materials .....	.114
Drag Saws .....	.213(r)	Hydrogen .....	.114
Drainage:		Indoor Storage .....	.182
Bulk Plants .....	.106(f)(7)	Ionizing Radiation .....	.98
Industrial Plants .....	.106(e)(3)(iii)	Labor Camps .....	.142(d)(7), .149(b)
Labor Camps .....	.142(a)	Liquefied Petroleum Gases .....	.110(b)(19)(i), (i)(3); .11
Materials Handling .....	.176(d)	Machinery .....	.221
Processing Plants .....	.106(h)(3)(ii)	Machinery Guarding .....	.220
Service Stations .....	.106(g)(7)	Materials Handling .....	.182
Sprinkler Systems .....	.159(c)(7)	Mechanical Power Presses .....	.220
		Mechanical Power Transmission Apparatus.	.221
		Mills and Calenders .....	.216(a)(1), (2); .220
		National Electrical Code .....	.309

## Occupational Safety and Health Admin., Labor

## Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Nitrous Oxide .....	.114	Training .....	.269(a)(2), (b)(1), (d)(2), (e)(2), (q)(3)(i), (r)(1)(vi)
Noise Exposure .....	.98	Tree trimming, line-clearance .....	.269(r), (a)(1)(E)
Nonionizing Radiation .....	.98	Water, work near .....	.269(w)(5)
Nonwater Disposal Systems .....	.149	Electric Power Lines:	
Occupational Health .....	.98	Crane Operations .....	.180(j)
Overhead and Gantry Cranes .....	.179(b)(2), .182	Boom Guards .....	.180(j)(2)
Oxygen .....	.114	Clearances .....	.180(j)(1)
Physical Hazards Markings .....	.149	Notifying Owners .....	.180(j)(3)
Powered Industrial Trucks .....	.182	Overhead Wires .....	.180(j)(4)
Powered Tools, Hand and Port- able .....	.245	Derrick Operations .....	.181(j)(5)
Pulp and Paper Mills .....	.261(n)	Boom Guards .....	.181(j)(5)(ii)
Pulpwood Logging .....	.266(f)	Clearances .....	.181(j)(5)(i)
Safety Color Codes .....	.149	Notifying Owners .....	.181(j)(5)(iii)
Sanitation .....	.149	Overhead Wires .....	.181(j)(5)(iv)
Sawmills .....	.265(j)	Safety-related work practices	.333(c)(3)
Signs and Tags .....	.149	Electric Powered Trucks .....	.178(b)(4)-(7), .120(g)(3)
Spray Finishing .....	.114	Electric wiring:	
Standpipe and Hose Systems .....	.165	Ammonium Nitrate .....	.109(i)(6)
Ventilation .....	.98	Appliances .....	.305(j)(3)
Woodworking .....	.220	Approval .....	.303(a)
Egress Means: (see also Exits)		Arcing Parts .....	.303(d)
Access to Exits .....	.37(f), (g), (j), (l)	Attachment Plugs (Caps) .....	.304(j)(2)
Alarms, Fire .....	.37(n)	Boxes .....	.305(b)
Application .....	.36(a)	Branch Circuits .....	.304(b)
Automatic Sprinkler Systems .....	.37(m)	Bulk Oxygen Systems .....	.104(b)(8)(ix)
Definitions .....	.35	Bulk Plants .....	.106(f)(5)
Discharge From Exits .....	.37(h)	Cabinets .....	.305(b)
Elevation Changes .....	.37(j)	Capacitors .....	.305(i)(6)
Employee Capacity .....	.36(c)	Communications Systems .....	.308(e)
Exit Arrangements .....	.37(e)	Conductors .....	.305(f)
Exit Capacity .....	.37(c), (d)	Cranes .....	.179(g), .306(b)
Exit Components .....	.37(a)	Data Processing Systems .....	.306(e)
Exit Markings .....	.37(q)	Electrolytic Cells .....	.306(h)
Exit Width .....	.37(c)	Elevators .....	.306(c)
Exterior Exit Access .....	.37(g)	Emergency Systems .....	.308(b)
Furnishings and Decorations .....	.37(l)	Enclosures for Damp or Wet Loca- tions .....	.305(e)
General Requirements .....	.36	Escalators .....	.306(c)
Headroom .....	.37(i)	Examination of Equipment .....	.303(b)(1)
Lighting .....	.36(b)(6)	Fire Protective Signaling Circuits ..	.308(d)
Maintenance .....	.37(k)	Fittings .....	.305(b)
Occupant Load .....	.37(d)	Fixture Wires .....	.305(i)
Paints .....	.37(o)	Flexible Cords and Cables .....	.305(g)
Protective Enclosures .....	.37(b)	General requirements .....	.303
Sprinklers .....	.37(d)(2), (m)	Grounded and Grounding Conduc- tors, Installation and Use .....	.304(a)
Standards Sources .....	.39	Grounding .....	.304(f)
Workmanship .....	.37(k)	Guarding Live Parts .....	.303(g)(2), (h)(2)
Electric controls, Mechanical Power Presses .....	.217(b)(8)	Hand Spraying .....	.107(i)(5)
Electric energy, hazardous; control of (see Lockout/tagout)		Hazardous (Classified) Locations ..	.307
Electric Equipment: (see Electrical Wir- ing)		Heating Equipment .....	.306(g)
Electric Ignition Sources: (see Ignition Sources) .....	.107(c), (d)(5)	High Voltage (Over 600 Volts):	
Electric Motor Ignition Sources .....	.107(d)(5)	General .....	.308(a)
Electric power generation, trans- mission, and distribution .....	.269	Grounding .....	.304(f)(7)
Definitions .....	.269(x)	Guarding .....	.303(h)(2)
Enclosed spaces .....	.269(e)	Workspace .....	.303(h)(3), (h)(4)
Fall protection .....	.269(g)(1)	Hoists .....	.306(b)
Hazardous energy control (Lock- out/tagout) .....	.269(d)	Identification of Disconnecting Means and Circuits .....	.303(f)
Ladders, platforms, steps, etc .....	.269(h)	Ignition Sources .....	.107(c)(4), (6)
Live-line tools .....	.269(j)	Industrial Plants .....	.106(e)(7)
Materials handling and storage .....	.269(k)	Installation and Use of Equip- ments .....	.303(b)(2)
Mechanical equipment .....	.269(p)	Irrigation Machines .....	.306(i)
Medical services and first aid .....	.269(b)	Lamps .....	.305(j)(1)
Overhead lines .....	.269(q)	Liquefied Hydrogen Systems .....	.103(c)(1)(ix)
Personal protective equipment .....	.269(g), (n)(4), (r)(2)(v), (r)(4)(ii)	Liquefied Petroleum Systems .....	.110(b)(17), (18), (h)(13)
Power tools, hand and portable .....	.269(i)	Marking .....	.303(e)
Telecommunications facilities .....	.269(s)	Motors .....	.305(j)(4)
Testing and test facilities .....	.269(o)	Moving Walks .....	.306(c)

Subject term	Section No.	Subject term	Section No.
Outline Lighting .....	.306(a)	Interlocks .....	.107(i)(8)
Outside Conductors .....	.304(c)	Powder Coatings .....	.107(l)(6)
Overcurrent Protection .....	.304(e)	Specifications .....	.107(i)(3), (4)
Panelboards .....	.305(d)	Spray Gun Grounding .....	.107(i)(5)
Portable Cables .....	.305(h)	Ventilation .....	.107(i)(9)
Powder Coatings .....	.107(l)(1)	Elevating Work Platforms: (see Vehi- cle-Mounted WorkPlatforms).	.67
Power-Limited Circuits .....	.308(c)	Emergency Action Plan .....	.38(a)
Processing Plants .....	.106(h)(7)(iii)	Hazardous waste operations and emergency response, exemption.	.120(l)(1)(ii)
Receptacles .....	.305(j)(2)	Highly hazardous chemicals, proc- ess safety management.	.119(n)
Remote Control Circuits .....	.308(c)	Emergency Lighting .....	.261(b)(2)
Services .....	.304(d)	Employee Alarm Systems .....	.165
Service Stations .....	.106(g)(5)	Installation and Restoration .....	.165(c)
Signaling Circuits .....	.308(c)	Maintenance and Testing .....	.165(d)
Signs .....	.306(a)	Manual Operation .....	.165(e)
Splices .....	.303(c)	Employee-Owned Protective Equip- ment.	.132(b)
Spraying Operations .....	.107(c)(4), (6), (i)(1)–(5)	Employee Protection: (see also Per- sonal Protective Equipment)	
Storage Batteries .....	.305(j)(7)	Egress .....	.36(c)
Storage Rooms .....	.106(d)(4)(iii)	Engine Room Guardrails .....	.219(k)(2)
Swimming Pools .....	.306(j)	Environmental Controls:	
Switchboards .....	.305(d)	Accident Prevention Signs and Tags.	.145
Switches .....	.305(c)	Air Contaminants .....	.93
Transformers .....	.305(j)(5)	Asbestos .....	.93a
Type F Powered Platforms .....	.66(c)(22)	Effective Dates .....	.98, .149
Type T Powered Platforms .....	.66(d)(6)	Labor Camps .....	.142
Welders .....	.306(d)	Marking Physical Hazards .....	.144
Wiring Design and Protection .....	.304	Noise Exposure .....	.95
Wiring Methods .....	.305(a)	Physical Hazards Markings .....	.144
Work practices, safety-related .....	.331–.335	Radiation:	
Working Space about Electric Equipment.	.303(g)(1), (h)(3), (h)(4)	Ionizing .....	.96
X-Ray Equipment .....	.306(f)	Nonionizing .....	.97
Electrical Installations .....	.301–.399	Safety Color Codes .....	.144
Electrical Protective Equipment .....	.137, .268(f)	Sanitation .....	.141
Design .....	.137(a)	Signs and Tags .....	.145
Care and use, in-service .....	.137(b)	Standards Sources .....	.99, .150
Electrical safety-related work practices	.331–.335	Ventilation .....	.94
Confined spaces .....	.333(c)(5)	Emergency Response, Hazardous Waste.	.120
Illumination .....	.333(c)(4)	Equalizers, Crane Hoists .....	.179(h)(3)
Ladders, portable .....	.333(c)(7)	Ethylene Oxide .....	.1047
Lockout and tags .....	.333(b), .335(b)(1)	Ethyleneimine .....	.1003
Personal protective equipment .....	.333(c)(2), .335(a)	Area requirements .....	.1003(c)
Portable electric equipment .....	.334(a)	Closed system operation .....	.1003(c)(2)
Power lines, overhead .....	.333(c)(3)	Isolated systems .....	.1003(c)(1)
Training .....	.332	Maintenance and decon- tamination activities.	.1003(c)(5)
Electromagnetic Radiation:		Open-vessel system oper- ations.	.1003(c)(3)
Definitions .....	.97(a)(1)	Transfer from a closed oper- ation.	.1003(c)(4)
Nonionizing Radiation .....	.97(a)	Medical surveillance .....	.1003(g)
Protection Guide .....	.97(a)(2)	Examinations .....	.1003(g)(1)
Warning Symbol .....	.97(a)(3)	Records .....	.1003(g)(2)
Electrostatic Apparatus: (see also Electrostatic Apparatus, Fixed; Elec- trostatic Hand Spraying Equipment)		Regulated area requirements .....	.1003(d)
Powder Coatings .....	.107(l)(5)–(7)	Contamination control .....	.1003(d)(4)
Electrostatic Apparatus, Fixed .....	.107(h)	Emergencies .....	.1003(d)(2)
Powder Coatings .....	.107(l)(5)	Hygiene facilities and prac- tices.	.1003(d)(3)
Spraying:		Reports .....	.1003(f)
Conformance .....	.107(h)(1)	Incidents .....	.1003(f)(2)
Conveyors .....	.107(h)(7)	Operations .....	.1003(f)(1)
Fail-Safe Controls .....	.107(h)(9)	Signs, information, and training .....	.1003(e)
Fire Protection .....	.107(h)(12)	Container contents identifica- tion.	.1003(e)(2)
Grounding .....	.107(h)(5)	Lettering .....	.1003(e)(3)
Guarding .....	.107(h)(10)	Prohibited statements .....	.1003(e)(4)
Insulators .....	.107(h)(5)	Signs .....	.1003(e)(1)
Location .....	.107(h)(3)	Training and indoctrination .....	.1003(e)(5)
Safe Distances .....	.107(h)(6)	Evacuation, Ionizing Radiation .....	.96(f)
Supports .....	.107(h)(4)		
Ventilation .....	.107(h)(11)		
Electrostatic Hand Spraying Equipment	.107(i)		
Application .....	.107(i)(1)		
Approval .....	.107(i)(3)		
Conformance .....	.107(i)(2)		
Electrical Support Equipment .....	.107(i)(4)		
Grounding .....	.107(i)(5)–(7)		

## Occupational Safety and Health Admin., Labor

## Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Exhaust Air Filters, Spray Booths .....	.107(b)(5)	Protectors .....	.133(a)(2)
Exhaust Systems: (see also Ventilation) Abrasive Blasting.	.94(a)(4)	Welding .....	.252(b)(2)
Grinding, Polishing, Buffing .....	.94(b)(4)	Face Protection: (see also Eye and Face Protection; Personal Protective Equipment).	.133
Sawmills .....	.265(c)(20)	Facilities, Labor Camps: (see Labor Camps, Temporary)	
Exhausts, Spraying Operations .....	.107(d)(3), (7), (9)	Fail-Safe Controls, Spraying .....	.107(h)(9)
Exits: (see also Access, Egress)		Overhead and Gantry Cranes .....	.179(a)(40), (g)(3)(viii)
Access .....	.37(f)	Fan-Rotating Element .....	.107(d)(4)
Arrangement .....	.37(e)	Farm Vehicles, Anhydrous Ammonia ..	.111(g), (h)
Capacity .....	.37(c), (d)	Fasteners .....	.243(d)(3)
Components .....	.37(a)	Fastening Tools .....	.243(d)
Discharge From .....	.37(h)	Fibers, Asbestos .....	.1001(b)
Elevation Change .....	.37(j)	Filling Densities, Liquefied Petroleum Gases.	.110(b)(12)
Headroom .....	.37(i)	Filters, Spraying .....	.107(b)(5)
Illumination .....	.37(q)	Fire Alarms: (see also Fire Protection)	
Maintenance .....	.37(k)	Egress .....	.37(n)
Manlifts .....	.68(b)(8)	Fire Brigades .....	.156
Markings .....	.37(q)	Fire Fighting Equipment .....	.156(d)
Protective Enclosures .....	.37(b)	Organization .....	.156(b)
Explosive-Actuated Fastening Tools ....	.243(d)	Protective Clothing .....	.156(e)(1)
Definitions .....	.241(a)	Body protection .....	.156(e)(3)
Fasteners .....	.243(d)(3)	Foot and Leg Protection .....	.156(e)(2)
High-Velocity Tools .....	.243(d)(2)(i)	Hand Protection .....	.156(e)(4)
Inspection .....	.243(d)(2)	Head, Eye, Face Protection ...	.156(e)(5)
Loads .....	.243(d)(3)	Respiratory Protection .....	.156(f)
Low-Velocity Tools .....	.243(d)(2)(ii)	General Requirements .....	.156(f)(1)
Maintenance .....	.243(d)(2)	Positive-Pressure Breathing Apparatus.	.156(f)(2)
Explosive character of furnishings and decorations; occupancy use.	.37(l)	Selection and Distribution .....	.157(d)
Explosives and Blasting Agents .....	.109	Training and Education .....	.156(c)
Blast Holes .....	.109(e)(3)	Fire Prevention Plan .....	.38(b)
Bulk Delivery .....	.109(h)(4)	Fire Detection Systems .....	.164
Charge Initiation .....	.109(e)(4)	Installation and Restoration .....	.164(b)
Warning .....	.109(e)(5)	Maintenance and Testing .....	.164(c)
Chemicals, highly hazardous, process safety management.	.119	Number, Location, Spacing .....	.164(f)
Effective Dates .....	.114	Protection of Detectors .....	.164(d)
Hours of Transfer .....	.109(f)(5)	Response Time .....	.164(e)
Loading .....	.109(e)(3)	Fire Extinguishers	
Magazines .....	.109(c)(2)	Cranes .....	.179(c)(3), (i)(5), (o)(3)
Mixing Vehicles .....	.109(h)(4)	Derricks .....	.180(j)(5)
Piers .....	.109(f)	Dip Tanks .....	.125(f)(2)(i)
Pulpwood Logging .....	.266(c)(7)	Explosives Transportation .....	.109(d)(2)(ii)
Railroad Cars and Stations .....	.109(f)	Powered working platforms .....	.66(f)(5)(ii)(l)
Slurries .....	.109(h)	Welding .....	.252(a)(2)(ii)
Small Arms Ammunition .....	.109(j)	Fire Extinguishers, Portable .....	.157
Smoking .....	.109(e)(1)	Exemptions .....	.157(b)
Standards Sources .....	.115	General Requirements .....	.157(c)
Storage .....	.109(c), (f)(4)	Hydrostatic Testing .....	.157(f)
Transportation .....	.109(d)	Inspection, Maintenance Testing ..	.157(e)
Use .....	.109(e)	Selection and Distribution .....	.157(d)
Vessels .....	.109(f)	Training and Education .....	.157(g)
Water Gels .....	.109(h)	Fire Prevention Plan .....	.38(b)
Exposure:		Fire Protection:	
Air Contaminants .....	.1000	Ammonium Nitrate .....	.109(i)(7)
Airborne Radioactive Material .....	.96(c)	Blasting Agents .....	.109(i)(7)
Asbestos .....	.1001(b)	Bulk Plants .....	.106(f)(4)(ix), (8)
Asbestos Fibers .....	.1001(b)	Chemical Plants .....	.106(i)(5)
Limits (Tables G-1 to G-3) .....	.1000	Definitions .....	.155
Mineral Dusts .....	.1000	Distilleries .....	.106(i)(5)
Minors .....	.96(b)(3), (c)(2), (d)(2)(ii)	Electrostatic Apparatus .....	.107(h)(12)
Noise .....	.95	Explosives .....	.109(i)(7)
Radiation Exposure .....	.96(b)	Flammable Liquids .....	.106(d)(7), (e)(5), (f)(8), (g)(9), (h)(6), (i)(5)
Extension Ladders, Portable:		Industrial Plants .....	.106(e)(5)
Metal .....	.26(a)(2)	Liquefied Petroleum Gases .....	.110(d)(14), (f)(7), (h)(14)
Metal, Trestle .....	.26(a)(4)	Local Fire Alarms .....	.163
Wood .....	.25	Processing Plants .....	.106(h)(6)
Wood, Trestle .....	.25(c)(3)(v)		
Extension Lamps, Cranes .....	.179(g)(7)		
Extractors .....	.262(y)		
Eye and Face Protection .....	.133		
Markings .....	.133(a)(4)		
Optical Corrections .....	.133(a)(3)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–01 Edition)

Subject term	Section No.	Subject term	Section No.
Refineries .....	.106(i)(5)	Flammable Materials, Trucks Used .....	.178(c)(2)
Service Stations .....	.106(g)(9)	Flanges, Abrasive Wheel Machinery ...	.215(a)(3), (c)
Spray Booths .....	.107(f)	Balance .....	.215(c)(3)
Cleaning .....	.107(f)(3)	Blotters .....	.215(c)(1)(v), (c)(6), (d)(5)
Conformance .....	.107(f)(1)	Diameter Uniformity .....	.215(c)(4)
Extinguishers, Portable .....	.107(f)(4)	Dimensions .....	.215(c)(8)
Valve Access .....	.107(f)(2)	Driving .....	.215(c)(7)
Storage Tanks .....	.106(d)(7)	Finish .....	.215(c)(3)
Trucks .....	.178	General Requirements .....	.215(c)(1)
Fire Protection Equipment:		Maintenance .....	.215(c)(9)
Color Identification .....	.144(a)(1)	Recess .....	.215(c)(5)
Fire Brigades .....	.156(d)	Repairs .....	.215(c)(9)
Fire Resistance (Rating):		Types .....	.215(c)(1)(iv)
Inside Storage Rooms .....	.106(d)(4)(ii)	Undercut .....	.215(c)(5)
Storage Cabinets .....	.106(d)(3)(ii)	Flash Welding Equipment .....	.255(d)
Tank Supports .....	.106(b)(5)(ii)	Fire Curtains .....	.255(d)(2)
Fire Retardant Paints .....	.37(o)	Ventilation .....	.255(d)(1)
Fire Watch, Welding .....	.252(a)(2)(iii)	Float Scaffolds .....	.28(u)
Fireworks: (see Pyrotechnics)		Flooding, Tank Areas .....	.106(b)(5)(vi)
First Aid .....	.262(pp)	Floor Loading .....	.22(d)
Eye Flushing .....	.151(c)	Floor Openings (Holes) .....	.23(a)
Labor Camps .....	.142(k)	Manlifts .....	.68(b) (5), (7)
Pulpwood Logging .....	.266(c)(1)(vii)	Flooring: (see also Floor Openings; Floors)	
Standards Sources .....	.153	Type F Powered Platforms .....	.66(c)(12)
Welding .....	.252(c)(13)	Type T Powered Platforms .....	.66 (b)(5)(iii)(d)
Fittings: (see Piping, Fittings and Tubing; Piping, Valves and Fittings)		Floors:	
Fixed Extinguishing Systems .....	.160, .161, .162, .163	Covers, Hinged .....	.23(a)(3)(f)
Dry Chemical Agent Systems .....	.161	Open-Sided .....	.23(c)
Gaseous Agent Systems .....	.162	Spray Booths .....	.107(b)(3)
General Requirements .....	.160(b)	Flow Coatings .....	.126(b)
Total Flooding Systems .....	.160(c)	Fluidized Beds .....	.107(l)(7)
Water Spray and Foam Systems ..	.163	Fluorine Compounds, Welding: (see also Air Contaminants).	.252(c)(5)
Fixed Industrial Stairs: (see Stairs, Fixed Industrial).	.24	Foam Extinguishing Systems, Fixed ...	.163
Fixed Ladders: (see Ladders, Fixed) ...	.27	Food Handling .....	.141(h), .120(m)(4)
Flammable and Combustible Liquids:		Foot Pedals, Power Presses .....	.217(b)(4)
Bulk Plants .....	.106(f)	Foot Protection .....	.136
Chemical Plants .....	.106(i)	Footwalks:	
Container Marking, color codes ...	.144(a)(1)(ii)	Cranes .....	.179(d)
Containers .....	.106(d)	Forging Hammers .....	.218(a)(3)
Dip Tanks .....	.123–.126	Foot-Operated Devices .....	.218(b)(2)
Distilleries .....	.106(i)	Gravity .....	.218(e)
Effective Dates .....	.114	Air Lifts .....	.218(e)(1)
Hazardous communication .....	.1200	Board Drop Hammers .....	.218(e)(2)
Ignition Sources .....	.106(b)(6), (e)(6), (f)(6), (g)(8), (h)(7)	Keys .....	.218(b)(1)
Industrial Plants .....	.106(e)	Power-Driven .....	.218(d)
Piping, Valves and Fittings .....	.106(c)	Cylinder Draining .....	.218(d)(3)
Pressure Vessels .....	.106(b)(1)(v)	Pressure Pipes .....	.218(d)(4)
Process safety management of highly hazardous chemicals.	.119	Safety Cylinder Heads .....	.218(d)(1)
Processing Plants .....	.106(h)	Shutoff Valves .....	.218(d)(2)
Refineries .....	.106(i)	Forging Machine Area .....	.30(b)
Service Stations .....	.106(g)	Forging Machines:	
Spray Finishing .....	.107	Billet Shears .....	.218(j)(1)
Storage and Handling .....	.107(e)	Boltheadings .....	.218(i)(1)
Conformance .....	.107(e)(1)	Conveyors .....	.218(j)(3)
Containers .....	.107(e)(3), (5)	Definitions .....	.211(e)
Hoses .....	.107(e)(6)	Effective Dates .....	.220
Grounding .....	.107(c)(9), (e)(9)	Grinding .....	.218(j)(5)
Liquid Heaters .....	.107(e)(7)	Hammers .....	.218(a)(3), (b), (d), (e)
Liquid Transfer .....	.107(e)(4)	Inspections .....	.218(a)(2)
Pipes .....	.107(e)(6)	Lead Use .....	.218(a)(1)
Pump Relief .....	.107(e)(8)	Maintenance .....	.218(a)(2)
Quantity .....	.107(e)(2)	Presses .....	.218(a)(3), (c), (f), (g)
Safety Relief Devices .....	.107(e)(8)	Rivet Making .....	.218(i)(2)
Spraying Containers .....	.107(e)(5)	Saws .....	.218(j)(2)
Standards Sources .....	.115	Shot Blast .....	.218(j)(4)
Storage Containers .....	.106(d)	Standards Sources .....	.221
Storage Tanks .....	.106(b), (d)	Upsetters .....	.218(h)
Tanks .....	.106(b), (d)	Forging Presses .....	.218(f)
		Fork Trucks: (see also Powered Industrial Trucks).	.178

Subject term	Section No.	Subject term	Section No.
Formaldehyde .....	.1048	Grinding, Polishing, and Buffing:	
Airborne Concentration .....	.1048(c)	Branch Pipes .....	.94(b)(3)
Compliance .....	.1048(f)	Enclosure Design .....	.94(b)(5)
Emergencies .....	.1048(k)	Exhaust Systems .....	.94(b)(4)
Exposure, Permissible .....	.1048(c)	Hoods .....	.94(b)(3), (5)
Hazard Communication .....	.1048(m)	Grinding, Top .....	.215(b)(8)
Housekeeping .....	.1048(j)	Grounding:	
Hygiene Protection .....	.1048(i)	Bulk Oxygen Systems .....	.104(b)(7)(iv)
Medical Surveillance .....	.1048(l)	Circuits .....	.314
Monitoring .....	.1048(d)	Electrostatic Spraying .....	.107(h)(5), (i)(5)-(7)
Personal Protective Clothing .....	.1048(h)	Flammable and Combustible Liq- uids .....	.106(e)(6)(ii), (f)(3)(iv)
Recordkeeping .....	.1048(o)	General .....	.304(f)
Regulated Areas .....	.1048(e)	Hand Spraying .....	.107(i)(5)-(7)
Respiratory protection .....	.1048(g)	Ignition Sources .....	.107(c)(9)
Training, Employee .....	.1048(n)	Liquefied Hydrogen Systems .....	.103(c)(4)(iv)
Fuel-Gas Systems: (see also Oxygen- Fuel Gas Systems).	.253	Liquid Transfer .....	.107(e)(9)
Fuels: (see also Refueling)		Methods .....	.314(e)
Handling and Storage .....	.178(f)	Spray Booths .....	.107(h)(10)
Furnishings:		Spraying Operations .....	.107(c)(9), (e)(9), (i)(5)-(7)
Egress .....	.37(l)	Welding .....	.254(c)(2), (d)(3); .255(b)(9), (c)(6)
Fusion Apparatus: (see also Drying, Curing and Fusion Apparatus)		Woodworking Tools .....	.243(a)(5)
Gantry Cranes: (see also Overhead and Gantry Cranes).	.179	Guarding: (see also Term To Which It Applies).	.211-.222
Garages, Undercoating Operations .....	.107(k)	Abrasive Wheels, Portable .....	.243(c)
Garnett Machines .....	.262(f)	Floor Openings (Holes) .....	.23(a)
Gas Cylinder Inspection .....	.101(a)	Hatchways .....	.23(a)(3)
Gaging Devices .....	.110(b)(19)	Ladderways .....	.23(a)(2)
Gas Mask Canisters .....	.134(g)	Live Parts .....	.303(g)(2), (h)(2)
Color Codes .....	.134(g)(6)	Machinery .....	.211-.222
Labeling .....	.134(g)	Mechanical Power Transmission Apparatus.	.219(m)
Gaseous agent extinguishing systems; fixed.		Clutches .....	.219(k)
Scope and Application .....	.162(a)	Friction Drives .....	.219(g)
Specific Requirements .....	.162(b)	Prime Movers .....	.219(b)
Gaseous Hydrogen Systems: (see Hy- drogen)		Pulleys .....	.219(d)
Gasoline Powered Trucks .....	.178(b)(8), (9)	Open-Sided Floors .....	.23(c)
Gears .....	.219(f)	Platforms .....	.23(c)
Gill Boxes .....	.262(k)	Powered Tools, Portable .....	.243
Gin Pole Derricks: (see also Derricks)	.181(a)(6)	Railings .....	.23(e)
Gloves, Rubber Insulating .....	.137	Runways .....	.23(c)
Glue Spreaders .....	.213(r)	Skylight .....	.23(a)(4)
Goggles: (see also Eye Protection; Eye and Face Protection).	.113	Spraying Equipment .....	.107(h)(10)
Grain Handling .....	.272	Stairways .....	.23(a)(1), (d)
Application .....	.272(b)	Wall Openings (Holes) .....	.23(b)
Continuous flow bulk raw grain dryers.	.272(o)	Guardrails:	
Contractors .....	.272(h)	Definitions .....	.21(f)(10)
Emergency action plan .....	.272(d)	Manlifts .....	.68(b)(8)(i), (10)(iv)
Emergency escape .....	.272(n)	Power Transmission Apparatus ...	.219(o)(5)
Entry into bins, silos, tanks .....	.272(g)	Powered and Working Platforms ..	.66(e)(3), (f)(3)(i)(K), (f)(5)(i)(G), (f)(5)(ii)(K)
Filter collectors .....	.272(k)	Removable .....	.23(a)(3)
Grain stream processing equip- ment.	.272(m)	Working Surfaces .....	.22(c)
Grate openings .....	.272(j)	Guardrails, Scaffolds: (see Listing Under Specific Type Scaffold)	
Hot work permit .....	.272(f)	Guards: (see also Guardrails)	
Housekeeping .....	.272(i)	Derricks .....	.181(j)(1)
Inside bucket elevators .....	.272(p)	Hoisting Ropes .....	.179(e)(5)
Preventive maintenance .....	.272(l)	Manlifts .....	.68(b)(7)-(9)
Training .....	.272(e)	Moving Parts .....	.179(e)(6)
Gravity Hammers .....	.218(e)	Trucks .....	.178(e)
Grinders: (see also Abrasive Wheel)		Guide Posts .....	.217(d)(4)
Machinery; Cutoff Wheels .....	.243(c)(3), (4)	Gudgeon Pin .....	.181(a)(20)
Grinding, Forging Equipment .....	.218(j)(5)	Guy Derricks .....	.181(a)(7)
Grinding Machines:		Hammers, Forging: (see Forging Ham- mers)	
Cylindrical .....	.215(b)(4)	Hand protection .....	.138
Flanges .....	.215(a)(3)	Hand Spraying Equipment: (see Elec- trostatic Hand Spraying Equipment)	
Surface Grinders .....	.215(b)(5)	Hand Tools .....	.242
Swing Frame Grinders .....	.215(b)(6)	Dead-Man Controls .....	.243(a)(2)
Top Grinding .....	.215(b)(8)		
Work Rest .....	.215(a)(4)		

Pt. 1910, Index

29 CFR Ch. XVII (7-1-01 Edition)

Subject term	Section No.
Pulp and Paper Mills .....	.261(c)(13)
Handholds, Manlifts .....	.68(c)(4)
Handling: (see also Materials Handling and Storage)	
Anhydrous Ammonia .....	.111
Compressed Gases .....	.101(b)
Liquefied Hydrogen Systems .....	.103(c)(2)(iii)
Liquefied Petroleum Gases .....	.110
Liquids .....	.106(h)(4)
Service Stations .....	.106(g)(1)
Handrails .....	.24(h)
Cranes .....	.179(d)(3), (4)(ii)
Mobile Ladder Stands .....	.29(f)(4)
Hangers .....	.219(p)(4)
Hardening Tanks .....	.126(a)(1)(i),(ii)
Hatchways Guarding .....	.23(a)(3)
Hazard Communication, chemical information, transmittal.	.1200
Hazard Communication Program ..	.1200(e)
Hazard Determination .....	.1200(d)
Information and Training .....	.1200(h)
Labels and Warnings .....	.1200(f)
Material Safety Data Sheets .....	.1200(g)
Trade Secrets .....	.1200(i)
Hazardous chemicals, occupational exposure to in laboratories (see Chemicals, hazardous).	.1450
Hazardous chemicals, highly, process safety management (see Chemicals, etc.).	.119
Hazardous energy; control of (see Lockout/tagout)	
Hazardous Materials:	
Acetylene .....	.102
Anhydrous Ammonia .....	.111
Blasting Agents .....	.109
Bulk Oxygen Systems .....	.104
Chemicals (see entries under Chemicals, etc.).	.119
Combustible Liquids .....	.106
Compressed Gases .....	.101
Dip Tanks .....	.108
Effective Dates .....	.114
Explosives .....	.109
Flammable Liquids .....	.106
Hazardous Wastes .....	.120
Hydrogen .....	.103
Liquefied Petroleum Gases .....	.110
Nitrous Oxide .....	.105
Oxygen .....	.104
Packages, transport vehicles, etc., retention of DOT markings.	.1201
Spray Finishing .....	.107
Standards Sources .....	.115
Storage and Handling:	
Anhydrous Ammonia .....	.111
DOT markings, retention .....	.1201
Liquefied Petroleum Gases .....	.110
Trucks Used .....	.178(c)(2)
Hazardous Waste Operations:	
Contractors and Subcontractors ...	.120(b)(1)(iv)
Decontamination .....	.120(k), (p)(4)
Drums and Containers .....	.120(j)
Emergency Response .....	.120(e)(7), (l), (p)(8), (q)
Engineering Controls and Personal Protective Equipment.	.120(g)
Illumination .....	.120(m)
Information Program .....	.120(b)(i)
Laboratory Waste Packs .....	.120(j)(6)
Material Handling .....	.120(j)
Medical Surveillance .....	.120(f), (p)(3), (q)(9)
Monitoring .....	.120(c)(6), (h)
Post-emergency Response .....	.120(l)(5)

Subject term	Section No.
Radioactive Wastes .....	.120(j)(4)
Recordkeeping .....	.120(f)(7)
RCRA Facilities .....	.120(p)
Safety and Health Program .....	.120(b)
Sanitation .....	.120(n)
Site Characterization and Analysis .....	.120(c)
Site Control .....	.120(d)
Training .....	.120(e), (p)(8)(iii), (q)(6)
Shock-sensitive Wastes .....	.120(i)(5)
Site Safety and Health Plan .....	.120(b)(4)
Tank and Vault Procedures .....	.120(j)(9)
Totally-encapsulating Chemical Protective Suits.	.120(g)(4)
Uncontrolled sites, emergency responses.	.120(l)
Head Protection .....	.135
Headroom, Egress .....	.37(i)
Healthcare professions and related industries, exposures to bloodborne pathogens.	.1030
Hearing Conservation Program .....	.95(c)
Heating:	
Dip Tanks .....	.125(g)
Bulk Plants .....	.106(f)(2)(ii)
Service Stations .....	.106(g)(6)
Helicopters .....	.183
Helmets .....	.135, .252(e)(2), .266(c)(iii)
Hepatitis B (see also Bloodborne pathogens).	.1030
Hinged Floor Covers .....	.23(a)(3)(f)
Hoist Limit Switches .....	.179(n)(4)
Hoisting Equipment:	
Cranes .....	.179(e)(5), (h)
Powered Platforms .....	.66(f)(4), (g)(6)
Rope Guards .....	.179(e)(5)
Holding Brakes .....	.179(f)(2)
Holes: (see also Floor Openings (Holes); Wall Openings (Holes)).	.23
Hooks:	
Cranes .....	.179(h)(4)
Derricks .....	.181(j)(2)
Horse Scaffolds .....	.28(m)
Hoses.	
Flammable Liquids .....	.107(e)(6)
Liquefied Petroleum Gases .....	.110(b)(9)
Semiconductors .....	.109(a)(12)
Sprinkler Systems .....	.159(c)(5)
Standpipe and hose systems .....	.158(c)(3)
Welding and Cutting .....	.253(e)
Hot Sources .....	.107(c)(3)
Hot-work permits, process safety management of highly hazardous chemicals.	.119(k)
Hours of Transfer, Explosives .....	.109(f)(5)
Household Stepladders, Type III .....	.25(c)(2)(iv)
Housekeeping .....	.141(a)(3)
Asbestos .....	.1001(d)
Flammable Liquids .....	.106(e)(9)
Walking-Working Surfaces .....	.22(a)
Hydraulic Barkers .....	.261(e)(14)
Hydraulic Equipment .....	.217(b)(11)
Hydraulically designed sprinkler systems.	.159(c)(11)
Hydrogen .....	.103
Effective Dates .....	.114
Gaseous Hydrogen Systems .....	.103(a)(2)(i), (b)
Clear Zone .....	.103(b)(5)(ii)
Containers .....	.103(b)(1)(i)
Design .....	.103(b)(1)
Equipment Assembly .....	.103(b)(1)(iv)
Fittings .....	.103(b)(1)(iii)
Inspection .....	.103(b)(5)

## Occupational Safety and Health Admin., Labor

## Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Location .....	.103(b)(2)	Insect Control .....	.141(a)(5)
Outdoor .....	.103(b)(3)(i)	Labor Camps .....	.142(j)
Separate Buildings .....	.103(b)(3)(ii)	Inspection: (see also Term To Which It Applies)	
Operating Instructions .....	.103(b)(4)	Compressed Gas Cylinders .....	.101(a), .166
Piping .....	.103(b)(1)(iii)	Cranes .....	.179(j), .180(d)
Safety Relief Devices .....	.103(b)(1)(ii)	Crawler .....	.180(d)
Testing .....	.103(b)(1)(vi)	Gantry .....	.179(j)
Tubing .....	.103(b)(1)(iii)	Ropes .....	.179(m)
Liquefied Hydrogen Systems .....	.103(a)(2)(ii), .103(c)	Locomotive .....	.180(d)
Clear Zone .....	.103(c)(5)(ii)	Overhead .....	.179(j)
Containers .....	.103(c)(1)(i)	Ropes .....	.179(m)
Design .....	.103(c)(1)	Truck .....	.180(d)
Electrical Systems .....	.103(c)(1)(ix)	Cylinders .....	.101(a)
Equipment Assembly .....	.103(c)(1)(vi)	Derricks .....	.181(d)
Fittings .....	.103(c)(1)(v)	Fire Extinguishers .....	.157(e)
Grounding .....	.103(c)(4)(iv)	Flooding, Tank Areas .....	.106(b)(5)(vi), (v)
Inspection .....	.103(c)(5)(i)	Gas Cylinders .....	.101(a)
Location .....	.103(c)(2)	Gaseous Hydrogen .....	.103(b)(5)
Outdoor .....	.103(c)(3)(i)	Liquefied Hydrogen .....	.103(c)(5)(i)
Separate Buildings .....	.103(c)(3)(ii)	Liquid Oxygen .....	.104(b)(10)(i)
Special Rooms .....	.103(c)(3)(iii)	Manlifts .....	.68(e)
Maintenance .....	.103(c)(5)	Open Surface Tanks .....	.94(d)(11)
Markings .....	.103(c)(1)(iii)	Power Presses .....	.217(e)
Operating Instructions .....	.103(c)(4)	Powered Platforms .....	.66(g)
Attendants .....	.103(c)(4)(ii)	Respirators .....	.134(f)
Security .....	.103(c)(4)(iii)	Ropes, Cranes .....	.179(m)
Piping .....	.103(c)(1)(v)	Woodworking Machines .....	.213(s)
Safety Relief Devices .....	.103(c)(1)(iv)	Instruction Signs, Manlifts .....	.68(c)(7)
Supports .....	.103(c)(1)(ii)	Insulators .....	.107(h)(5)
Testing .....	.103(c)(1)(vii)	Interior Hung Scaffolds .....	.28(p)
Tubing .....	.103(c)(1)(v)	Ionizing Radiation .....	.1096
Vaporizers .....	.103(c)(1)(viii)	AEC Licensees .....	.1096(p)
Standards Sources .....	.115	Airborne Radioactive Materials .....	.1096(c)
Hydrostatic Tests: (see also Testing)		Caution Signs and Labels .....	.1096(e)
Fire Extinguishers .....	.157(f)	Employees:	
Piping .....	.106(c)(7)	Disclosure .....	.1096(o)
Ignition Sources:		Exposure Records .....	.1096(m), (n)
Bulk Plants .....	.106(f)(6)	Incident Reporting .....	.1096(l)
Dip Tanks .....	.125(e)	Instruction Posting .....	.1096(i)
Industrial Plants .....	.106(e)(6)	Evacuation .....	.1096(f)
Powder Coatings .....	.107(l)(1)	Exemptions .....	.1096(g), (h)
Processing Plants .....	.106(h)(7)	Exposure .....	.1096(b)
Service Stations .....	.106(g)(8)	Airborne Radioactive Materials:	.1096(c)
Spraying Operations .....	.107(c)	Minors .....	.1096(b)(3), (c)(2), (d)(2)(ii)
Combustible Residues .....	.107(c)(5)	Exposure Records .....	.1096(m)-(o)
Conformance .....	.107(c)(1)	Incident Reporting .....	.1096(l)
Electrical Wiring .....	.107(c)(4), (6)	Monitoring .....	.1096(d)
Grounding .....	.107(c)(9)	Overexposure Reports .....	.1096(m)
Hot Sources .....	.107(c)(3)	Personnel Instructions, Posting .....	.1096(i)
Lamps .....	.107(c)(7), (8)	Radioactive Materials:	
Separation Minimum .....	.107(c)(2)	Packaged .....	.1096(h)
Storage Tanks .....	.106(b)(6)	Storage .....	.1096(j)
Storage Tanks .....	.106(b)(6)	Warning Signals .....	.1096(f)
Storage Tanks .....	.106(b)(6)	Waste Disposal .....	.1096(k)
Illumination: (see Lighting)		Jacks:	
Indoor Storage:		Definitions .....	.241(d)
Effective Dates .....	.182	Fixed Truck .....	.178(k)(3)
Flammable and Combustible Liquids:		Loading .....	.244(a)(1)
(d)(5), (e)(5), (g)(1)(iii), (h)(4)(i)	.106(b)(4), (d)(4), (d)(5), (e)(5), (g)(1)(iii), (h)(4)(i)	Marking .....	.244(a)(1)
Rooms .....	.106(d)(4)	Maintenance .....	.244(a)(2)
Standards Sources .....	.183	Truck .....	.178(k)(3)
Industrial Plants:		Joints .....	.213(j)
Flammable and Combustible Liquids:		Blades .....	.213(s)(12)
Electrical Systems .....	.106(e)(7)	Keys, Projecting .....	.219(h)
Fire Protection .....	.106(e)(5)	Kiers .....	.262(q)
Housekeeping .....	.106(e)(9)	Kilns .....	.265(f)
Incidental Storage .....	.106(e)(2)	Kitchens, Labor Camps .....	.142(i)
Ignition Sources .....	.106(e)(6)	Labeling, Hazardous Chemicals .....	.1200
Maintenance .....	.106(e)(9)	Labor Camps, Temporary .....	.142
Repairs, Equipment .....	.106(e)(8)	Bathing Facilities .....	.142(f)
Tank Loading .....	.106(e)(4)	Bedding .....	.142(b)(3)
Unit Physical Operations .....	.106(e)(3)		
Liquefied Petroleum .....	.110(d)(12), (f)(4)		
Industrial Stepladders, Type I .....	.25(c)(2)(ii)		

Pt. 1910, Index

29 CFR Ch. XVII (7-1-01 Edition)

Subject term	Section No.	Subject term	Section No.
Communicable Diseases	.142(i)	Standards Sources	.31
Reportings		Stepladders	.26(a)(3)
Dining Facilities	.142(j)	Straight Ladders	.26(a)(2), (4)
Effective Dates	.149	Use	.26(c)(3)
Facilities	.142(b)	Ladders, Portable Wood	.25
First Aid	.142(k)	Care	.25(d)(1)
Furnishings	.142(b)	Rung Ladders	.25(c)(3)
Floors	.142(b)(4), (5)	Sectional	.25(c)(3)(iv)
Grounds	.142(a)(3)	Single	.25(c)(3)(ii)
Heating Equipment	.142(b)(11)	Trestle	.25(c)(3)(v)
Insect Control	.142(j)	Two-Section	.25(c)(3)(iii)
Kitchens	.142(i)	Side-Rolling Ladders	.25(c)(5)
Laundry Facilities	.142(f)	Special Purpose Ladders	.25(c)(4)
Lighting	.142(g)	Masons'	.25(c)(4)(iii)
Refuse Disposal	.142(h)	Painters'	.25(c)(4)(ii)
Rodent Control	.142(j)	Standards Sources	.31
Screening	.142(b)(8)	Stepladders	.25(c)(2)
Sewage Disposal	.142(e)	Trolley Ladders	.25(c)(5)
Shelters	.142(b)	Materials	.25(b)
Site	.142(a)	Use	.25(d)(2)
Size	.142(a)(2)	Ladderway Guarding	.23(a)(2)
Sleeping	.142(b)(2), (3)	Lamps: (see also Lighting)	.107(c)(7)(8); .305(j)(1)
Space	.142(b)(2), (9)	Landings, Manlifts	.68(b) (6), (10)
Standards Sources	.150	Lathers' Scaffolds: (see also Plas-	.28(o)
Stoves	.142(b)(10)	terers' Scaffolds).	
Toilet Facilities	.142(d)	Lathes	.213(o)
Washing	.142(f)	Laundry Facilities, Labor Camps	.142(f)
Waste Disposal	.142(h)	Laundry Operations	.264
Water Supply	.142(c)	Miscellaneous Equipment	.264(c)(4)
Windows	.142(b)(7), (8)	Operating Rules	.264(d)
Laboratories, occupational exposures to hazardous chemicals in (see Chemicals, hazardous).	.1450	Markers	.264(d)(1)(iii)
Laboratories and production facilities, HIV and HBV research.	.1030(e)	Mechanical Safeguards	.264(d)(2)
Ladder-Jack Scaffolds	.28(q)	Point-of-Operation Guards	.264(c)
Ladder Stands, Manual Mobile; (see Work Platforms, Mobile).	.29(f)	Washroom Machines	.264(c)(1)
Ladders:		Lavatories	.141(d)(2)
Cranes	.179(d)(4), (o)(1)	Lawn Mowers, Power	.243(e)
Fixed	.27	Definitions	.241(c)
Manlifts	.68(b)(12)	Forging Machines	.218(a)(1)
Portable Metal	.26	General Requirements	.243(e)(1)
Portable Wood	.25	Riding Rotary	.243(e)(2), (4)
Sawmills	.265(c)(10)	Walk-Behind	.243(e)(2), (3)
Ladders, Fixed	.27	Lead	.1025, .252(f)(7)
Cages	.27(c)(3), (d)(1)	Compliance	.1025(e)
Clearances	.27(c)	Confined Spaces	.252(f)(7)(i), (iii)
Cleats	.27(b)(1)	Housekeeping	.1025(h)
Design	.27(a)	Hygiene Facilities and Practices	.1025(i)
Stresses	.27(a)(2)	Indoors	.252(c)(7)(ii), (iii)
Deterioration	.27(b)(7)	Medical Removal	.1025(k)
Electrolytic Action	.27(b)(5)	Medical Surveillance	.1025(j)
Extensions	.27(d)(3)	Monitoring	.1025(d)
Fastenings	.27(b)(3)	Monitoring, Observation of	.1025(o)
Grab Bars	.27(c)(5), (d)(4)	Protective Equipment and	.1025(g)
Ladder Extensions	.27(d)(3)	Clothing	.1025(g)
Landing Platforms	.27(d)(2)	Recordkeeping	.1025(m)
Maintenance	.27(f)	Respiratory Protection	.1025(f)
Pitch	.27(e)	Signs	.1025(m)
Rungs	.27(b)(1)	Training, Employee	.1025(l)
Safety Devices	.27(d)(5)	Ventilation	.252(c)(7)(iii)
Side Rails	.27(b)(2)	Leakage, Bulk Oxygen Systems	.104(b)(2)(iii)
Splices	.27(b)(4)	Levers, Hand-Operated	.217(b)(5)
Standards Sources	.31	Lifelines: (see also Safety Belts)	
Welding	.27(b)(6)	Confined Spaces	.252(b)(4)(iv)
Wells	.27(d)(1)	Crawling Boards	.28(t)(2)
Ladders, Portable Metal	.26	Powered Platforms	.66(d)(9), App. C
Care	.26(c)(2)	Welding	.252(b)(4)(iv)
Electrical safety-related work practices.	.333(c)(7)	Chicken Ladders	.28(t)(2)
Extension Ladders	.26(a)(2), (4)	Lighting: (see also Lamps)	
General Requirements	.26(a)(1)	Container Areas	.110(d)(16)
Platform Ladders	.26(a)(5)	Cranes	.179(c)(4), (g)(7)
		Electric Equipment, Workspace	.303(g)(1)(v), (h)(3)(ii)
		About.	
		Electrical safety-related work practices.	.333(c)(4)

Subject term	Section No.	Subject term	Section No.
Exits and Exit Signs .....	.37(q)	Holding .....	.180(h)(4)
Hazardous Waste Operations .....	.120(m)	Moving .....	.180(h)(3)
Labor Camps .....	.142(g)	Size .....	.180(h)(1)
Machinery, Basement Areas .....	.219(c)(5)	Derricks .....	.181
Manlifts .....	.68(b)(6)(iii), (14)	Attaching .....	.181(i)(2)
Operating Areas, Industrial Trucks .....	.178(h)	Boom Securing .....	.181(i)(6)
Pulp and Paper Mills .....	.261(b)(2), (c)(10), (k)(21)	Holding .....	.181(i)(4)
Pulpwood Harvesting .....	.266(e)(15)	Moving .....	.181(i)(3)
Sawmills .....	.265(c)(5)(iii), (9), (23)(iii)	Size .....	.181(i)(1)
Spray Booths .....	.107(b)(10)	Winch Heads .....	.181(i)(5)
Storage Areas .....	.177(f)(1), .178(h)	Overhead and Gantry Cranes .....	.179(n)
Lighting Receptacles:		Attaching .....	.179(n)(2)
Cranes .....	.179(g)(7)	Hoist Limit Switches .....	.179(n)(4)
Liquefied Hydrogen Systems: (see Hydrogen)		Moving .....	.179(n)(3)
Liquefied, Petroleum Gases: (see also Containers, Liquefied Petroleum Gases).	.110, .168(b)(3)(x)	Size .....	.179(n)(1)
Appliances .....	.110(b)(20)	Load Ratings:	
Attendant .....	.110(b)(14)	Cranes .....	.180(c)
Buildings:		Derricks .....	.181(c)
Engines Use .....	.110(e)(11), (12)	Overhead and Gantry Cranes .....	.179(b)(5)
Industrial Trucks .....	.110(e)(13)	Powered Platforms .....	.66(c)(7)
Inside Storage .....	.110(f)	Loading:	
Piping Into .....	.110(b)(13)	Bulk Plants .....	.106(f)(3)
Condensed Gas Drips .....	.110(d)(9)	Explosives .....	.109(e)(3)
Definitions .....	.110(a)	Industrial Plants .....	.106(e)(4)
Effective Dates .....	.110(b)(19)(i), .114	Liquefied Petroleum Gases .....	.110(b)(15)
Electrical Equipment .....	.110(b)(17), (18); (h)(13)	Processing Plants .....	.106(h)(5)
Engines in Buildings .....	.110(e)(11), (12)	Scaffolds .....	.29(a)(2)
Equipment Approval .....	.110(b)(2)	Lockout/tagout of hazardous energy .....	.147
Fire Protection .....	.110(d)(14), (f)(7), (h)(14)	Control sequence .....	.147(d)
Fuel Handling and Storage .....	.178(f)	Electrical safety-related work practices.	.333(b)
Gaging Devices .....	.110(b)(19)	Inspection .....	.147(c)(6)
Garaging Vehicles .....	.110(e)(14)	Powered platforms .....	.66(f)(3)(i)(j)
Handling .....	.110	Release procedures .....	.147(e)
Liquid Level Gaging Device .....	.110(b)(19)	Testing .....	.147(f)(1)
Liquid Transfer .....	.110(b)(14)	Training .....	.147(c)(7)
Loading .....	.110(b)(15)	Locomotive Cranes: (see also Crawler, Locomotive and Truck Cranes).	.180
Motor Fuel .....	.110(e)	Log Handling: (see also Sawmills) .....	.265(d)
Odorizing Gases .....	.110(b)(1)	Longshoring .....	.16(a)
Pits and Drains .....	.110(d)(11)	Looms .....	.262(n)
Regulating Equipment .....	.110(b)(6); (c)(5); (d)(9); (e)(9)	Low Pressure Tanks .....	.106(b)(1)(iv)
Indoor .....	.110(c)(5)	LP-Gases: (see Liquefied Petroleum Gases)	
Location .....	.110(b)(6)	Lumber Handling .....	.265(c)(27), (28)
Outdoor .....	.110(c)(4)	Lunchrooms .....	.141(g)
Service Stations .....	.110(h)	Location .....	.141(g)(1), (2)
Standards Sources .....	.115	Waste Disposal Containers .....	.141(g)(3)
Storage .....	.110	Machine Guarding: (see Machine(r)y Guarding)	
Tank Car Loading .....	.110(b)(15)	Machine(r)y Guarding .....	.211–222
Transport Trucks .....	.110(b)(15)	Abrasive Wheel Machinery .....	.215
Trucks .....	.178(b)(10), (11)	Anchoring Fixed Machinery .....	.212(a), (b)
Trucks Conversion .....	.178(d), (q)(12)	Bakeries .....	.263(c)
Liquid Fuels:		Barrels .....	.212(a)(4)
Handling and Storage .....	.178(f)	Blades Exposure .....	.212(a)(5)
Service Stations .....	.106(g)	Calendars .....	.216
Liquid Heaters, Spray .....	.107(e)(7)	Containers .....	.212(a)(4)
Liquid Transfer:		Definitions .....	.211
Anhydrous Ammonia .....	.111(b)(12), (f)(6)	Drums .....	.212(a)(4)
Flammable Liquids .....	.106(e)(2)(iv), (e)(3)(vi), (f)(3)(vi), (g), (h)(4), .107(e)(4), (9)	Effective Dates .....	.220
Liquefied Petroleum Gases .....	.110(b)(14)	Forging Machines .....	.218
Load Handling:		Mills .....	.216
Crawler, Locomotive and Truck Cranes.	.180(h)	Point of Operation .....	.212(a)(3)
Attaching .....	.180(h)(2)	Power Presses .....	.217
		Power Transmission Equipment .....	.219
		Standards Sources .....	.221
		Types .....	.212(a)(1)
		Woodworking Machinery .....	.213
		Machines:	
		Abrasive Wheels .....	.215
		Definitions .....	.211
		Forging .....	.218
		Laundry .....	.264

Pt. 1910, Index

29 CFR Ch. XVII (7–1–01 Edition)

Subject term	Section No.
Mills and Calenders .....	.216
Power Transmission, Mechanical .....	.219
Presses, Mechanical .....	.217
Textiles .....	.262
Woodworking .....	.213
Magazines, Explosives .....	.109(c)(2)
Class I .....	.109(c)(3)
Class II .....	.109(c)(4)
Class III .....	.109(c)(5)
Maintenance: (see also Term To Which It Applies)	
Bulk Oxygen Systems .....	.104(b)(10)
Cranes .....	.179(l), .180(f)
Derricks .....	.181(f)
Egress .....	.36(d), .37(k)
Fire Alarm Systems .....	.163(c)
Fire Extinguishers:	
Gaseous Hydrogen Systems .....	.103(b)(5)
Industrial Plants .....	.106(e)(9)
Liquefied Hydrogen Systems .....	.103(c)(5)
Powder Coatings .....	.107(l)(4)
Powered Industrial Trucks .....	.178(q)
Powered Platforms .....	.66(e)(6)
Processing Plants .....	.106(h)(8)
Respirators .....	.134(f)
Standpipe and Hose System .....	.158(e)
Sprinkler Systems .....	.159(c)(2)
Type F Powered Platforms .....	.66(c)(5)
Manifolding Gas Cylinders .....	.253(c)
Fuel-Gas .....	.253(c)(1)
Operating Procedures .....	.253(c)(5)
Oxygen .....	.253(c)(2), (3)
Portable Outlet Headers .....	.253(c)(4)
Manholes .....	.23(a)(6), .268(o)
Manlifts .....	.68
Belts .....	.68(c)(1)(ii)
Brakes .....	.68(c)(1)(i)
Clearances .....	.68(b)(11)
Design .....	.68(b)(3)
Exit Protection .....	.68(b)(8)
Floor Openings .....	.68(b)(5), (7)
Guardrails .....	.68(b)(8)(f), (10)(iv)
Guards .....	.68(b)(7), (9)
Handholds .....	.68(c)(4)
Inspections .....	.68(e)
Instruction Signs .....	.68(c)(7)
Ladders .....	.68(b)(12)
Landings .....	.68(b)(6)
Lighting .....	.68(b)(6)(iii), (14)
Machinery .....	.68(c)
Mechanical Requirements .....	.68(c)
Operating Rules .....	.68(d)
Platforms .....	.68(c)(3)
Speed .....	.68(c)(2)
Standards Sources .....	.68(b)(4), .69
Steps .....	.68(c)(3)
Stops .....	.68(c)(5), (6)
Warning Signs .....	.68(c)(7)
Weather Protection .....	.68(b)(15)
Marine Service Stations .....	.106(g)(4)
Marine Terminals .....	.16(b)
Marking Physical Hazards .....	.144
Sawmills .....	.265(c)(11)
Markings: (see also Signs and Tags)	
Bulk Oxygen Systems .....	.104(b)(8)(viii)
Compressed Gas Cylinders .....	.253(b)(1)
Electric equipment:	
General .....	.303(e)
Hazardous locations .....	.307(b)(2)(ii)
Explosive Actuated Tools .....	.243(d)(3)
Explosives .....	.109(d)(2)(ii)
Eye and Face Protection .....	.133(a)(4)
Gaseous Hydrogen Systems .....	.103(b)(1)(v)
Hazardous materials, retention of DOT markings.	.1201

Subject term	Section No.
Liquefied Hydrogen Systems .....	.103(c)(1)(iii)
Liquefied Petroleum Gases .....	.110(b)(5), (c)
Load Ratings:	
Cranes .....	.180(c)(2)
Derricks .....	.181(c)
Powered Industrial Trucks .....	.178(a)(3)
Powered Platforms .....	.66(f)(7)
Physical Hazards .....	.144
Respirators .....	.134(g)
Sawmills .....	.265(c)(11)
Mason's Adjustable Multiple Point Suspension Scaffolds.	.28(f)
Masons' Ladders .....	.25(c)(4)(iii)
Matching Machines .....	.213(n)
Material Safety Data Sheets, chemical hazards information.	.1200
Materials Handling and Storage:	
Aisles and Passageways .....	.176(a)
Clearance Signs .....	.176(e)
Cranes—Crawler, Locomotive and Truck.	.180
Cranes, Overhead and Gantry .....	.179
Derricks .....	.181
Effective Dates .....	.182
Guarding Openings .....	.176(g)
Hazardous materials, retention of DOT markings.	.1201
Hazardous Waste Operations .....	.120(j), (p)(6)
Housekeeping .....	.176(c)
Mechanical Equipment .....	.176(a)
Powered Industrial Trucks .....	.178
Pulp and Paper Mills .....	.261(c), (d), (m)
Railroad Car Blocks .....	.176(f)
Securing .....	.176(b)
Standards Sources .....	.183
Maximum Allowable Concentration:	
Fluorine .....	.252(c)(5)(ii)
Welding Contamination .....	.252(c)(1)(iii)
Means of Egress: (see Egress Means)	
Mechanical Handling Equipment:	
Clearances .....	.176(a)
Powered Industrial Trucks .....	.177(e), .178
Mechanical Power Presses:	
Air Controlling Equipment .....	.217(b)(10)
Brakes, Friction .....	.217(b)(2)
Clearances, Work Area .....	.217(f)(3)
Clutches:	
Full Revolution .....	.217(b)(3)
Part Revolution .....	.217(b)(7)
Definitions .....	.211(d)
Dies .....	.217(d)
Effective Dates .....	.220
Electrical Controls .....	.217(b)(8)
Excluded Machines .....	.217(a)(5)
Foot Pedals .....	.217(b)(4)
Guarding .....	.217(b)
Guide Posts .....	.217(d)(4)
Hand Feeding Tools .....	.217(c)(4)
Hazards:	
Guide Posts .....	.217(d)(4)
Personnel .....	.217(b)(1)
Hydraulic Equipment .....	.217(b)(11)
Inspection, Records .....	.217(e)(1)
Instructions .....	.217(f)(2)
Lever, Hand—Operated .....	.217(b)(5)
Maintenance:	
Records .....	.217(e)(1)
Training Personnel .....	.217(e)(3)
Modifications .....	.217(a)(4), (e)(2)
Operating Instructions .....	.217(f)(2)
Overloading .....	.217(f)(4)
Point of Operation .....	.217(c)
Pressure Vessels .....	.217(b)(12)
Slide Counterbalances .....	.217(b)(9)

## Occupational Safety and Health Admin., Labor

## Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Air .....	.217(b)(9)(iii)-(v)	Welding .....	.252(c)(13)
Spring .....	.217(b)(9)(i), (ii)	Labor Camps .....	.142(k)
Standards Sources .....	.221	Radiation Exposure Records .....	.96(n)
Training Maintenance Personnel ..	.217(e)(3)	Standards Sources .....	.153
Treadles .....	.217(b)(4)	Medical Surveillance .....	.120(b)(5), (f)
Trips, Two-Hand .....	.217(b)(6)	Mercantile Occupancies .....	.106(d)(5)(iv)
Unitized Tooling .....	.217(d)(5)	Mercury .....	.252(f)(10)
Mechanical Power Transmission Appa- ratus .....	.219	Exposure Limit .....	.95(b)
Bearings .....	.219(j), (p)(3)	Metal Cutting: (see Cutting and Weld- ing)	
Belts:		Metal Ladders, Portable: (see also Ladders, Portable Metal).	.26
Care .....	.219(p)(6)	Methyl chloromethyl ether .....	.1003
Fasteners .....	.219(l)(4)	Area requirements .....	.1003(c)
Perches .....	.219(l)(3)	Closed system operation .....	.1003(c)(2)
Shifters .....	.219(l)(1)	Isolated systems .....	.1003(c)(1)
Shippers .....	.219(l)(2)	Maintenance and decon- tamination activities.	.1003(c)(5)
Chains .....	.219(f)	Open-vessel system oper- ations.	.1003(c)(3)
Clutches .....	.219(k), (l)	Transfer from a closed oper- ation.	.1003(c)(4)
Collars .....	.219(i)	Medical surveillance .....	.1003(g)
Couplings .....	.219(i), (k)(1)	Examinations .....	.1003(g)(1)
Cutoff Couplings .....	.219(k)(1)	Records .....	.1003(g)(2)
Definitions .....	.211(f)	Regulated area requirements .....	.1003(d)
Drives:		Contamination control .....	.1003(d)(4)
Belt, Rope, and Chain .....	.219(e)	Emergencies .....	.1003(d)(2)
Friction .....	.219(g)	Hygiene facilities and prac- tices.	.1003(d)(3)
Effective Dates .....	.220	Reports .....	.1003(f)
Engine Rooms .....	.219(k)(2)	Incidents .....	.1003(f)(2)
Equipment Care .....	.219(p)	Operations .....	.1003(f)(1)
Excluded Apparatus .....	.219(a)(1)	Signs, information, and training ...	.1003(e)
Gears .....	.219(f)	Container contents identifica- tion.	.1003(e)(2)
Guarding .....	.219	Lettering .....	.1003(e)(3)
Guards:		Prohibited statements .....	.1003(e)(4)
Disks .....	.219(m)(1)	Signs .....	.1003(e)(1)
Horizontal Overhead:		Training and indoctrination ....	.1003(e)(5)
Belts .....	.219(o)(3)	Methylene Chloride:	
Rope and Chain Drives ..	.219(o)(4)	Permissible Exposure Limits .....	.1052(c)
Materials .....	.219(m)(1), (o)	Exposure Monitoring .....	.1052(d)
Prime Mover .....	.219(b)	Regulated Areas .....	.1052(e)
Shields .....	.219(m)(2)	Methods of Compliance .....	.1052(f)
Standard .....	.219(m)	Respiratory Protection .....	.1052(g)
Manufacturing Methods		Protective Work Clothing and Equipment.	.1052(h)
Materials .....	.219(m)(1)	Hygiene Facilities .....	.1052(j)
Toeboards .....	.219(o)(5)	Medical Surveillance .....	.1052(j)
U-Guards .....	.219(m)(3)	Hazard Communications .....	.1052(k)
Wooden .....	.219(o)(2)	Employee Information and Train- ing.	.1052(l)
Hangers .....	.219(p)(4)	Recordkeeping .....	.1052(m)
Keys .....	.219(h)	4,4-Methylenedianiline:	
Located in Basements, Towers, and Rooms.	.219(c)(5)	Airborne Concentration .....	.1050(c)
Personnel Protection .....	.219(p)(7)	Compliance .....	.1050(g)
Prime Mover Guards:		Emergency Situations .....	.1050(d)
Connecting Rods .....	.219(b)(2)	Hazard Communication .....	.1050(k)
Cranks .....	.219(b)(2)	Exposure, Permissible .....	.1050(c)
Extension Piston Rods .....	.219(b)(3)	Housekeeping .....	.1050(l)
Flywheels .....	.219(b)(1)	Hygiene Facilities and Practices ...	.1050(j)
Tail Rods .....	.219(b)(3)	Medical Surveillance .....	.1050(m)
Projections .....	.219(h)	Monitoring .....	.1050(e)
Pulleys .....	.219(d), (k), (p)(5)	Personal Protective Equipment ....	.1050(i)
Setscrews .....	.219(h)	Clothing .....	.1050(i)
Shafting .....	.219(c)	Recordkeeping .....	.1050(n)
Care .....	.219(p)(2)	Regulated Areas .....	.1050(f)
Guarding .....	.219(c)(2), (3)	Respiratory protection .....	.1050(h)
Installation .....	.219(c)(1)	Mill Roll Heights .....	.216(a)(4)
Projecting Shafts .....	.219(c)(4)	Mills, Pulp, Paper and Paperboard (see also Pulp, Paper and Paper- board Mills).	.261
Sprockets .....	.219(f)	Mills, Rubber and Plastics Industry:	
Standards Sources .....	.221	Definitions .....	.211(c)
Textile Industry .....	.219(a)(3)		
Medical Services: (see also First Aid Personnel Protective Equipment).	.151		
Asbestos .....	.1001(j)		
First Aid .....	.151		
Labor Camps .....	.142(k)		
Pulpwood Logging .....	.266(c)(1)		
Textiles .....	.262(pp)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–01 Edition)

Subject term	Section No.
Location Protection .....	.216(d)(1)
Roll Heights .....	.216(a)(4)
Safety Controls .....	.216(b)
Auxiliary Equipment .....	.216(b)(3)
Safety Trip Control .....	.216(b)(1)
Stopping Limits .....	.216(f)(1), (2)
Switches, Trip and Emergency .....	.216(e)
Minors:	
Ionizing Radiation Exposure .....	.96(b)(3), (c)(2), (d)(2)(ii)
Minors Employment .....	.217(f)(4)
Mixing:	
Blasting Agents .....	.109(g)(2), (3); (h)(3), (4)
Explosives .....	.109(h)(3), (4)
Molding Machines .....	.213(n)
Monitoring:	
Asbestos .....	.1001(f)
Ionizing Radiation .....	.96(d)
Mortising Machines .....	.213(e)
Motor Fuels .....	.110(e)
Motor Vehicles:	
Anhydrous Ammonia .....	.111(f)
Motorized Hand Trucks: (see also Powered Industrial Trucks).	.178
Multi-piece Rim Wheels .....	.177
alpha-Naphthylamine .....	.1003
Area requirements .....	.1003(c)
Closed system operation .....	.1003(c)(2)
Contamination control .....	.1003(d)(4)
Emergencies .....	.1003(d)(2)
General regulated area re- quirements.	.1003(d)
Hygiene facilities and prac- tices.	.1003(d)(3)
Isolated systems .....	.1003(c)(1)
Maintenance and decon- tamination activities.	.1003(c)(5)
Open-vessel system oper- ations.	.1003(c)(3)
Transfer from a closed oper- ation.	.1003(c)(4)
Medical surveillance .....	.1003(g)
Examinations .....	.1003(g)(1)
Records .....	.1003(g)(2)
Regulated area requirements .....	.1003(d)
Contamination control .....	.1003(d)(4)
Emergencies .....	.1003(d)(2)
Hygiene facilities and prac- tices.	.1003(d)(3)
Reports .....	.1003(f)
Incidents .....	.1003(f)(2)
Operations .....	.1003(f)(1)
Signs, information, and training .....	.1003(e)
Container contents identifica- tion.	.1003(e)(2)
Lettering .....	.1003(e)(3)
Prohibited statements .....	.1003(e)(4)
Signs .....	.1003(e)(1)
Training and indoctrination .....	.1003(e)(5)
beta-Naphthylamine .....	.1003
Area requirements .....	.1003(c)
Contamination control .....	.1003(d)(4)
Closed system operation .....	.1003(c)(2)
Emergencies .....	.1003(d)(2)
General regulated area re- quirements.	.1003(d)
Hygiene facilities and prac- tices.	.1003(d)(3)
Isolated systems .....	.1003(c)(1)
Maintenance and decon- tamination activities.	.1003(c)(5)
Open-vessel system oper- ations.	.1003(c)(3)

Subject term	Section No.
Transfer from a closed oper- ation.	.1003(c)(4)
Medical surveillance .....	.1003(g)
Examinations .....	.1003(g)(1)
Records .....	.1003(g)(2)
Regulated area requirements .....	.1003(d)
Contamination control .....	.1003(d)(4)
Emergencies .....	.1003(d)(2)
Hygiene facilities and prac- tices.	.1003(d)(3)
Reports .....	.1003(f)
Incidents .....	.1003(f)(2)
Operations .....	.1003(f)(1)
Signs, information, and training .....	.1003(e)
Container contents identifica- tion.	.1003(e)(2)
Lettering .....	.1003(e)(3)
Prohibited statements .....	.1003(e)(4)
Signs .....	.1003(e)(1)
Training and indoctrination .....	.1003(e)(5)
Needle Beam Scaffolds .....	.28(n)
4-Nitrobiphenyl .....	.1003
Area requirements .....	.1003(c)
Closed system operation .....	.1003(c)(2)
Isolated systems .....	.1003(c)(1)
Maintenance and decon- tamination activities.	.1003(c)(5)
Open-vessel system oper- ations.	.1003(c)(3)
Transfer from a closed oper- ation.	.1003(c)(4)
Medical surveillance .....	.1003(g)
Examinations .....	.1003(g)(1)
Records .....	.1003(g)(2)
Regulated area requirements .....	.1003(d)
Contamination control .....	.1003(d)(4)
Emergencies .....	.1003(d)(2)
Hygiene facilities and prac- tices.	.1003(d)(3)
Reports .....	.1003(f)
Incidents .....	.1003(f)(2)
Operations .....	.1003(f)(1)
Signs, information, and training .....	.1003(e)
Container contents identifica- tion.	.1003(e)(2)
Lettering .....	.1003(e)(3)
Prohibited statements .....	.1003(e)(4)
Signs .....	.1003(e)(1)
Training and indoctrination .....	.1003(e)(5)
N-Nitrosodimethylamine .....	.1003
Area requirements .....	.1003(c)
Closed system operation .....	.1003(c)(2)
Isolated systems .....	.1003(c)(1)
Maintenance and decon- tamination activities.	.1003(c)(5)
Open-vessel system oper- ations.	.1003(c)(3)
Transfer from a closed oper- ation.	.1003(c)(4)
Medical surveillance .....	.1003(g)
Examinations .....	.1003(g)(1)
Records .....	.1003(g)(2)
Regulated area requirements .....	.1003(d)
Contamination control .....	.1003(d)(4)
Emergencies .....	.1003(d)(2)
Hygiene facilities and prac- tices.	.1003(d)(3)
Reports .....	.1003(f)
Incidents .....	.1003(f)(2)
Operations .....	.1003(f)(1)
Signs, information, and training .....	.1003(e)
Container contents identifica- tion.	.1003(e)(2)
Lettering .....	.1003(e)(3)

## Occupational Safety and Health Admin., Labor

## Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Prohibited statements .....	.1003(e)(4)	Moving Part Guards .....	.179(e)(6)
Signs .....	.1003(e)(1)	Rail Clamps .....	.179(b)(4)
Training and indoctrination .....	.1003(e)(5)	Rail Sweeps .....	.179(e)(4)
Nitrous Oxide .....	.105	Rated Load:	
Administrative Controls .....	.95(b)(1)	Markings .....	.179(b)(5)
Effective Dates .....	.114	Tests .....	.179(k)(2)
Engineering Controls .....	.95(b)(1)	Repairs .....	.179(l)(3)
Standards Sources .....	.115	Rope inspection .....	.179(m)
Noise Exposure .....	.95	Stairways .....	.179(d)(4)
Effective Dates .....	.98	Standards Sources .....	.183
Personal Protective Equipment .....	.95(b)(1), (c), (i), (j)	Testing .....	.179(k)
Pulpwood Logging .....	.266(c)(1)(vi)	Toeboards .....	.179(d)(3)
Standards Sources .....	.99	Trolley Bumpers .....	.179(e)(3)
Nonionizing Radiation .....	.97	Trolley Stops .....	.179(e)(1)
Effective Dates .....	.98	Warning Devices .....	.179(i)
Electromagnetic Radiation .....	.97(a)	Wind Indicators .....	.179(b)(4)
Standards Sources .....	.99	Overhead Wires:	
Nonpotable Water .....	.120(n)(2)	Cranes .....	.180(j)(4)
Noxious Gases, Storage Areas .....	.178(i)	Derricks .....	.181(j)(5)(iv)
Nozzles:		Overspray Collectors .....	.107(b)(6)
Abrasive Blasting .....	.94(a)(2)(iii), .244(b)	Oxygen: (see also Bulk Oxygen Sys- tems).	.104
Gasoline .....	.106(g)(3)(vi)	Effective Dates .....	.114
Standpipe .....	.158(c)(4)	Standards Sources .....	.115
Occupant Load .....	.37(d)	Storage .....	.252(a)(2)(iv)
Occupational Noise Exposure: (see Noise Exposure)		Oxygen-Fuel Gas Systems .....	.253
Odorizing Gases .....	.110(b)(1)	Outlet Headers .....	.253(c)(4)
Open-Sided Floors .....	.23(c)	Piping Systems .....	.253(d)
Open Surface Tanks: (see Tanks: Open Surface)		Protective Equipment .....	.253(e)
Openings: (see also Floor Openings (Holes), Wall Openings (Holes)).	.23	Oxygen Manifolds:	
Tanks:		High Pressure .....	.253(c)(2)
Inside .....	.106(b)(4)(iv)	Low Pressure .....	.253(c)(3)
Organic Peroxide Coatings: (see also Dual Component Coatings).	.107(m)	Painters' Stepladders .....	.25(c)(4)(ii)
Outdoor Storage:		Paints:	
Flammable Liquids .....	.106(d)(6)	Color Code .....	.144
Outlet Headers, welding .....	.253(c)(4)	Fire Retardant .....	.37(o)
Protective Equipment .....	.253(e)(4)	Paper and Paperboard Mills: (see also Pulp, Paper and Paperboard Mills).	.261
Outrigger Scaffolds .....	.28(e)	Passageways, Working Surfaces .....	.22(b)
Outside Storage Trucks .....	.178(c)(2)(ix), (xi)	Permissible Exposure Limits .....	.1000
Ovens .....	.263(l)	Personal Protection: (see also Per- sonal Protective Equipment).	.219(p)(7)
Direct-Fire .....	.263(l)(10)	Personal Protective Equipment: (see also Lifelines, and Other Terms Lis- ted Below)	
Direct Recirculating .....	.263(l)(11)	Abrasive Blasting .....	.94(a)(5)
Electrical Heating Equipment .....	.263(l)(8)	Asbestos Exposure .....	.1001(d)
General Requirements .....	.263(l)(9)	Clothing .....	.1001(d)(3)
Indirect Recirculating .....	.263(l)(15)	Bloodborne pathogens, exposure to, use of ppe.	.1030(c)(2)(ii), (d)(2)(i) and (3)
Location .....	.263(l)(1)	Electrical Protective Equipment ....	.137, .268(f)
Mechanical Parts .....	.263(l)(3)	Electrical safety-related work prac- tices, use of ppe.	.333(c)(2), .335(a)
Overflow Pipes, Dip Tanks .....	.125(b)	Emergency Showers and Foun- tains:	
Overhead Cranes: (see also Overhead and Gantry Cranes).	.179	Pulp, Paper and Paperboard Mills.	.261(g)(5), (18)
Overhead and Gantry Cranes:		Eye Protection .....	.133
Access .....	.179(c)(2)	Face Protection .....	.133
Adjustments .....	.179(l)(3)	Fire Brigades .....	.156
Brakes .....	.179(f)	Foot Protection .....	.136
Bridge Bumpers .....	.179(e)(2)	General Requirements .....	.132
Cabs .....	.179(c)	Hand protection .....	.138
Clearances .....	.179(b)(6)	Hazardous Waste Operations .....	.120(g)
Effective Dates .....	.179(b)(2), .182	Head Protection .....	.135
Electric Equipment .....	.179(g)	Noise Exposure .....	.95(b)(1)
Fire Extinguishers .....	.179(c)(3), (o)(3)	Pulp and Paper Mills .....	.261(g)(2), (i)(4), (k)(3)
Footwalks .....	.179(d)	Pulpwood Logging .....	.266(c)(1)(i)-(v)
Guards .....	.179(e)(5), (6)	Respiratory Protection .....	.134
Handrails .....	.179(d)(3), (4)(ii)	Textiles .....	.262(qq)
Hoisting Equipment .....	.179(h)	Welding .....	.252-.257
Hoisting Rope Guards .....	.179(e)(5)	Booths .....	.252(b)(2)(iii)
Inspections .....	.179(j), (m)	Cable .....	.252(b)(1)(ii)
Ladders .....	.179(d)(4)		
Lighting .....	.179(c)(4)		
Load Handling .....	.179(n)		
Maintenance .....	.179(l)		
Modifications .....	.179(b)(3)		

Pt. 1910, Index

29 CFR Ch. XVII (7–1–01 Edition)

Subject term	Section No.	Subject term	Section No.
Clothing .....	.252(b)(3)	Polishing: (see Grinding, Polishing and Buffing)	
Eye Protection .....	.252(b)(2)	Portable Fire Extinguishers: (see also Fire Extinguishers, Portable).	.157
Helmets .....	.252(b)(2)	Portable Metal Ladders: (see also Ladders, Portable Metal).	.26
Railing .....	.252(b)(1)(i)	Portable Stepladders: (see Stepladders, Portable)	
Shade Numbers, Lenses .....	.252(b)(2)(ii)(H), (b)	Portable Tank Storage: (see Tank Storage, Portable)	
Physical Hazards Markings: (see also Color Codes, Physical Hazards: Markings).	.144	Portable Tanks: (see Tanks, Portable)	
Effective Dates .....	.149	Portable Tools: (see also Powered Tools, Hand and Portable).	.244
Standards Sources .....	.150	Portable Welding Machines: (see Welding Machines, Portable)	
Piers and Wharves: (see also Wharves)		Portable Wood Ladders: (see also Ladders, Portable Wood).	.25
Trucks Used .....	.178(c)(2)(x)	Powder Coatings .....	.107(l)
Pipes:		Power Presses, Mechanical: (see Mechanical Power Presses)	
Dip Tanks .....	.125(b)	Powered Industrial Trucks:	
Flammable Liquids .....	.107(e)(6)	Approval Labels .....	.178(a)(3), (7)
Overflow .....	.125(b)	Batteries .....	.178(g)
Piping: (see Piping, Fittings and Tubing; Piping, Valves and Tubing)		Combustible Dusts .....	.178(c)(2)(vi)
Piping, Fittings and Tubing:		Conversion .....	.178(d), (q)(12)
Anhydrous Ammonia .....	.111(b)(7)	Design and Construction .....	.178(a)(2)
Bulk Oxygen Systems .....	.104(b)(5)	Designated Locations .....	.178(c)(1)
Gaseous Hydrogen Systems .....	.103(b)(1)(ii), (iii)	Designations, Trucks:	
Liquefied Hydrogen Systems .....	.103(c)(1)(iv), (v)	D .....	.178(b)(1)
Liquefied Petroleum Gases .....	.110(b)(8)	DS .....	.178(b)(2)
Safety Relief Devices .....	.103(b)(1)(ii), (c)(1)(iv)	DY .....	.178(b)(3)
Piping Systems, Oxygen-Fuel .....	.253(d)	E .....	.178(b)(4)
Fittings .....	.253(d)(1)	ES .....	.178(b)(5)
Installation .....	.253(d)(3)	EE .....	.178(b)(6)
Painting .....	.253(d)(4)	EX .....	.178(b)(7)
Piping .....	.253(d)(1)	G .....	.178(b)(8)
Piping Joints .....	.253(d)(2)	GS .....	.178(b)(9)
Pressure Relief Devices .....	.253(e)(2)	LP .....	.178(b)(10)
Protective Equipment .....	.253(e)(3), (4)	LPS .....	.178(b)(11)
Signs .....	.253(d)(4)	Effective Dates .....	.182
Station Outlets .....	.253(e)(4)	Fire Protection .....	.178(a)(1)
Testing .....	.253(d)(5)	Front End Attachments .....	.178(a)(5)
X-ray Inspections .....	.252(d)(1)(vii)	Fuel Handling .....	.178(f)
Piping, Valves, and Fittings:		Gases and Fumes .....	.178(i)
Flammable and Combustible Liquids.	.106(c)	Grain Handling .....	.178(c)(2)(vi), (b)
Corrosion Protection .....	.106(c)(5)	Hazardous Materials .....	.178(c)(2)
Design .....	.106(c)(1)	Lighting .....	.178(h)
Joints .....	.106(c)(3)	Loading .....	.178(o)
Materials .....	.106(c)(2)	Maintenance .....	.178(q)
Supports .....	.106(c)(4)	Markings .....	.178(a)(6)
Testing .....	.106(c)(7)	Modifications .....	.178(a)(4)
Valves .....	.106(c)(6)	Operations .....	.178(p)
Liquefied Petroleum Gases .....	.110(h)(7)	Repairs .....	.178(q)
Processing Plants .....	.106(h)(4)(ii)	Safety Guards .....	.178(e)
Pits .....	.23(a)(5)	Standards Sources .....	.183
Drains .....	.110(d)(11)	Training Operators .....	.178(l)
Planing Machines .....	.213(n)	Traveling .....	.178(n)
Plasterers' Scaffolds .....	.28(o)	Truck Operations .....	.178(m)
Plastics Industry: (see also Mills, Rubber and Plastics Industry)		Powered Platforms .....	.66–70
Auxiliary Equipment .....	.216(a)(3)	Access .....	.66(f)(3) (i)(K), (ii)(D), (iii)(C)(2), (f)(5)(ii)(J)
Effective Dates .....	.216(a)(1), (2), .220	Application .....	.66(b)
Installations:		Buildings, affected parts .....	.66(e)
Existing .....	.216(a)(2)	Definitions .....	.66(d)
New .....	.216(a)(1)	Electrical .....	.66(e)(11), (f)(8)
Mills and Calenders .....	.216	Equipment .....	.66(f)
Standards Sources .....	.221	Fall Arrest systems .....	.66(f)(5)(ii)(L), (M), (iii)(B), (j), App. C
Platform Lift Trucks: (see also Powered Industrial Trucks).	.178	Hoisting Equipment .....	.66(f)(4), (g)(6)
Platforms, Scaffolds: (see also Listings Under Specific Type Scaffold)		Inspections .....	.66(g)
Guarding .....	.23(c)	Lockout .....	.66(f)(3)(i)(J)
Manlifts .....	.68(c)(3)	Maintenance .....	.66(e)(5), (10), (g), (h)
Pneumatic Powered Tools .....	.243(b)		
Airhoses .....	.243(b)(2)		
Portable .....	.243(b)(1)		
Point of Operation Guarding .....	.212(a)(3), .217(c)		

Subject term	Section No.	Subject term	Section No.
Manlifts .....	.68	Container contents identifica- tion.	.1003(e)(2)
Reshacking Hoists .....	.66(h)(4)	Lettering .....	.1003(e)(3)
Ropes .....	.66(f)(7), (g)(5), (h)(3), (4)	Prohibited statements .....	.1003(e)(4)
Standards Sources .....	.69	Signs .....	.1003(e)(1)
Tests .....	.66(g)	Training and indoctrination .....	.1003(e)(5)
Vehicle-Mounted .....	.67	Protective Clothing: (see Clothing, Pro- tective and Personal Protective Equipment)	
Powered Tools, Hand and Portable:		Protective Equipment, Piping: (see also Personal Protective Equipment).	.253(e)
Abrasive Wheels .....	.243(c)	Hoses and Connections .....	.253(5)
Compressed Air Cleaning .....	.242(b)	Pressure-Reducing Regulations .....	.253(6)
Definitions .....	.241	Stations Outlet .....	.253(4)
Effective Dates .....	.245	Pulleys .....	.219(d), (k), (p)(5)
Employees .....	.242(a)	Pulp, Paper and Paperboard Mills:	
Explosive Actuated Fastening .....	.243(d)	Barking Devices .....	.261(c)(12)
Guarding .....	.243	Belt Conveyors .....	.261(c)(15)
Lawn Mowers, Power .....	.243(e)	Bleaching .....	.261(h)
Pneumatic Powered .....	.243(b)	Bridge or Dock Plates .....	.261(c)(11)
Standards Sources .....	.246	Chemical Processes .....	.261(g)
Woodworking .....	.243(a)	Cranes .....	.261(c)(8)
Presses: (see also Mechanical Power Presses)		Finishing Rooms .....	.261(1)
Cold Trimming .....	.218(g)(2)	Hand Tools .....	.261(c)(13)
Forging .....	.218(f)	Handling .....	.261(c), (d)
Hot Trimming .....	.218(g)(2)	Lighting .....	.261(b)(2), (c)(10), (k)(21)
Hydraulic Forging .....	.218(f)(2)	Lockouts .....	.261(b)(1)
Trimming .....	.218(g)	Machine Rooms .....	.261(k)
Pressure Gages, Air Receivers .....	.169(b)(3)	Materials Handling .....	.261(m)
Pressure Vessels .....	.106(b)(1)(v), .217(b)(12)	Mechanical Pulp Processes .....	.261(i)
Chemical Plants .....	.106(i)(3)	Personal Protective Equipment .....	.261(d)(1)
Distilleries .....	.106(i)(3)	Pulpwood:	
Pulp and Paper Mills .....	.216(g)(16), (17)	Preparation .....	.261(e)
Refineries .....	.106(i)(3)	Removal .....	.261(c)(14)
Pressures: (see Safety Relief Devices)		Rags and Old Paper .....	.261(f)
Prime Mover Guards .....	.219(b)	Safe Practices .....	.261(b)
Primers, Ammunition .....	.109(j)(4)	Signs:	
Process safety management of highly hazardous chemicals (see Chemi- cals, etc.).	.119	Conveyors .....	.261(c)(16)
Processing Plants, Flammable and Combustible Liquids.	.106(h)	Traffic .....	.261(c)(9)
Application .....	.106(h)(1)	Standards Sources .....	.261(a)(3), (4); 268
Buildings .....	.106(h)(3)	Stock Preparation .....	.261(j)
Fire Protection .....	.106(h)(6)	Storage .....	.261(c), (d)
Housekeeping .....	.106(h)(8)	Chocking Rolls .....	.261(d)(4)
Ignition Sources .....	.106(h)(7)	Clearances .....	.261(d)(2)
Liquid Handling .....	.106(h)(4)	Piling .....	.261(d)(3)
Loading .....	.106(h)(5)	Traffic Warning Signs .....	.261(c)(9)
Location .....	.106(h)(2)	Pulpwood Logging .....	.266
Maintenance .....	.106(h)(8)	Chain Saw Operations .....	.266(e)(2)
Profile Lathes .....	.213(o)	Chipping .....	.266(h)(4)
Projections .....	.219(h)	Environmental Conditions .....	.266(d)(5)
beta-Propiolactone .....	.1003	Explosives .....	.266(d)(10)
Area requirements .....	.1003(c)	First Aid .....	.266(d)(2), (i)(7), App. A, App. B
Closed system operation .....	.1003(c)(2)	Hand and Portable Powered Tools	.266(e)
Isolated systems .....	.1003(c)(1)	Harvesting .....	.266(h)
Maintenance and decon- tamination activities.	.1003(c)(5)	Bucking .....	.266(h)(3)
Open-vessel system oper- ations.	.1003(c)(3)	Felling .....	.266(h)(2)
Transfer from a closed oper- ation.	.1003(c)(4)	Limbing .....	.266(h)(3)
Medical surveillance .....	.1003(g)	Loading .....	.266(h)(6)
Examinations .....	.1003(g)(1)	Machines for Moving Materials .....	.266(f)
Records .....	.1003(g)(2)	designated operator .....	.266(f)(2)
Regulated area requirements .....	.1003(d)	FOPS/ROPS .....	.266(f)(3)
Contamination control .....	.1003(d)(4)	overhead guard .....	.266(f)(4)
Emergencies .....	.1003(d)(2)	machine access .....	.266(f)(5)
Hygiene facilities and prac- tices.	.1003(d)(3)	exhaust system .....	.266(f)(6)
Reports .....	.1003(f)	brakes .....	.266(f)(7)
Incidents .....	.1003(f)(2)	guarding .....	.266(f)(8)
Operations .....	.1003(f)(1)	Personal Protective Equipment .....	.266(d)(1)
Signs, information, and training .....	.1003(e)	Seat Belts .....	.266(d)(3)
		Storage .....	.266(h)(8)
		Training .....	.266(i)
		frequency .....	.266(i)(2)
		content .....	.266(i)(3)

Pt. 1910, Index

29 CFR Ch. XVII (7-1-01 Edition)

Subject term	Section No.
first-aid .....	.266(i)(7)
designated trainer .....	.266(i)(8)
certification .....	.266(i)(10)
meetings .....	.266(i)(11)
Vehicles .....	.266(g)
maintenance .....	.266(g)(1)
inspection .....	.266(g)(2)
instructions .....	.266(g)(3)
Work Areas .....	.266(d)(6)
Pumps, Gasoline: (see also Service Stations).	.106(g)(3), (4)
Pyrotechnics .....	.109(k), .119
Radial Saws .....	.213(h)
Radiation:	
Ionizing .....	.96
Nonionizing .....	.97
Radioactive Materials:	
Packaged .....	.96(h)
Storage .....	.96(j)
Rail Clamps .....	.179(b)(4), .180(i)(1)
Rail Sweeps .....	.179(e)(4)
Railroad Cars .....	.176, .178(k)(2)-(4)
Explosives .....	.109(f)
Ramps:	
Egress .....	.37(j)
Rated Load Markings:	
Cranes .....	.179(b)(5)
Derricks .....	.181(c)(2)
Rated Load Test:	
Crawler, Locomotive, and Truck Cranes.	.180(e)(2)
Overhead and Gantry Cranes .....	.179(k)(2)
Recordkeeping:	
Asbestos .....	.1001(i), (j)(6)
Bloodborne pathogens, exposure to .....	.1030(f)(6), (h)
Building Inspection, assurance for powered platform use.	.66(c)
Communicable Diseases .....	.142(l)(1) and (2)
Cranes:	
Crawler, Locomotive and Truck.	.180(d)(2) and (6), (e)(2), (g)(i) and (2)
Overhead and Gantry .....	.179(k)(2), (m)(1) and (2)
Derricks .....	.181(g)(1) and (3)
Forging Equipment Inspection .....	.218(a)(2)
Hazardous Waste Operations .....	.120(f)(7)
Injury Reporting, Welding .....	.252(c)(13)
Ionizing Radiation Exposure .....	.96(m), (o)
Labor Camps .....	.142(l)(1) and (2)
Liquid Storage Tanks, Class I .....	.106(g)(1)
Manlifts .....	.68(e)(3)
Mechanical Power Presses .....	.217(e)(1)
Personal Monitoring:	
Asbestos .....	.1001(i)(1)
Ionizing Radiation .....	.96(n)
Power Presses Inspection .....	.217(e)(1)
Powered Platforms Inspection .....	.66(g)
Radiation Exposure .....	.96(b)(2)(iii), (m)(1), (n), (o)(1)
Records, Disclosure, Ionizing Radiation.	.96(o)(1)
Respirators .....	.134(e)(2), (f)(2)(iv)
Welding Operations .....	.252(c)(13), .255(e)
Records:	
Asbestos .....	.93a(i), (j)(6)
Ionizing Radiation .....	.96(m), (n)
Mechanical Power Presses .....	.217(e)(1)
Refineries, Chemical Plants and Distilleries.	.106(i)
Application .....	.106(j)
Fire Protection .....	.106(i)(5)
Pressure Vessels .....	.106(i)(3)

Subject term	Section No.
Process Unit Location .....	.106(i)(4)
Storage Tanks .....	.106(i)(1)
Wharves .....	.106(i)(2)
Refrigerated Containers:	
Anhydrous Ammonia .....	.111(d)
Refueling:	
Cranes .....	.180(i)(4)
Derricks .....	.181(j)(4)
Trucks .....	.178(p)(2)
Refuse:	
Disposal .....	.142(h)
Receptacles .....	.141(a)(4)
Relief Devices: (see Safety Relief Devices)	
Remote Gas Pumping Systems .....	.106(g)(3)(v)
Residue Disposal: (see Waste Disposal)	
Resistance Welding Equipment .....	.255(c)
Capacitor Discharge Welding .....	.255(b)(2)
Disconnecting Means .....	.306(d)(2)
Foot Switches .....	.255(b)(6)
Grounding .....	.255(b)(9)
Guarding .....	.255(a)(4), (b)(4)
Installation .....	.255(a)(1)
Interlocks .....	.255(b)(3)
Safety Pins .....	.255(b)(8)
Shields .....	.255(b)(5)
Spot and Seam Welding .....	.255(b)
Stop Buttons .....	.255(b)(7)
Thermal Protection .....	.255(a)(2)
Resistors:	
Cranes .....	.179(g)(4)
Respirators: (see also Gas Mask Canisters).	.134
Abrasive Blasting .....	.94 (a)(1)(ii), (a)(5)
Air Supply .....	.94(a)(6), .134(d)
Asbestos .....	.1001(d)(1), (2)
Cleaning .....	.134(b)(5), (f)(3)
Color Codes .....	.134(g)(6)
Employer Provided .....	.134(a)(2)
Fire brigades .....	.156(f)
Identification .....	.134(g)
Inspection .....	.134(b)(7), (f)
Labeling .....	.134(g)
Maintenance .....	.134(f)
Minimum Acceptable Program .....	.134(b)
Positive-pressure .....	.156(f)(2)
Pulp, and Paper Mills .....	.261(g)(2), (6), (10), (15)(ii)
Repairs .....	.134(f)(4)
Selection .....	.134(c)
Storage .....	.134(b)(6), (f)(5)
Training .....	.134(b)(3)
Use .....	.134(e)
Welding .....	.252(c)(4)(ii), (iii); (5)(ii); (7)(ii); (8); (9); (10)
Respiratory Protection: (see also Respirators).	.134
Air Quality .....	.94(a)(6), .134(d)
Air Supply .....	.94(a)(6), .134(d)
Fire brigades .....	.156(f)
Fit testing .....	.1001(g)(4), App. C, .1025(f)(3), App. D, .1028(g)(5), App. E, .1048(g)(3)(ii), App. E
Gas Mask Canister Identification ..	.134(g)
Minimum Acceptable Program .....	.134(b)
Permissible Practices .....	.134(a)(1)
Respirators .....	.134(a)(2), (b), (c), (e)
Use .....	.134(e)(5)

Subject term	Section No.	Subject term	Section No.
Right to know .....	.1200	Safety-Toe Footwear: (see Foot Protection)	
Rim wheels, multi-piece .....	.177	Sanding Machines .....	.213(p), .243(a)(3)
Ring Test .....	.215(d)(1)	Sanitation .....	.141
Ripsaws .....	.213(c), .214(d)	Application .....	.141(a)(1)
Risers, Open .....	.24(j)	Change Rooms .....	.141(e)
Rodent Control .....	.141(a)(5)	Effective Dates .....	.149
Labor Camps .....	.142(j)	Food Handling .....	.141(h)
Rolling Scaffolds: (see Work Platforms, Mobile)		Hazardous Waste Operations .....	.120(b)(13), (n)
Roofing Brackets .....	.28(s)	Housekeeping .....	.141(a)(3)
Catch Platforms .....	.28(s)(3)	Insect Control .....	.141(a)(5)
Construction .....	.28(s)(1)	Lunchrooms .....	.141(g)
Supports .....	.28(s)(2)	Rodent Control .....	.141(a)(5)
Rope Inspections:		Sawmills .....	.265(h)
Cranes .....	.179(m), .180(g)	Standards Sources .....	.150
Derricks .....	.181(g)	Toilet Facilities .....	.141(c)
Ropes:		Vermin Control .....	.141(a)(5)
Cranes .....	.179(m), .180(g)	Washing Facilities .....	.141(d)
Hoists .....	.179(h)(2)	Waste Disposal .....	.141(a)(4)
Inspections .....	.179(m), .180(g)	Water Supply .....	.141(b)
Running .....	.179(m)(1)	Sawmills:	
Derricks .....	.181(g)	Bins, Bunkers, Hoppers, and Fuel Houses:	.265(c)(23)
Idle Ropes .....	.181(g)(3)	Lighting .....	.265(c)(23)(iii)
Limited Travel .....	.181(g)(2)	Loading Bins .....	.265(c)(23)(ii)
Nonrotating Ropes .....	.181(g)(4)	Blower Systems .....	.265(c)(20)
Running .....	.181(g)(1)	Building Facilities .....	.265(c)
Powered Platforms .....	.66(f)(7), (g)(5), (h)(3), (4)	Docks .....	.265(c)(4)
Rotary Lawn Mowers .....	.243(e)(1), (4)	Emergency Exits .....	.265(c)(6)
Rotating Work Platforms: (see also Vehicle-Mounted Work Platforms)	.67	Fire Escapes .....	.265(c)(6)
Rubber Industry: (see also Mills, Rubber and Plastics Industry)		Floors .....	.265(c)(3)
Auxiliary Equipment .....	.216(a)(3), (b)(3)	Lighting .....	.265(c)(9)
Effective Dates .....	.216(a)(1), (2); .220	Platforms .....	.265(c)(4)
Installations:		Stairways .....	.265(c)(5)
Existing .....	.216(a)(2)	Handrails .....	.265(c)(5)(ii)
New .....	.216(a)(1)	Lighting .....	.265(c)(5)(iii)
Mills and Calenders .....	.216	Tanks .....	.265(c)(8)
Standards Sources .....	.221	Vats .....	.265(c)(8)
Rubber Protective Equipment .....	.221	Walkways .....	.265(c)(4)
Rung Ladders, Portable .....	.25(c)(3)	Work Areas .....	.265(c)(2)
Running Ropes:		Burners .....	.265(c)(29)
Cranes .....	.179(m)(1), .180(g)(1)	Chippers .....	.265(c)(21)
Derricks .....	.181(g)(1)	Conveyors .....	.265(c)(18)
Runway Conductors:		Definitions .....	.265(b)
Cranes .....	.179(g)(6)	Effective Dates .....	.265(j)
Runway Protection .....	.23(c)	Exhaust Systems .....	.265(c)(20)
Safety Belts: (see also Lifelines)		Gas Piping and Appliances .....	.265(c)(15)
Powered Platforms .....	.66(f)(5)(ii), (L), (M), (iii)(B), (j), App. C	General Requirements .....	.265(a)
Pulp, Paper, and Paperboard Mills	.261(g)(4), (15)	Hydraulic Systems .....	.265(c)(13)
Scaffolding .....	.28(j)(4), (n)(8), (s)(3), (t)(2), (u)(6)	Kilns, Dry .....	.265(f)
Welding .....	.252(b)(4)(iv)	Log Breakdown .....	.265(e)
Safety Color Codes:		Log Handling, Sorting, and Storage:	.265(d)
Effective Dates .....	.149	Barking Devices .....	.265(d)(4)
Standards Sources .....	.147	Log Decks .....	.265(d)(3)
Safety Devices:		Storage Areas .....	.265(d)(2)
Ladders .....	.27(d)(5)	Unloading .....	.265(d)(1)
Safety Guard Design, Abrasive Wheel Machinery.	.215(a)(2), (b)(10)-(12)	Unloading Areas .....	.265(d)(2)
Safety Instruction Signs .....	.145(c)(3), (d)(6)	Lumber:	
Safety Relief Devices:		Loading .....	.265(c)(28)
Bulk Oxygen Systems .....	.104(b)(6), (7)(ii)	Piling .....	.265(c)(27)
Flammable Liquids .....	.107(e)(8)	Storage .....	.265(c)(27)
Gaseous Hydrogen Systems .....	.103(b)(1)(ii)	Marking Physical Hazards .....	.265(c)(11)
Liquefied Hydrogen Systems .....	.103(c)(1)(iv)	Refuse Removal .....	.265(c)(20)(vi)
Liquefied Petroleum Gases .....	.110(b)(10), (c)(7), (d)(4), (e)(7), (g)(7), (h)(4)	Ropes, Cables, Slings, and Chains:	.265(c)(24)
Non-DOT Containers .....	.110(d)(4)	Stackers and Unstackers .....	.265(c)(26)
Spraying .....	.107(e)(8)	Standards Sources .....	.265(a)(2), (j); .268
		Traffic Control .....	.265(c)(31)
		Tramways .....	.265(c)(19)
		Trestles .....	.265(c)(19)
		Vehicles .....	.265(c)(30)
		Saws:	
		Band .....	.213(i)

Pt. 1910, Index

29 CFR Ch. XVII (7-1-01 Edition)

Subject term	Section No.
Band Resaws	.213(i)
Circular	.213(f); .243(a)(1)
Circular Resaws	.213(e)
Cracked	.243(a)(4)
Cylindrical Saws	.214(c)
Drag	.213(r)
Forging Machines	.218(j)(2)
Heading Bolt	.214(a), (c)
Inspection	.213(s)
Radial	.213(h)
Ripsaws	.213(c)
Swing Cutoff	.213(g)
Table	.213(d)
Scaffolding: (see also Scaffolds)	
Safety Requirements	.28
Scaffolds: (see also Ladder Stands Listings by Names of Scaffolds)	
Boatswain's Chair	.28(j)
Bricklayers' Square	.28(l)
Carpenters' Bracket	.28(k)
Chicken Ladders	.28(t)
Coupler, Mobile	.29(d)
Crawling Boards	.28(t)
Decorators'	.28(o)
Float	.28(u)
Horse	.28(m)
Interior Hung	.28(p)
Ladder-Jack	.28(q)
Masons' Adjustable Multiple-Point Suspension.	.28(f)
Needle Beam	.28(n)
Outrigger	.28(e)
Plasterers'	.28(o)
Powered platforms	.66
Roofing Brackets	.28(s)
Ship	.28(u)
Single-Point Adjustable Suspension.	.28(i)
Stone Setters' Adjustable Multiple Point Suspension.	.28(h)
Suspension	.28(f), (g), (h), (i)
Swinging	.28(g)
Tube and Coupler	.28(c)
Tube and Coupler, Mobile	.29(d)
Tubular Welded Frame	.28(d), .29(b)
Tubular Welded Sectional Folding	.29(c)
Two-Point Suspension	.28(g)
Window-Jack	.28(r)
Wood Pole	.28(b)
Scaffolds, Manual Mobile: (see also Work Platforms, Mobile Scaffolds).	
Ammonium Nitrate	.109(i)(5)
Scientific Diving (see Diving, Scientific)	
Semigantry Cranes: (see Gantry Cranes)	
Separation Walls: (see also Distances From Hazards)	
Ammonium Nitrate	.109(i)(5)
Service Stations:	
Flammable and Combustible Liquids.	.106(g)
Dispensing Systems	.106(g)(3)
Drainage	.106(g)(7)
Electrical Equipment	.106(g)(5)
Fire Protection	.106(g)(9)
Handling	.106(g)(1)
Heating Equipment	.106(g)(6)
Ignition Sources	.106(g)(8)
Marine Stations	.106(g)(4)
Multi-piece rim wheels, servicing	.177
Private Stations	.106(g)(2)
Storage	.106(g)(1)
Waste Disposal	.106(g)(7)
Liquefied Petroleum Gases	.110(h)
Containers	.110(h)(2)

Subject term	Section No.
Accessories	.110(h)(3)
Capacity	.110(h)(5)
Installation	.110(h)(6)
Protecting Fittings	.110(h)(7), (9)
Valves	.110(h)(3)
Dispensing Devices	.110(h)(11)
Electrical Systems	.110(h)(13)
Fire Protection	.110(h)(14)
Fittings	.110(h)(7)
Piping	.110(h)(7)
Pumps	.110(h)(10)
Safety Relief Valves	.110(h)(4)
Truck Unloading	.110(h)(8)
Valves	.110(h)(7)
Setscrews	.219(h)
Sewage Disposal	.142(e)
Shafting Guarding:	
Horizontal	.219(c)(2)
Inclined	.219(c)(3)
Vertical	.219(c)(3)
Sheaves:	
Crane Hoists	.179(h)(1)
Shelters, Labor Camps: (see also Facilities, Labor Camps).	.142(b)
Ship Scaffolds: (see also Float Scaffolds).	.28(u)
Side-Rolling Ladders	.25(c)(5)
Signs and Tags: (see also Markings)	
Accident Prevention	.145
Classification	.145(c)
Definitions	.145(b)
Use Classification	.145(c)
Biological Hazards	.145(e)(4), (f)(8)
Caution	.1001(g), .145(c)(2), (d)(4), (f)(6)
Colors	.145(d)
Danger	.145(c)(1), (d)(2), (e)(3), (f)(5)
Design	.145(d), (f)(4)
Effective Dates	.149
Egress Means	.37(q)
Exits	.37(q)
Gas Mask Canisters	.134(g)
Hazardous materials, retention of DOT markings.	.1201
Powered Platforms	.66(f)(7)(vi)
Pulp and Paper Mills	.261(c)(9), (16)
Radiation Warning	.97(a)(3)
Respirators	.134(g)
Safety Instruction	.145(c)(3), (d)(6)
Slow-Moving Vehicles	.145(d)(10)
Specifications	.93a(g)(ii), .145
Standards Sources	.150
Wordings	.145(e)
Single-Point Adjustable Suspension Scaffolds.	.28(i)
Single-Rung Ladders	.25(c)(3)(ii)
Mason's	.25(c)(4)(iii)
Skylight Floor Openings	.23(a)(4)
Sleeping Facilities, temporary	.120(n)(5)
Sleeves, Rubber Insulating	.137
Slings	.184
Sturries	.109(h)
Small Arms Ammunition	.109(j)
Primers	.109(j)(4)
Smokeless Propellants	.109(j)(3)
Storage	.109(j)
Smokeless Propellants	.109(j)(3)
Smoking:	
Dual Component Coatings	.107(m)(2)
Explosives	.109(e)(1)
Flammable Liquids	.106(d)(7)(iii)
Powder Coatings	.107(l)(4)(iii)
Spraying	.107(g)(7), (l)(4)(iii), (m)(2)

## Occupational Safety and Health Admin., Labor

## Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Snagging Machines .....	.215(b)(7)	Strength .....	.24(c)
Sources of Standards: (see Standards Sources)		Treads .....	.24(f)
Special Industries:		Vertical Clearance .....	.24(j)
Bakeries .....	.263	Width .....	.24(d)
Cooperage .....	.214	Standards Sources:	
Forging .....	.218	Accident Prevention Signs and Tags .....	.150
Hazardous Waste Operations .....	.120	Acetylene .....	.115
Laundries .....	.264	Air Contaminants .....	.99
Paper and Paperboard Mills .....	.261	Air Receivers .....	.169(a)(2), .170
Plastics Industry .....	.216	Anhydrous Ammonia .....	.115
Pulp Mills .....	.261	Asbestos .....	.99
Pulpwood Logging .....	.266	Blasting Agents .....	.115
Rubber Industry .....	.216	Color Codes .....	.150
Sawmills .....	.265	Combustible Gases .....	.115
Standards Sources .....	.268	Combustible Liquids .....	.115
Textiles .....	.219(a)(3), .262	Compressed Gas Equipment .....	.170
Woodworking .....	.213	Compressed Gases .....	.115
Spill Containment .....	.106(d)(6)(iii)	Cranes .....	.189
Spot and Seam Welding Machines .....	.255(b)	Derricks .....	.189
Spray Booths .....	.107(b)	Dip Tanks .....	.115
Spray Finishing .....	.107	Egress Means .....	.39
Air Flow .....	.94(c)(6)	Environmental Controls .....	.99, .150
Application .....	.107(n)	Explosives .....	.115
Automobile Undercoatings .....	.107(k)	First Aid .....	.153
Clean Air .....	.94(c)(7)	Flammable Liquids .....	.115
Combustible Liquids Storage .....	.107(e)	Guarding Machinery .....	.221
Curing Apparatus .....	.107(j)	Hand-Held Equipment .....	.246
Drying Apparatus .....	.107(j)	Hazardous Materials .....	.115
Dual Component Coatings .....	.107(m)	Hydrogen .....	.115
Electrical Systems .....	.107(c)	Indoor Storage .....	.189
Electrostatic Apparatus .....	.107(h), (1)	Ionizing Radiation .....	.99
Fire Protection .....	.107(f)	Labor Camps .....	.150
Flammable Liquids Storage .....	.107(e)	Ladders .....	.31
Fusion Apparatus .....	.107(j)	Life Safety Code .....	.39
Ignition Sources .....	.107(c)	Liquefied Petroleum Gases .....	.115
Location .....	.94(c)(2)	Machinery Guarding .....	.221
Maintenance .....	.106(g)	Manlifts .....	.69
Make-Up Air .....	.94(c)(7)	Materials Handling .....	.189
Organic Peroxide Coatings .....	.107(m)	Medical .....	.153
Powder Coatings .....	.107(l)	Medical Services .....	.153
Spray Booths .....	.94(c)(3), .107(b)	Nitrous Oxide .....	.115
Spray Rooms .....	.94(c)(4)	Noise Exposure .....	.99
Undercoatings .....	.107(k)	Nonionizing Radiation .....	.99
Velocity .....	.94(c)(6)	Nonwater Disposal Systems .....	.150
Ventilation .....	.94(c)(5), .107(d)	Occupational Health .....	.99
Spray Liquid Heaters .....	.107(e)(7)	Oxygen .....	.115
Spraying Operations .....	.107(g)	Physical Hazards Markings .....	.150
Sprinkler Systems:		Platforms, Powered .....	.69
Egress .....	.37(m)	Powered Industrial Trucks .....	.189
Sprinkler Systems, Automatic .....	.159	Powered Platforms .....	.69
Acceptance tests .....	.159(c)(3)	Powered Tools, Hand and Portable .....	.246
Design .....	.159(c)(1)	Railings .....	.31
Drainage .....	.159(c)(7)	Safety Color Codes .....	.150
Exemptions .....	.159(a)	Sanitation .....	.150
Hose Connections .....	.159(c)(5)	Signs and Tags .....	.150
Hydraulically Designed .....	.159(c)(11)	Special Industries .....	.274
Maintenance .....	.159(c)(2)	Spray Finishing .....	.115
Protection of Piping .....	.159(c)(6)	Tanks, Cargo and Portable .....	.170
Sprinkler Alarms .....	.159(c)(9)	Toeboards .....	.31
Sprinkler Spacing .....	.159(c)(10)	Toxic Substances .....	.1499
Water supply .....	.159(c)(4)	Vehicle Mounted Work Platforms .....	.69
Sprinklers .....		Ventilation .....	.99
Dip Tanks .....	.125(f)	Walking-Working Surfaces .....	.31
Egress Means .....	.37(m)	Wall Openings .....	.31
Sprinklers .....	.219(f)	Standpipe and Hose Systems .....	.158
Stability Margin:		Equipment .....	.158(c)
Crane Loads .....	.180(c)(1)(i)-(iv)	Hose .....	.158(c)(3)
Stainless Steel Cutting .....	.252(c)(12)	Hose Outlets and Connections .....	.158(c)(2)
Stairs, Fixed Industrial .....	.24	Nozzles .....	.158(c)(4)
Handrails .....	.24(h)	Reels and Equipment .....	.158(c)(1)
Length of Stairways .....	.24(g)	Exceptions .....	.158(a)(2)
Railings .....	.24(h)		
Rise Angle .....	.24(e)		

Pt. 1910, Index

29 CFR Ch. XVII (7-1-01 Edition)

Subject term	Section No.
Protection .....	.158(b)
Scope and Application .....	.158(a)(1)
Tests and Maintenance .....	.158(e)
Acceptance Tests .....	.158(e)(1)
Maintenance .....	.158(e)(2)
Water Supply .....	.158(d)
Stands, Ladder: (see also Scaffolds; Work Platforms, Mobile)	
Stationary Derricks: (see also Derricks)	.181
Static Sparks .....	.219(p)(2)(ii)
Steps: (see Stairs)	
Stepladders:	
Portable Metal .....	.26(a)(3)
Stepladders, Portable .....	.25(c)(2)
Sticking Machines .....	.213(n)
Stiffleg Derricks: (see also Derricks) ....	.181
Stone Setters' Adjustable Multiple- Point:	
Suspension Scaffolds .....	.28(h)
Stopping Limits, Mills and Calenders ...	.216(f) (1)–(3)
Stops: (see also Safety Devices)	
Manlifts .....	.68(c)(5), (6)
Storage: (see also Materials Storage;	
Storage Areas; Tank Storage; Tank Storage, Portable)	
Ammonium Nitrate .....	.109(i)
Anhydrous Ammonia .....	.111
Blasting Agents .....	.109(g)(5)
Buildings .....	.106(d)(5)
Mercantile Occupancies .....	.106(d)(5)(iv)
Office Occupancies .....	.106(d)(5)(iii)
Warehouses .....	.106(d)(5)(v)
Clothing .....	.107(g)(4)
Compressed Gases .....	.101(b), .167–.168
Containers, Bulk Oxygen .....	.104(b)(4), (6)
Explosives .....	.109(c), (e)(2), (b)(1)
Flammable and Combustible Liq- uids:	.106(b), (d)
Inside Storage Rooms .....	.106(d)(4)
Storage Inside Buildings .....	.106(d)(5)
Storage Outside Buildings .....	.106(d)(6)
Indoor Rooms .....	.106(d)(5)
Liquefied Petroleum Gases .....	.110
Logs .....	.265(d)
Lumber .....	.265(c)(27)
Pulp and Paper Mills .....	.261(c), (d)
Pulpwood Logging .....	.266(e)(12)
Respirators .....	.134(f)(5)
Service Stations .....	.106(g)(1)
Storage Areas:	
Aisles and Passageways .....	.176(a)
Bridge Plates .....	.178(j), (k)(4)
Clearance Signs .....	.176(e)
Clearances .....	.176(a)
Dockboards .....	.178(j), (k)(4)
Drainage .....	.176(d)
Housekeeping .....	.176(c)
Lighting .....	.178(h)
Noxious Gases .....	.178(i)
Railroad Cars .....	.178(k)(2)–(4)
Securing .....	.176(b)
Trucks, Highway .....	.178(k)(1), (3); (m)
Storage Batteries: (see Battery Chang- ing and Charging)	
Storage Bridge Cranes: (see Gantry Cranes)	
Storage, Tanks: (see Tank Storage; Tank Storage, Portable)	
Straight Ladders, Portable Metal .....	.26(a)(2)
Surface Grinders .....	.215(b)(5)
Swing Frame Grinders .....	.215(b)(6)
Swing-Head Lathes .....	.213(o)
Swinging Locomotive Cranes .....	.180(i)(6)
Swinging Scaffolds: (see also Two- Point Suspension Scaffolds).	.28(g)

Subject term	Section No.
Switches:	
Electric .....	.305(c)
Cranes .....	.179(g)(5)
Trip and Emergency .....	.216(e)
Table Saws .....	.213(d)
Tags: (see Signs and Tags)	
Tanks: (see also Cargo Tanks—Port- able Tanks)	
Hardening .....	.126(a)(1)(i),(ii)
Tempering .....	.126(a)
Tanks, Dip: (see also Dip Tanks) .....	.123–.126
Tanks, Storage:	
Flammable and Combustible Liq- uids:	.106(b)
Atmospheric Tanks .....	.106(b)(1)(iii)
Construction .....	.106(b)(1)
Corrosion .....	.106(b)(1)(vi)
Diking .....	.106(b)(2)(vii)
Ignition Sources .....	.106(b)(6)
Installation:	
Above Ground, Outside ..	.106(b)(2)
Inside Buildings .....	.106(b)(4)
Underground .....	.106(b)(3)
Low Pressure Tanks .....	.106(b)(1)(iv)
Materials .....	.106(b)(1)(i)
Pressure Vessels .....	.106(b)(1)(v)
Supports .....	.106(b)(5)
Testing .....	.106(b)(7)
Venting .....	.106(b)(2)(iv), (v), (vi), (3)(iv), (4)(ii), (iii)
Tanks, Storage, Portable:	
Flammable and Combustible Liq- uids:	.106(d)
Application .....	.106(d)(1)(i)
Capacity .....	.106(d)(2)
Design .....	.106(d)(2)
Exceptions .....	.106(d)(1), (2)
Fire Protection .....	.106(d)(7)
Indoor Storage .....	.106(d)(4), (5)
Outdoor Storage .....	.106(d)(6)
Storage Cabinets .....	.106(d)(3)
Temporary Floor Openings .....	.23(a)(7)
Temporary Labor Camps: (see also Labor Camps, Temporary).	.142
Tempering Tanks .....	.126(a)
Tenoning Machines .....	.213(k)
Telecommunications .....	.268
Testing:	
Bulk Oxygen .....	.104(b)(8)(v)
Cranes .....	.179(k), .180(e)
Derricks .....	.18(e)
Fire Extinguishers:	.157(e)
Gaseous Hydrogen Systems .....	.103(b)(1)(vi)
Liquefied Hydrogen Systems .....	.103(c)(1)(vii)
Piping .....	.106(c)(7)
Powered Platforms .....	.66(g)
Radiation Alarm .....	.96(f)(3)
Sprinkler Systems .....	.159(c)(3)
Standpipe and hose systems .....	.158(e)
Storage Tanks .....	.106(b)(7)
Textiles:	
Acid Carboys .....	.262(nn)
Bleaching .....	.262(p)
Calenders .....	.262(ee)
Caustics .....	.262(oo)
Color-Mixing Room .....	.262(kk)
Cotton Cards .....	.262(e)
Cotton Combers .....	.262(j)
Drawing Frames .....	.262(i)
Drying Cans .....	.262(w)
Drying Tumblers .....	.262(cc)
Dyeing Jigs .....	.262(u)
Dye Vats .....	.262(mm)

Subject term	Section No.	Subject term	Section No.
Extractors .....	.262(y)	Transmission Pipeline Welding .....	.252(d)(1)
First Aid .....	.262(pp)	Construction Standards .....	.252(d)(1)(v)
Flat Work Ironers .....	.262(x)	Electric Shock .....	.252(d)(1)(iii)
Folders, Overhead .....	.262(jj)	Field Shop Operations .....	.252(d)(1)(ii)
Garnet Machines .....	.262(f)	Flammable Substances .....	.252(d)(1)(vi)
Gill Boxes .....	.262(k)	Pressure Testing .....	.252(d)(1)(iv)
Hand Boiling Machines .....	.262(hh)	X-ray Inspection .....	.252(d)(1)(vii)
Kiers .....	.262(q)	Transportation:	
Lappers .....	.262(m)	Blasting Agents .....	.109(g)(6)
Looms .....	.262(n)	Explosives .....	.109(d)
Mercerizing Ranges .....	.262(s)	Fire Extinguishers .....	.109(d)(2)(iii)
Nip Guards .....	.262(dd)(1), (v), (z)	Markings .....	.109(d)(2)(ii)
Openers .....	.262(d)	Vehicles .....	.109(d)(2), (3)
Padders .....	.262(v)	Trapdoors .....	.23(a)(5)
Personal Protective Equipment .....	.262(qq)	Traps, Air Receivers .....	.169(b)(2)
Pickers .....	.262(d)	Treads, Stairs .....	.24(f)(k)
Power Transmission .....	.219(a)(3)	Treadles .....	.217(b)(4)
Printing Machines .....	.262(dd)	Trestle Ladders, Portable:	
Rings Frames .....	.262(j)	Metal .....	.26(a)(4)
Roll Bench .....	.262(ii)	Wood .....	.25(c)(3)(v)
Rope Washers .....	.262(bb)	Trimming Presses .....	.218(g)
Sanforizing and Palmer Machines .....	.262(aa)	Trips, Two-Hand .....	.217(b)(6)
Shearing Machines .....	.262(o)	Trolley Bumpers, Cranes .....	.179(e)(3)
Slashers .....	.262(h)	Trolley Ladders, Portable .....	.25(c)(5)
Slubbers .....	.262(j)	Trolley Stops, Cranes .....	.179(e)(1)
Spinning Mules .....	.262(g)	Truck Cranes: (see Crawler, Loco- motive and Truck Cranes).	.180
Standards Sources .....	.262(a)(2), .265(j)	Trucks .....	.178(k), (m)
Staple Cutters .....	.262(ff)	Forklift .....	.261(c)(1)
Tanks, Open .....	.262(ll)	Hand .....	.261(m)(1)
Tenter Frames .....	.262(t)	Highway .....	.178(k), (m)
Tumblers .....	.262(cc)	Powered Industrial .....	.178
Warpers .....	.262(i)	Trucks, Powered Industrial: (see also Powered Industrial Trucks).	.178
Worsted Drawing .....	.262(l)	Tube and Coupler Scaffolds .....	.28(c)
Toe Protection: (see Foot Protection)		Tube and Coupler Scaffolds, Mobile .....	.29(d)
Toeboards:		Tubing: (see Piping, Fittings, and Tub- ing)	
Cranes .....	.179(d)(3)	Tubular Welded Frame Scaffolds .....	.28(d)
Definition .....	.21(a)(9)	Tubular Welded Frame Scaffolds, Mo- bile.	.29(b)
Power Transmission Apparatus .....	.219(o)(5)	Tubular Welded Sectional Folding Scaffolds.	.29(c)
Powered Platforms .....	.66(f)(5)(i)(G)	Turning Machines .....	.213(o)
Walking-Working Surfaces .....	.23(a)(2), (3)(ii), (e)	Two-Point Suspension Scaffolds .....	.28(g)
Toilet Facilities: (see also Toilets) .....	.141(c)	Two-Section Rung Ladders .....	.25(c)(3)(iii)
Construction .....	.141(c)(2), (3)	U-Guards .....	.219(m)(3)
Hazardous Waste .....	.120(n)(3)	Underground Storage Tanks, Flam- mable and Combustible Liquids.	.106(b)(3)
Labor Camps .....	.142(d)	Location .....	.106(b)(3)(i)
Lavatories .....	.141(d)(2)	Depth and Cover .....	.106(b)(3)(ii)
Minimum Numbers .....	.141(c)(1), (d)(2)	Corrosion Protection .....	.106(b)(3)(iii)
Towels .....	.141(d)(3)(v)	Vents .....	.106(b)(3)(iv)
Washing Facilities .....	.141(e)(1)(vii), (d)	Unit Physical Operations .....	.106(e)(3)(v)
Tongs, Upsetters .....	.218(h)(4)	Upsetters .....	.218(h)
Tooling .....	.217(d)(5)	Dies Changing .....	.218(h)(5)
Torch Valves, Welding .....	.252(a)(4)(ii)	Lockouts .....	.218(h)(2)
Towels .....	.141(d)(3)(v)	Manual Controls .....	.218(h)(3)
Towers, Scaffolds: (see Ladder Stands and Scaffolds; Scaffolds; Work Plat- forms, Mobile).	.29	Supporting Foundations .....	.218(h)(1)
Tractors: (see also Powered Industrial Trucks).	.178	Tongs .....	.218(h)(4)
Trailers .....	.111(d)(7)	Valves: (see also Piping, Valves, and Fittings)	
Training Personnel .....	.96(i), .217(e)(3)	Air Receivers .....	.169(b)(3)
Bloodborne pathogens, exposure to.	.1030(e)(5), (g)(2)	Liquefied Petroleum Gases .....	.110(b)(7)
Electrical safety-related work prac- tices.	.332	Non-DOT Containers .....	.110(d)(3)
Fire brigades .....	.156	Vaporizers:	
Fire extinguishers .....	.157(g)	Liquefied Petroleum Gases .....	.110(b)(11)
Hazardous chemicals .....	.1200	Liquid Hydrogen .....	.103(c)(1)(viii)
Hazardous chemicals, highly, process safety management.	.119(g)	Liquid Oxygen .....	.104(b)(7)
Hazardous waste operations .....	.120(e), (p)(7), (q)(6)	Vehicles, slow-moving, signs .....	.145(d)(10)
Respirators .....	.134(b)(3), (e)(5)	Veneer Machinery .....	.30(c)
Telecommunications .....	.268(c)	Cutters .....	.213(q), (s)(13)
Truck Operators .....	.178(l)	Ventilation .....	.94, .107(d)
Working platform operations .....	.66(i)(1)	Abrasive Blasting .....	.94(a)

Pt. 1910, Index

29 CFR Ch. XVII (7–1–01 Edition)

Subject term	Section No.	Subject term	Section No.
Asbestos .....	.1001(c)(1)(ii)	Washing Facilities .....	.141(d), .142(f), .120(n)(6)
Bulk Oxygen Systems .....	.104(b)(3)(xii)	Waste Disposal .....	.141(a)(4)
Bulk Plants .....	.106(f)(2)(iii)	Asbestos .....	.1001(h)(2)
Confined Spaces .....	.255(e)(4)(ii), (f)	Bulk Plants .....	.106(f)(7)
Dip Tanks .....	.124(b), .125(d)(2)	Containers .....	.141(g)(3)
Effective Dates .....	.98	Dip Tanks .....	.125(e)(4)(ii), (iii)
Electrostatic Spraying .....	.107(i), .107(r)(9)	Ionizing Radiation .....	.96(k)
Grinding, Polishing, and Buffing ....	.94(b)	Labor Camps .....	.142(e), (h)
Inside Storage Rooms .....	.106(d)(4)(iv)	Processing Plants .....	.106(h)(8)(iii)
Laundries .....	.262(c)(4)(ii), (d)(1)(ii)	Radiation .....	.96(k)
Powder Coatings .....	.107(1)(2)	Service Stations .....	.106(g)(7)
Processing Buildings .....	.106(h)(3)(iii)	Spraying .....	.107(g)(3)
Sawmills .....	.265(c)(7)	Water Gels .....	.109(h)
Spray Finishing .....	.94(c)(5)	Water Spray Extinguishing Systems, Fixed .....	.163
Spraying Operations .....	.94(c), .107(d)	Water Supply:	
Exhaust Duct System .....	.107(d)(3), (7)	Hazardous waste operations .....	.120(n)
Fan-Rotating Element .....	.107(d)(4)	Labor Camps .....	.142(c)
Independent Exhaust .....	.107(d)(3)	Nonpotable Water .....	.141(b)(2)
Room Intakes .....	.107(d)(11)	Potable Water .....	.141(b)(1)
Standards Sources .....	.99	Sprinkler Systems .....	.159(c)(4)
Venting, Tanks:		Standpipe and Hose Systems .....	.158(d)
Aboveground .....	.106(b)(2)(iv)–(vi)	Weather Protection Manlifts .....	.68(b)(15)
Inside .....	.106(b)(4)(ii)	Welding: (see also Acetylene Genera- tors; Arc Welding; Flash Welding Equipment; Resistance Welding Equipment; Welding Machines, Port- able).	.251–.257
Portable .....	.106(d)(2)(ii)	Beryllium .....	.252(c)(8)
Underground .....	.106(b)(3)(iv)	Cadmium .....	.252(c)(1)(v), (9)
Vents: (see Venting)		Chemicals, highly hazardous, process safety management; hot-work permits.	.119(k)
Vermin Control .....	.141(a)(5)	Cleaning Compounds .....	.252(c)(11)
Vinyl Chloride .....	.1017	Concentrations, Maximum Allow- able.	.252(c)(1)(iii)
Emergency situations .....	.1017(i)	Containers .....	.252(a)(3)
Hazardous operations .....	.1017(h)	Contamination .....	.252(c)(1)(i)
Medical surveillance .....	.1017(k)	Definitions .....	.251
Methods of compliance .....	.1017(f)	Exhaust Hoods .....	.252(c)(3)
Monitoring .....	.1017(d)	Fire Protection .....	.252(a)(2)(i), (ii), (xv)
Permissible exposure limit .....	.1017(c)	First Aid Equipment .....	.252(c)(13)
Regulated area .....	.1017(e)	Fluorine Compounds .....	.252(c)(1)(v), (5)
Respiratory protection .....	.1017(g)	Labels .....	.252(c)(1)(iv)
Signs and labels .....	.1017(l)	Ladders, Fixed .....	.27(b)(6)
Training .....	.1017(j)	Lead .....	.252(c)(7)
Walking-Working Surfaces:		Liquefied Petroleum Gases .....	.110(b)(4)
Aisles .....	.22(b)	Mercury .....	.252(c)(10)
Covers .....	.22(c)	Piping Systems, Mechanical .....	.252(d)(2)
Definitions .....	.21	Personnel Protection .....	.252(b)
Fixed Industrial Stairs .....	.24	Precautions .....	.252(a)(2), .255(e)
Floor Loading .....	.22(d)	Prohibited Areas .....	.252(a)(2)(vi)
Floor Openings Guard .....	.23	Screens .....	.252(c)(1)(ii)
General Requirements .....	.22	Spot and Seam .....	.255(b)
Guardrails .....	.22(c)	Stainless Steels .....	.252(c)(12)
Housekeeping .....	.22(a)	Supervisory Responsibility .....	.252(a)(2)(xiv)
Ladders:		Transmission Pipelines .....	.252(d)(1)
Fixed .....	.27	Ventilation .....	.252(c)(1)(ii), (c)(2)– (4)
Portable:		Zinc .....	.252(c)(6)
Metal .....	.26	Welding Machines, Portable .....	.255(c)
Wood .....	.25	Clevis .....	.255(c)(3)
Stands .....	.29	Counterbalance .....	.255(c)(1)
Passageways .....	.22(b)	Grounding .....	.255(c)(6)
Scaffolding Safety .....	.28	Holder, Movable .....	.255(c)(5)
Scaffolds (Towers) .....	.29	Safety Chains .....	.255(c)(2)
Stairs, Fixed Industrial .....	.24	Switch Guards .....	.255(c)(4)
Standards Sources .....	.31	Wharves:	
Wall Openings Guarding .....	.23	Bulk Plants .....	.106(f)(4)
Working Surfaces .....	.30	Chemical Plants .....	.106(i)(2)
Wall Cranes: (see Gantry Cranes)		Distilleries .....	.106(i)(2)
Wall Openings (Holes) .....	.23(b)	Explosives .....	.109(f)
Warehouses:			
Ammonium Nitrate .....	.109(i)(4)		
Flammable Liquids .....	.106(d)(5)(v)		
Warning Devices and Signs: (see also Signs and Tags)			
Bloodborne pathogens .....	.1030(g)(1)		
Cranes .....	.179(i)		
Ionizing Radiation .....	.96(f)		
Manlifts .....	.68(c)(7)		
Nonionizing Radiation .....	.97(a)(3)		

## Occupational Safety and Health Admin., Labor

## Pt. 1910, Index

Subject term	Section No.	Subject term	Section No.
Marine Service Stations .....	.106(g)(4)	Ripsaws .....	.213(c)
Refineries .....	.106(i)(2)	Sanding Machines .....	.213(p)
Wheels, Multi-Piece Rim: Servicing ....	.177	Self-Fed Circular Saws .....	.213(f)
Winch Heads, Derricks .....	.181(i)(5)	Standards Sources .....	.221
Wind Indicators .....	.179(b)(4)	Sticking .....	.213(n)
Window-Jack Scaffolds .....	.28(r)	Swing Cutoff Saws .....	.213(g)
Guardrails .....	.28(r)(3)	Swing Head Lathes .....	.213(o)
Use .....	.28(r)(1), (2)	Table Saws .....	.213(d)
Wood Heel Turning Machines .....	.213(o)	Tenoning Machines .....	.213(k)
Wood Ladders, Portable: (see also	.25	Turning Machines .....	.213(o)
Ladders, Portable Wood).		Veneer Cutters .....	.213(q)
Wood Pole Scaffolds .....	.28(b)	Wood Heel Turning Machines .....	.213(o)
Wood Shapers .....	.213(m)	Wood Shapers .....	.213(m)
Wooden Guards .....	.219(o)(2)	Woodworking Tools, Portable Powered	.243(a)
Woodworking Machinery .....	.213	Belt Sanding Machines .....	.243(a)(3)
Band Saws and Resaws .....	.213(j)	Circular Saws .....	.243(a)(1)
Boring Machines .....	.213(l)	Cracked Saws .....	.243(a)(4)
Circular Resaws .....	.213(e)	Dead-Man Controls .....	.243(a)(2)
Construction .....	.213(a)	Grounding .....	.243(a)(5)
Controls .....	.213(b)	Sanding Machines .....	.243(a)(3)
Crosscut Table Saws .....	.213(d)	Work Platforms .....	.66, .67
Definitions .....	.211(a)	Elevating and Rotating .....	.67
Drag Saws .....	.213(r)	Powered Platforms .....	.66
Effective Dates .....	.220	Vehicle-Mounted .....	.67
Glue Spreaders, Roll-Type .....	.213(r)	Application .....	.67(b)(1)
Hand-Fed Crosscut Table Saws ...	.213(d)	Design .....	.67(b)(2)
Hand-Fed Ripsaws .....	.213(c)	Work Platforms, Mobile: (see also	.29(e)
Inspection .....	.213(s)	Scaffolds).	
Jointers .....	.213(j)	Working Surfaces: (see also Walking-	.30
Maintenance .....	.213(s)	Working Surfaces).	
Matching Machines .....	.213(n)	X-ray Inspections, Mechanical Piping	.252(d)(2)(ii)
Molding Machines .....	.213(n)	Systems.	
Mortising Machines .....	.213(l)	Zinc .....	.252(c)(6)
Planing Machines .....	.213(n)	Confined Spaces .....	.252(c)(6)(i)
Profile Lathes .....	.213(o)	Indoors .....	.252(c)(6)(ii)
Radial Saws .....	.213(h)		