

Environmental Protection Agency

§ 180.204

(b) Tolerances with regional registration, as defined in §180.1(n), are established for residues of inorganic bromides (calculated as Br) in or on the following raw agricultural commodities grown in soil fumigated with combinations of chloropicrin, methyl bromide, and propargyl bromide:

Commodity	Parts per million
Asparagus	300
Lettuce	300
Onions (dry bulb)	300

(c) A tolerance with regional registration, as defined in §180.1(n), is established for residues of inorganic bromides (calculated as Br) in or on the following raw agricultural commodity grown in soil fumigated with combinations of methyl bromide and chloropicrin. No tolerance is established for chloropicrin since it has been established that no residue of this substance remains in the raw agricultural commodity when formulations containing chloropicrin at 2 percent or less are used.

Commodity	Parts per million
Ginger, roots (PRE- and POST-H)	100

[47 FR 31551, July 21, 1982, as amended at 52 FR 33237, Sept. 2, 1987; 56 FR 19951, May 1, 1991]

§ 180.202 p-Chlorophenoxyacetic acid; tolerances for residues.

Tolerances are established for combined residues of the plant regulator *p*-chlorophenoxyacetic acid and its metabolites *p*-chlorophenol in or on raw agricultural commodities as follows:

2 parts per million in or on mung bean sprouts to inhibit embryonic root development.

0.05 part per million in or on tomatoes.

[39 FR 31635, Aug. 30, 1975]

§ 180.204 Dimethoate including its oxygen analog; tolerances for residues.

(a) *General.* Tolerances are established for total residues of the insecticide dimethoate (*O,O*-dimethyl *S*-(*N*-methylcarbamoylmethyl)phosphorodithioate) including its oxygen analog (*O,O*-dimethyl *S*-(*N*-

methylcarbamoylmethyl)phosphorothioate) in or on the following food commodities:

Commodity	Parts per million
Alfalfa	2
Apples	2
Beans, dry	2
Beans, lima	2
Beans, snap	2
Blueberries ¹	1
Broccoli	2
Cabbage	2
Cattle, fat	0.02(N)
Cattle, mbyop	0.02(N)
Cattle, meat	0.02(N)
Cauliflower	2
Celery	2
Citrus, pulp, dried	5
Collards	2
Corn, fodder	1
Corn, forage	1
Corn, grain	0.1(N)
Cottonseed	0.1
Eggs	0.02(N)
Endive (escarole)	2
Goats, fat	0.02(N)
Goats, mbyop	0.02(N)
Goats, meat	0.02(N)
Grapefruit	2
Grapes	1
Hogs, fat	0.02(N)
Hogs, mbyop	0.02(N)
Hogs, meat	0.02(N)
Horses, fat	0.02(N)
Horses, mbyop	0.02(N)
Horses, meat	0.02(N)
Kale	2
Lemons	2
Lentils	2.0
Lettuce	2
Melons	1
Milk	0.002(N)
Mustard greens	2
Oranges	2
Pears	2
Peas	2
Pecans	0.1
Peppers	2
Potatoes	0.2
Poultry, fat	0.02(N)
Poultry, mbyop	0.02(N)
Poultry, meat	0.02(N)
Safflower seed	0.1
Sheep, fat	0.02(N)
Sheep, mbyop	0.02(N)
Sheep, meat	0.02(N)
Sorghum, forage	0.2
Sorghum, grain	0.1
Soybeans	0.05(N)
Soybeans, forage	2
Soybeans, hay	2
Spinach	2
Swiss chard	2
Tangerines	2
Tomatoes	2
Turnips, roots	2
Turnips, tops	2
Wheat, grain	0.04(N)
Wheat, green fodder	2
Wheat, straw	2

¹There are no U.S. registrations as of August 16, 1995.

§ 180.205

40 CFR Ch. I (7-1-00 Edition)

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* Tolerances with regional registration, as defined in § 180.1(n), are established for total residues of dimethoate including its oxygen analog in or on the following food commodities:

Commodity	Parts per million
Asparagus	0.15
Brussels sprouts	5
Cherries	2

(d) *Indirect or inadvertent residues.*
[Reserved]

[65 FR 33697, May 24, 2000]

§ 180.205 **Paraquat; tolerances for residues.**

(a) *General.* Tolerances are established for residues of the desiccant, defoliant, and herbicide paraquat (1,1'-dimethyl-4,4'-bipyridinium-ion) derived from application of either the bis(methyl sulfate) or the dichloride salt (both calculated as the cation) in or on the following food commodities:

Commodity	Parts per million
Acerola	0.05
Alfalfa	5
Almond hulls	0.5
Apples	0.05(N)
Apricots	0.05(N)
Asparagus	0.5
Avocados	0.05(N)
Bananas	0.05(N)
Barley grain	0.05(N)
Beans, dry	0.3
Beans, forage	0.1
Beans, hay	0.4
Beans, lima (succulent)	0.05
Beans, snap (succulent)	0.05
Beets, sugar	0.5
Beets, sugar (tops)	0.5
Birdsfoot trefoil	5
Broccoli	0.05
Cabbage	0.05
Cacao beans	0.05
Carrots	0.05
Cattle, fat	0.05
Cattle, kidney3
Cattle, meat	0.05
Cattle, mbyl(except kidney)	0.05
Cauliflower	0.05
Cherries	0.05(N)
Chinese cabbage	0.05
Citrus fruit	0.05(N)
Clover	5
Coffee beans	0.05(N)
Collards	0.05
Corn, fresh (inc sweet corn) (K=CWHR)	0.05(N)
Corn fodder	0.05(N)
Corn forage	0.05(N)

Commodity	Parts per million
Corn grain	0.05(N)
Cottonseed	0.5
Cucurbits	0.05
Eggs	0.01(N)
Figs	0.05(N)
Goats, fat05
Goats, kidney3
Goats, meat05
Goats, mbyl(except kidney)05
Grass, pasture	5
Grass, range	5
Guar beans	0.5
Guava	0.05(N)
Hogs, fat05
Hogs, kidney3
Hogs, meat05
Hogs, mbyl(except kidney)05
Hops, dried	0.2
Horses, fat05
Horses, kidney3
Horses, meat05
Horses, mbyl(except kidney)05
Kiwifruit	0.05
Lentils	0.3
Lettuce	0.05(N)
Milk	0.01(N)
Mint, hay	0.5
Mint, hay, spent	3.0
Nectarines	0.05(N)
Nuts	0.05(N)
Olives	0.05(N)
Onions, dry bulb	0.05
Onions, green	0.05
Papayas	0.05(N)
Passion fruit	0.2
Peaches	0.05(N)
Peanuts05
Peanut, hay5
Pears	0.05(N)
Peas (succulent)	0.05
Peas, forage	0.2
Peas, hay	0.8
Pineapples	0.05(N)
Pistachio nuts	0.05
Plums (fresh prunes)	0.05(N)
Potatoes	0.5
Rhubarb	0.05(N)
Rice grain	0.05
Rice, straw	0.06
Safflower seed	0.05(N)
Sheep, fat05
Sheep, kidney3
Sheep, meat05
Sheep, mbyl (except kidney)05
Small fruit	0.05(N)
Sorghum forage	0.05(N)
Sorghum grain	0.05(N)
Soybeans	0.05(N)
Soybean forage	0.05(N)
Strawberries	0.25
Sugarcane	0.5(N)
Sunflower seeds	2
Turnips (roots)	0.05
Turnips (tops)	0.05
Vegetables, fruiting	0.05
Wheat grain	0.05(N)

(b) *Section 18 emergency exemptions.* Time-limited tolerances are established for residues of the desiccant, defoliant, and herbicide paraquat (1,1'-dimethyl-4,4'-bipyridinium-ion) derived