

§ 180.341

40 CFR Ch. I (7-1-00 Edition)

§ 180.341 2,4-Dinitro-6-octylphenyl crotonate and 2,6-dinitro-4-octylphenyl crotonate; tolerances for residues.

(a) *General.* Tolerances are established for combined negligible residues of a fungicide and insecticide that is a mixture of 2,4-dinitro-6-octylphenyl crotonate and 2,6-dinitro-4-octylphenyl crotonate in or on raw agricultural commodities as follows:

0.1 part per million in or on apples and grapes.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[40 FR 29715, July 15, 1975, as amended at 63 FR 57076, Oct. 26, 1998]

§ 180.342 Chlorpyrifos; tolerances for residues.

(a) *General.* (1) Tolerances are established for combined residues of the pesticide chlorpyrifos (*O,O*-diethyl *O*-(3,5,6-trichloro-2-pyridyl) phosphorothioate and its metabolite 3,5,6-trichloro-2-pyridinol in or on the following food commodities:

Commodity	Parts per million
Almonds	0.2
Almonds, hulls	12.0
Apples	1.5
Beans, lima	0.05
Beans, lima, forage	1.0
Beans, snap	0.05
Beans, snap, forage	1.0
Beets, sugar, molasses	15.0
Beets, sugar, pulp (dried)	5.0
Beets, sugar, roots	1.0
Beets, sugar, tops	8.0
Blueberries	2 ppm (of which no more than 1 ppm is chlorpyrifos)
Citrus pulp, dried	5.0
Citrus fruits	1.0
Citrus oil	25.0
Corn, fresh (inc. sweet K+CWHR)	0.1
Corn oil	3.0
Cranberries	1.0
Kiwifruit	2.0
Mushrooms	0.1
Onions (dry bulb)	0.5
Peppers	1.0
Seed and pod vegetables	0.1
Sorghum, fodder	6.0
Sorghum, forage	1.5
Sorghum, grain	0.75
Sorghum milling fractions	1.5
Sunflower, seeds	0.25
Tomatoes	0.5

Commodity	Parts per million
Tree nuts	0.2
Vegetables, leafy, <i>Brassica</i> (cole)	12.0
Walnuts	0.2

¹ Of which no more than 1.0 ppm is chlorpyrifos.

(2) Tolerances are established for residues of the pesticide chlorpyrifos (*O,O*-diethyl *O*-(3,5,6-trichloro-2-pyridyl) phosphorothioate in or on the following food commodities:

Commodity	Parts per million
Alfalfa, forage	3
Alfalfa, hay	13
Bananas, whole	0.1
Bananas, pulp with peel removed	0.01
Bean, forage	0.7
Broccoli	1
Brussels sprouts	1
Cabbage	1
Caneberries	1.0
Cattle, fat	0.3
Cattle, meat and meat byproducts	0.05
Cauliflower	1
Cherries	1
Chinese cabbage	1
Corn, field, grain	0.05
Corn, forage and fodder	8
Cottonseed	0.2
Cucumbers	0.05
Eggs	0.01
Figs	0.01
Goats, fat	0.2
Goats, meat and meat byproducts	0.05
Hogs, fat	0.2
Hogs, meat and meat byproducts	0.05
Horses, meat, fat, and meat byproducts	0.25
Legume vegetables, succulent or dried (except soybeans)	0.05
Milk, fat	0.25
Milk, whole	0.01
Milling fractions (except flour) of wheat	1.5
Mint, hay	0.8
Mint oil	8
Nectarines	0.05
Pea forage	0.7
Peaches	0.05
Peanut oil	0.4
Peanuts	0.2
Pears	0.05
Plums	0.05
Poultry, meat, fat, and meat byproducts (inc. turkeys)	0.1
Pumpkins	0.05
Radishes	2
Rutabagas	0.5
Sheep, fat	0.2
Sheep, meat and meat byproducts	0.05
Soybean grain	0.3
Soybean forage	0.7
Strawberries	0.2
Sugarcane	0.01
Sweet potatoes	0.05
Turnip greens	0.3
Turnips	1
Wheat, grain	0.5
Wheat, straw	6
Wheat, forage	3

Environmental Protection Agency

§ 180.342

(3) Chlorpyrifos [*O,O*-diethyl *O*-(3,5,6-trichloro-2-pyridyl) phosphorothioate] may be safely used in accordance with the following prescribed conditions.

(i) Application shall be limited solely to spot and/or crack and crevice treatment in food handling establishments where food and food products are held, processed, prepared or served. Contamination of food or food contact surfaces shall be avoided. Food must be removed or covered during treatment.

(ii) Spray concentration for spot treatment shall be limited to a maximum of 0.5 percent of the active ingredient by weight. A course, low-pressure spray shall be used to avoid atomization or splashing of the spray.

(iii) Paint-on application for spot treatment shall be limited to a maximum of 2 percent of the active ingredient by weight.

(iv) Crack and crevice treatment shall be limited to a maximum of 2 percent of the active ingredient by weight. Equipment capable of delivering a pin-stream of insecticide shall be used.

(v) Application via adhesive strips shall contain a maximum of 10% by weight of the controlled-release product in food-handling establishments where food and food products are held, processed, prepared, or served. A maximum of 36 strips (or 5.15 grams of chlorpyrifos) is to be used per 100 square feet of floor space. The strips are not to be placed in exposed areas where direct contact with food, utensils, and food-contact surfaces would be likely to occur.

(vi) To assure safe use of the insecticide, its label and labeling shall conform to that registered by the U.S. Environmental Protection Agency, and it shall be used in accordance with such label and labeling.

(4) A tolerance of 0.1 part per million is established for residues of chlorpyrifos, per se, in or on all food items (other than those already covered by a higher tolerance as a result of use on growing crops) in food service establishments where food and food products are prepared and served, as a result of the application of chlorpyrifos in microencapsulated form.

(i) Application of a microencapsulated product shall be limited solely to spot and/or crack and crevice treat-

ment in food handling establishments where food and food products are prepared and served. All treatments shall be applied in such a manner as to avoid contamination of food or food contact surfaces.

(ii) Spray concentrations shall be limited to a maximum of 0.5 percent of the active ingredient by weight.

(iii) For crack and crevice treatment, equipment capable of delivering a pin stream of spray directly into cracks and crevices or capable of applying small amounts of insecticide into cracks and crevices shall be used.

(iv) For spot treatment, an individual spot shall not exceed 2 square feet.

(v) To assure safe use of the insecticide, its label and labeling shall conform to that registered by the U.S. Environmental Protection Agency, and it shall be used in accordance with such label and labeling.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* (1) Tolerances with regional registration, as defined in §180.1(n), are established for the combined residues of chlorpyrifos and its metabolite 3,5,6-trichloro-2-pyridinol in or on the following food commodities:

Commodity	Parts per million
Asparagus	5.0
Dates	0.5 (of which no more than 0.3 ppm is chlorpyrifos)
Grapes	0.5
Leeks	0.5 (of which no more than 0.2 ppm is chlorpyrifos)

(2) Tolerances with regional registration, as defined in §180.1(n), are established for residues of the pesticide chlorpyrifos (*O,O*-diethyl *O*-(3,5,6-trichloro-2-pyridyl)phosphorothioate) in or on the following food commodities:

Commodity	Parts per million
Cherimoya	0.05
Feijoa (pineapple guava)	0.05
Sapote	0.05

§ 180.344

(d) *Indirect or inadvertent residues.*
[Reserved]

[65 FR 33711, May 24, 2000]

§ 180.344 4,6-Dinitro-*o*-cresol and its sodium salt; tolerance for residues.

A tolerance of 0.02 part per million is established for negligible residues of the plant regulators 4,6-dinitro-*o*-cresol and its sodium salt in or on the raw agricultural commodity apples from application to apple trees at the blossom stage as a fruit-thinning agent.

[39 FR 12008, Apr. 2, 1974]

§ 180.345 Ethofumesate; tolerances for residues.

(a) *General.* Tolerances are established for combined residues of the herbicide ethofumesate (2-ethoxy-2,3-dihydro-3,3-dimethyl-5-benzofuranyl methanesulfonate) and its metabolites 2-hydroxy-2,3-dihydro-3,3-dimethyl-5-benzofuranyl methanesulfonate and 2,3-dihydro-3,3-dimethyl-2-oxo-5-benzofuranyl methanesulfonate (both calculated as the parent compound) in or on the following raw agricultural commodities:

Commodity	Parts per million
Beets, sugar, roots	0.1
Beets, sugar, tops	1.00
Cattle, fat	0.05
Cattle, mbyp	0.05
Cattle, meat	0.05
Goats, fat	0.05
Goats, mbyp	0.05
Goats, meat	0.05
Grass, straw	1
Hogs, fat	0.05
Hogs, mbyp	0.05
Hogs, meat	0.05
Horses, fat	0.05
Horses, mbyp	0.05
Horses, meat	0.05
Sheep, fat	0.05
Sheep, mbyp	0.05
Sheep, meat	0.05

(2) Tolerances are established for combined residues of the herbicide ethofumesate (2-ethoxy-2,3-dihydro-3,3-dimethyl-5-benzofuranyl methanesulfonate; CAS Reg. No. 26225-79-6) and its metabolites 2-hydroxy-2,3-dihydro-3,3-dimethyl-5-benzofuranyl methanesulfonate and 2,3-dihydro-3,3-dimethyl-2-oxo-5-benzofuranyl methanesulfonate, (both calculated as the parent compound) in or on the following processed feeds when present

40 CFR Ch. I (7-1-00 Edition)

therein as a result of application of the herbicide to the growing crops:

Commodity	Parts per million
Sugar beet molasses	0.5

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[63 FR 34828, June 26, 1998]

§ 180.346 Oxadiazon; tolerances for residues.

(a) *General.* Tolerances are established for combined residues of the herbicide oxadiazon (2-*tert*-butyl-4-(2,4-dichloro-5-isopropoxyphenyl)- Δ^2 1,3,4-oxadiazolin-5-one) and its metabolites (2-*tert*-butyl-4-(2,4-dichloro-5-hydroxyphenyl)- Δ^2 1,3,4-oxadiazolin-5-one and 2-carboxyiso-propyl-4-(4-dichloro)5-isopropoxyphenyl)- Δ^2 -1,3,4-oxadiazolin-5-one) in or on raw agricultural commodities as follows:

0.1 part per million in milk fat (reflecting negligible residues in milk).

0.01 part per million (negligible residue) in the meat, fat, and meat byproducts of cattle, goats, hogs, horses, and sheep.

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[39 FR 9177, Mar. 8, 1974, as amended at 40 FR 48681, Oct. 17, 1975; 63 FR 57076, Oct. 26, 1998; 64 FR 39083, July 21, 1999]

§ 180.349 Fenamiphos; tolerances for residues.

(a) *General.* (1) Tolerances are established for the combined residues of the nematocide Fenamiphos (ethyl 3-methyl-4-(methylthio)phenyl (1-methylethyl) phosphoramidate) and its cholinesterase inhibiting metabolites ethyl 3-methyl-4-(methylsulfinyl)phenyl (1-methylethyl)phosphoramidate and ethyl 3-methyl-4-(methylsulfonyl)phenyl (1-methylethyl) phosphoramidate in or on the following food commodities: