

§ 180.364

40 CFR Ch. I (7-1-00 Edition)

| Commodity     | Parts per million |
|---------------|-------------------|
| Poultry, fat  | 0.1               |
| Poultry, mby  | 0.1               |
| Poultry, meat | 0.1               |
| Prunes        | 4.0               |
| Prunes, dried | 20.0              |
| Raisins       | 20.0              |
| Sheep, fat    | 0.5               |
| Sheep, mby    | 0.5               |
| Sheep, meat   | 0.5               |
| Strawberries  | 10.0              |
| Walnuts       | 0.5               |

(b) Section 18 emergency exemptions.  
[Reserved]

(c) Tolerances with regional registrations. Tolerances with regional registration are established for residues of the insecticide hexakis [2-methyl-2-phenylpropyl] distannoxane and its organotin metabolites calculated as hexakis [2-methyl-2-phenylpropyl] distannoxane in or on the food commodities:

| Commodity   | Parts per million |
|-------------|-------------------|
| Raspberries | 10.0              |

(d) Indirect or inadvertent residues.  
[Reserved]

[65 FR 33713, May 24, 2000]

§ 180.364 Glyphosate; tolerances for residues.

(a) General. (1) Tolerances are established for the combined residues of glyphosate, (N-(phosphonomethyl)glycine) resulting from the application of glyphosate, the isopropylamine salt of glyphosate, and/or the monoammonium salt of glyphosate in or on the following food commodities:

| Commodity                 | Parts per million |
|---------------------------|-------------------|
| Acerola                   | 0.2               |
| Alfalfa                   | 200.0             |
| Alfalfa, forage           | 75.0              |
| Alfalfa, fresh and hay    | 0.2               |
| Alfalfa, hay              | 200.0             |
| Almonds, hulls            | 1                 |
| Almond hulls              | 25                |
| Artichokes, Jerusalem     | 0.2               |
| Asparagus                 | 0.5               |
| Aspirated grain fractions | 200.0             |
| Atemoya                   | 0.2               |
| Avocados                  | 0.2               |
| Bahiagrass                | 200.0             |
| Bananas                   | 0.2               |
| Beets                     | 0.2               |
| Bermudagrass              | 200.0             |
| Bluegrass                 | 200.0             |
| Breadfruit                | 0.2               |

| Commodity                                    | Parts per million |
|--|-------------------|
| Bromegrass                                   | 200.0             |
| Canistel                                     | 0.2               |
| Carambola                                    | 0.2               |
| Carrots                                      | 0.2               |
| Cattle, kidney                               | 4.0               |
| Cattle, liver                                | 0.5               |
| Celeriac                                     | 0.2               |
| Cherimoya                                    | 0.2               |
| Chickory                                     | 0.2               |
| Citrus, fruits                               | 0.5               |
| Citrus pulp, dried                           | 1.5               |
| Clover                                       | 200.0             |
| Cocoa beans                                  | 0.2               |
| Coconut                                      | 0.1               |
| Coffee beans                                 | 1                 |
| Corn, field, forage                          | 1.0               |
| Corn, field, grain                           | 1.0               |
| Corn, field, stover                          | 100.0             |
| Cotton gin byproducts                        | 100.0             |
| Cottonseed                                   | 15                |
| Cranberries                                  | 0.2               |
| Dates  | 0.2               |
| Fescue                                       | 200.0             |
| Figs   | 0.2               |
| Fish   | 0.25              |
| Forage grasses                               | 0.2               |
| Forage legumes (except soybeans and peanuts) | 0.4               |
| Fruits, small, and berries                   | 0.2               |
| Genip  | 0.2               |
| Goats, kidney                                | 4.0               |
| Goats, liver                                 | 0.5               |
| Grapes                                       | 0.2               |
| Grasses, forage                              | 0.2(N)            |
| Guavas                                       | 0.2               |
| Hogs, kidney                                 | 4.0               |
| Hogs, liver                                  | 0.5               |
| Horseradish                                  | 0.2               |
| Horses, kidney                               | 4.0               |
| Horses, liver                                | 0.5               |
| Jaboticaba                                   | 0.2               |
| Jackfruit                                    | 0.2               |
| Kiwifruit                                    | 0.2               |
| Leafy vegetables                             | 0.2(N)            |
| Longan                                       | 0.2               |
| Lychee                                       | 0.2               |
| Mamy sapote                                  | 0.2               |
| Mangoes                                      | 0.2               |
| Molasses, sugarcane                          | 30.0              |
| Nuts   | 0.2               |
| Oats, grain                                  | 20.0              |
| Oil, palm                                    | 0.1               |
| Olives                                       | 0.2               |
| Olives, imported                             | 0.1               |
| Orchardgrass                                 | 200.0             |
| Papayas                                      | 0.2               |
| Parsnips                                     | 0.2               |
| Passion fruit                                | 0.2               |
| Peanut, forage                               | 0.5               |
| Peanut, hay                                  | 0.5               |
| Peanuts                                      | 0.1               |
| Peppermint                                   | 200               |
| Persimmons                                   | 0.2               |
| Pineapple                                    | 0.1               |
| Pistachio nuts                               | 0.2               |
| Pome fruits                                  | 0.2               |
| Pomegranates                                 | 0.2               |
| Potatoes                                     | 0.2               |
| Poultry, kidney                              | 0.5               |
| Poultry, liver                               | 0.5               |
| Radishes                                     | 0.2               |
| Rutabagas                                    | 0.2               |
| Ryegrass                                     | 200.0             |
| Salsify                                      | 0.2               |

**Environmental Protection Agency**

**§ 180.364**

| Commodity   | Parts per million |
|---|-------------------|
| Sapodilla .....                                     | 0.2               |
| Sapote, black .....                                 | 0.2               |
| Sapote, white .....                                 | 0.2               |
| Seed and pod vegetables .....                       | 0.2(N)            |
| Seed and pod vegetables, forage .....               | 0.2(N)            |
| Seed and pod vegetable, hay .....                   | 0.2(N)            |
| Sheep, kidney .....                                 | 4.0               |
| Sheep, liver .....                                  | 0.5               |
| Shellfish .....                                     | 3.0               |
| Sorghum, grain .....                                | 15.0              |
| Sorghum, grain, stover .....                        | 40.0              |
| Soursop .....                                       | 0.2               |
| Soybean, hulls .....                                | 100.0             |
| Soybeans .....                                      | 20.0              |
| Soybeans, aspirated grain fractions .....           | 50.0              |
| Soybeans, forage .....                              | 100.0             |
| Soybeans, grain .....                               | 20.0              |
| Soybeans, hay .....                                 | 200.0             |
| Spearmint .....                                     | 200               |
| Stone fruit .....                                   | 0.2               |
| Sugar apple .....                                   | 0.2               |
| Sugarcane .....                                     | 2.0               |
| Sunflower seed .....                                | 0.1               |
| Sweet potatoes .....                                | 0.2               |
| Tamarind .....                                      | 0.2               |
| Tea, dried .....                                    | 1.0               |
| Tea, instant .....                                  | 7.0               |
| Timothy .....                                       | 200.0             |
| Tree nut crop group .....                           | 1.0               |
| Turnips .....                                       | 0.2               |
| Vegetables, bulb .....                              | 0.2               |
| Vegetables, cucurbit .....                          | 0.5               |
| Vegetables, fruiting (except cucurbits) group ..... | 0.1               |
| Vegetables, leafy, Brassica (cole) .....            | 0.2               |
| Wheat, grain .....                                  | 5.0               |
| Wheat, straw .....                                  | 85.0              |
| Wheat milling fractions (excluding flour) .....     | 20.0              |
| Wheatgrass .....                                    | 200.0             |
| Yams .....  | 0.2               |

(2) Tolerances are established for the residues of glyphosate, (*N*-(phosphonomethyl)glycine) resulting from the application of glyphosate, the isopropylamine salt of glyphosate, and/or the monoammonium salt of glyphosate in or on the following food commodities:

| Commodity        | Parts per million |
|------------------|-------------------|
| Durian .....     | 0.2               |
| Mangosteen ..... | 0.2               |
| Rambutan .....   | 0.2               |

(3) Tolerances are established for the residues of glyphosate, (*N*-(phosphonomethyl)glycine) resulting from the application of glyphosate, the isopropylamine salt of glyphosate, and/or the monoammonium salt of glyphosate in or on the following food commodities:

| Commodity          | Parts per million |
|--------------------|-------------------|
| Barley, bran ..... | 30                |

| Commodity   | Parts per million |
|---|-------------------|
| Barley, grain .....   | 20                |
| Beets, sugar, dried pulp .....  | 25                |
| Beets, sugar, roots .....   | 10                |
| Beets, sugar, tops .....  | 10                |
| Canola, meal .....  | 15                |
| Canola, seed .....  | 10                |
| Grain crops (except wheat, oats, grain sorghum and barley) .....      | 0.1               |
| Legume vegetables (succulent and dried) group (except soybeans) ..... | 5                 |

(b) *Section 18 emergency exemptions.* Time-limited tolerances are established for combined residues of the herbicide glyphosate, per se in connection with use of the pesticide under section 18 emergency exemptions granted by EPA. The tolerances will expire and are revoked on the dates specified in the following table.

| Commodity            | Parts per million | Expiration/revocation date |
|----------------------|-------------------|----------------------------|
| Cattle, kidney ..... | 4                 | 2/29/00                    |
| Chickpeas .....      | 5                 | 2/29/00                    |
| Goats, kidney .....  | 4                 | 2/29/00                    |
| Horses, kidney ..... | 4                 | 2/29/00                    |
| Lentils .....        | 5                 | 2/29/00                    |
| Pea, hay .....       | 200               | 2/29/00                    |
| Pea, vines .....     | 60                | 2/29/00                    |
| Peas, dry .....      | 5                 | 2/29/00                    |
| Sheep, kidney .....  | 4                 | 2/29/00                    |
| Silage, hay .....    | 90                | 2/29/00                    |

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* Tolerances are established for the combined residues of glyphosate (*N*-phosphonomethylglycine) and its metabolite aminomethylphosphonic acid, resulting from the use of irrigation water containing residues of 0.5 ppm following applications on or around aquatic sites, at 0.1 ppm on the crop groupings citrus, cucurbits, forage grasses, forage legumes, fruiting vegetables, grain crops, leafy vegetables, nuts, pome fruits, root crop vegetables, seed and pod vegetables, stone fruit, and the individual commodities cottonseed, hops, and avocados. Where tolerances are established at higher levels from other uses of glyphosate in or on the subject crops, the higher tolerance should also apply to residues from the aquatic uses cited in this paragraph.

[45 FR 64911, Oct. 1, 1980; 62 FR 17729, 17730, Apr. 11, 1997]

**§ 180.367**

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §180.364, see List of CFR Sections Affected in the Finding Aids section of this volume.

**§ 180.367 n-Octyl bicycloheptenedicarboximide; tolerances for residues.**

(a) *General.* (1) Tolerances are established for residues of the insecticide *n*-octyl bicycloheptene-dicarboximide, resulting from dermal application, in food commodities as follows:

| Commodity         | Parts per million |
|-------------------|-------------------|
| Cattle, fat ..... | 0.3               |
| Goats, fat .....  | 0.3               |
| Hogs, fat .....   | 0.3               |
| Horses, fat ..... | 0.3               |
| Milk, fat .....   | 0.3               |
| Sheep, fat .....  | 0.3               |

(2) *N*-octylbicycloheptene dicarboximide may be safely used in accordance with the following prescribed conditions:

(i) It is used in combination with piperonyl butoxide and pyrethrins for insect control in food-processing and food-storage areas, provided that the food is removed or covered prior to such use.

(ii) Residues in food resulting from the use described in paragraph (a)(2)(i) of this section shall not exceed 10 parts per million of *N*-octylbicycloheptene dicarboximide, 10 parts per million of piperonyl butoxide, and 1 part per million of pyrethrins.

(iii) To assure safe use of the pesticide, its label and labeling shall conform to that registered with the U.S. Environmental Protection Agency and it shall be used in accordance with such label and labeling.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[65 FR 33713, May 24, 2000]

**§ 180.368 Metolachlor; tolerances for residues.**

(a) *General.* Tolerances are established for the combined residues (free and bound) of the herbicide metolachlor [2-chloro-*N*-(2-ethyl-6-methylphenyl)-*N*-(2-methoxy-1-

methylethyl)acetamide] and its metabolites, determined as the derivatives, 2-[(2-ethyl-6-methylphenyl)amino]-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone, each expressed as the parent compound, in or on the raw agricultural commodities.

| Commodity   | Parts per million |
|---|-------------------|
| Almond hulls .....  | 0.3               |
| Barley, fodder .....  | 0.5               |
| Barley, grain .....   | 0.1               |
| Buckwheat, grain .....  | 0.1               |
| Cabbage .....   | 1.0               |
| Cattle, fat .....   | 0.02              |
| Cattle, kidney .....  | 0.2               |
| Cattle, liver .....   | 0.05              |
| Cattle, meat .....  | 0.02              |
| Cattle, mbyp (except kidney and liver) .....                                  | 0.02              |
| Celery .....  | 0.1               |
| Corn, fresh (inc. sweet K=CWHR) .....   | 0.1               |
| Corn, forage and fodder .....   | 8.0               |
| Corn, grain .....   | 0.1               |
| Cottonseed .....  | 0.1               |
| Eggs .....  | 0.02              |
| Goats, fat .....  | 0.02              |
| Goats, kidney .....   | 0.2               |
| Goats, liver .....  | 0.05              |
| Goats, meat .....   | 0.02              |
| Goats, mbyp (except kidney and liver) .....                                   | 0.02              |
| Hogs, fat .....   | 0.02              |
| Hogs, kidney .....  | 0.2               |
| Hogs, liver .....   | 0.05              |
| Hogs, meat .....  | 0.02              |
| Hogs, mbyp (except kidney and liver) .....                                    | 0.02              |
| Horses, fat .....   | 0.02              |
| Horses, kidney .....  | 0.2               |
| Horses, liver .....   | 0.05              |
| Horses, meat .....  | 0.02              |
| Horses, mbyp (except kidney and liver) .....                                  | 0.02              |
| Legume vegetables group foliage (except soybean forage and soybean hay) ..... | 15.0              |
| Milk .....  | 0.02              |
| Millet, fodder .....  | 0.5               |
| Millet, forage .....  | 0.5               |
| Millet, grain .....   | 0.1               |
| Milo, fodder .....  | 0.5               |
| Milo, forage .....  | 0.5               |
| Milo, grain .....   | 0.1               |
| Nongrass animal feeds (forage, fodder, straw, and hay) group .....            | 3.0               |
| Oats, fodder .....  | 0.5               |
| Oats, forage .....  | 0.5               |
| Oats, grain .....   | 0.1               |
| Peanuts .....   | 0.5               |
| Peanut, forage and hay .....  | 30.0              |
| Peppers, bell .....   | 0.1               |
| Potatoes .....  | 0.2               |
| Poultry, fat .....  | 0.02              |
| Poultry, liver .....  | 0.05              |
| Poultry, meat .....   | 0.02              |
| Poultry, mbyp (except liver) .....  | 0.02              |
| Rice, fodder .....  | 0.5               |
| Rice, forage .....  | 0.5               |
| Rice, grain .....   | 0.1               |
| Rye, fodder .....   | 0.5               |
| Rye, forage .....   | 0.5               |
| Rye, grain .....  | 0.1               |
| Safflower seed .....  | 0.1               |
| Seed and pod vegetables (except soybeans) .....                               | 0.3               |
| Sheep, fat .....  | 0.02              |