

§ 180.423

products are held or processed. General surface application may be used only when the facility is not in operation provided exposed feed has been covered or removed from the area being treated. All feed-contact surfaces and equipment must be thoroughly cleaned after general surface applications. Spot and/or crack and crevice application may be used while the facility is in operation provided exposed feed is covered or removed from the area being treated prior to application. Spray concentration shall be limited to a maximum of 0.06 percent active ingredient. Contamination of feed and feed-contact surfaces shall be avoided.

(B) To assure safe use of the insecticide, its label and labelling shall conform to that registered with the U.S. Environmental Protection Agency and shall be used in accordance with such label and labelling.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[62 FR 63001, Nov. 26, 1997, as amended at 62 FR 66025, Dec. 17, 1997; 65 FR 33701, May 24, 2000]

§ 180.423 Fenridazon, potassium salt; tolerances for residues.

Tolerances are established for residues of the hybridizing agent potassium salt of fenridazon (1-(4-chlorophenyl)-1,4-dihydro-6-methyl-4-oxo-3-pyridazinecarboxylic acid, potassium salt; CAS Reg. No. 83588-43-6) in or on the following raw agricultural commodities:

| Commodity | Parts per million |
|--------------------------------|-------------------|
| Cattle, fat | 0.05 |
| Cattle, kidney and liver | 1.0 |
| Cattle, meat | 0.05 |
| Cattle, mbyp | 0.05 |
| Eggs | 0.05 |
| Goat, fat | 0.05 |
| Goat, kidney and liver | 1.0 |
| Goat, meat | 0.05 |
| Goat, mbyp | 0.05 |
| Hog, fat | 0.05 |
| Hog, kidney and liver | 1.0 |
| Hog, meat | 0.05 |
| Hog, mbyp | 0.05 |
| Horse, fat | 0.05 |
| Horse, kidney and liver | 1.0 |
| Horse, meat | 0.05 |
| Horse, mbyp | 0.05 |

40 CFR Ch. I (7-1-00 Edition)

| Commodity | Parts per million |
|-------------------------------|-------------------|
| Milk | 0.05 |
| Poultry, fat | 0.30 |
| Poultry, meat | 0.30 |
| Poultry, mbyp | 0.30 |
| Sheep, fat | 0.05 |
| Sheep, kidney and liver | 1.0 |
| Sheep, meat | 0.05 |
| Sheep, mbyp | 0.05 |
| Wheat, grain | 40.0 |
| Wheat, straw | 25.0 |

[51 FR 11307, Apr. 2, 1986, as amended at 52 FR 32306, Aug. 27, 1987; 53 FR 23396, June 22, 1988]

§ 180.424 2-(3,5-Dichlorophenyl)-2-(2,2,2-trichloroethyl)-oxirane; tolerances for residues.

Tolerances are established for residues of the herbicide 2-(3,5-dichlorophenyl)-2-(2,2,2-trichloroethyl)-oxirane in or on the following raw agricultural commodities:

| Commodity | Parts per million |
|--------------------------|-------------------|
| Corn, grain, field | 0.05 |
| Corn, fodder | 0.10 |
| Corn, forage | 0.10 |

[51 FR 6002, Feb. 19, 1986]

§ 180.425 Clomazone; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide clomazone, 2-(2-chlorophenyl)methyl-4,4-dimethyl-3-isoxazolidinone, in or on the following raw agricultural commodities:

| Commodity | Parts per million |
|------------------------|-------------------|
| Beans, snap | 0.05 |
| Cabbage | 0.1 |
| Cottonseed | 0.05 |
| Cucumber | 0.1 |
| Peas (succulent) | 0.05 |
| Peppers | 0.05 |
| Pumpkins | 0.1 |
| Soybeans | 0.05 |
| Squash, summer | 0.1 |
| Squash, winter | 0.1 |
| Sweet potato | 0.05 |

(b) *Section 18 emergency exemptions.* Time limited tolerances are established for residues of the herbicide clomazone (2-(2-Chlorophenyl) methyl-4,4-dimethyl-3-isoxazolidinone) in connection with use of the pesticide under section 18 emergency exemptions