

Federal Communications Commission

§ 11.41

on an individual basis in accordance with part 1, subpart G, of this chapter.

(f) Modifications to existing authorized EAS decoders, encoders or combined units necessary to implement the new EAS codes specified in § 11.31 and to implement the selective displaying and logging feature specified in § 11.33(a)(4) will be considered Class I permissive changes that do not require a new application for and grant of equipment certification under part 2, subpart J of this chapter.

(g) All existing and new models of EAS encoders, decoders and combined units manufactured after August 1, 2003 must be capable of generating and detecting the new EAS codes specified in § 11.31 in order to be certified under part 2, subpart J of this chapter. All existing and new models of EAS decoders and combined units manufactured after August 1, 2003 must have the selective displaying and logging capability specified in § 11.33(a)(4) in order to be certified under part 2, subpart J of this chapter.

[59 FR 67092, Dec. 28, 1994, as amended at 60 FR 56000, Nov. 6, 1995; 67 FR 18510, Apr. 16, 2002; 70 FR 71034, Nov. 25, 2005; 77 FR 16703, Mar. 22, 2012]

§ 11.35 Equipment operational readiness.

(a) EAS Participants are responsible for ensuring that EAS Encoders, EAS Decoders, Attention Signal generating and receiving equipment, and Intermediate Devices used as part of the EAS to decode and/or encode messages formatted in the EAS Protocol and/or the Common Alerting Protocol are installed so that the monitoring and transmitting functions are available during the times the stations and systems are in operation. Additionally, EAS Participants must determine the cause of any failure to receive the required tests or activations specified in § 11.61(a)(1) and (2). Appropriate entries indicating reasons why any tests were not received must be made in the broadcast station log as specified in §§ 73.1820 and 73.1840 of this chapter for all broadcast streams and cable system records as specified in §§ 76.1700, 76.1708, and 76.1711 of this chapter. All other EAS Participants must also keep records indicating reasons why any

tests were not received and these records must be retained for two years, maintained at the EAS Participant's headquarters, and made available for public inspection upon reasonable request.

(b) If an EAS Encoder, EAS Decoder or Intermediary Device used as part of the EAS to decode and/or encode messages formatted in the EAS Protocol and/or the Common Alerting Protocol becomes defective, the EAS Participant may operate without the defective equipment pending its repair or replacement for 60 days without further FCC authority. Entries shall be made in the broadcast station log, cable system records, and records of other EAS Participants, as specified in paragraph (a) of this section, showing the date and time the equipment was removed and restored to service. For personnel training purposes, the required monthly test script must still be transmitted even though the equipment for generating the EAS message codes, Attention Signal and EOM code is not functioning.

(c) If repair or replacement of defective equipment is not completed within 60 days, an informal request shall be submitted to the Regional Director of the FCC field office serving the area in which the EAS Participant is located, or in the case of DBS and SDARS providers to the Regional Director of the FCC field office serving the area where their headquarters is located, for additional time to repair the defective equipment. This request must explain what steps have been taken to repair or replace the defective equipment, the alternative procedures being used while the defective equipment is out of service, and when the defective equipment will be repaired or replaced.

[70 FR 71034, Nov. 25, 2005, as amended at 77 FR 16704, Mar. 22, 2012; 80 FR 53750, Sept. 8, 2015]

Subpart C—Organization

§ 11.41 Participation in EAS.

All EAS Participants specified in § 11.11 are categorized as Participating National (PN) sources, and must have

§ 11.42

immediate access to an EAS Operating Handbook.

[77 FR 16704, Mar. 22, 2012]

§ 11.42 [Reserved]

§ 11.43 National level participation.

Entities that wish to voluntarily participate in the national level EAS may submit a written request to the Chief, Public Safety and Homeland Security Bureau.

[71 FR 69038, Nov. 29, 2006]

§ 11.44 Alert repetition.

An alert originator may “repeat” an alert by releasing the alert anew—*i.e.*, re-originating the alert—at least one minute subsequent to the time the message was initially released by the originator, as reflected in the repeat alert’s JJJHHMM header code. Because alerts take time to activate across the EAS alert distribution chain, alert originators should consider an interval between the original and re-originated alert that is long enough to account for this process. If the re-originated alert is intended to reflect a valid time period consistent with the original, the valid time period code (the +TTTT header code identified in § 11.31(c)) set for the re-originated alert should be adjusted to account for the elapsed time between the original and re-originated alerts. Alert originators should be aware that repeating alerts routinely may cause alert fatigue among the public.

[86 FR 46791, Aug. 20, 2021]

§ 11.45 Prohibition of false or deceptive EAS transmissions.

(a) No person may transmit or cause to transmit the EAS codes or Attention Signal, or a recording or simulation thereof, in any circumstance other than in an actual National, State or Local Area emergency or authorized test of the EAS; or as specified in §§ 10.520(d), 11.46, and 11.61 of this chapter.

(b) No later than twenty-four (24) hours of an EAS Participant’s discovery (*i.e.*, actual knowledge) that it has transmitted or otherwise sent a false alert to the public, the EAS Participant shall send an email to the

47 CFR Ch. I (10–1–23 Edition)

Commission at the FCC Ops Center at FCCOPS@fcc.gov, informing the Commission of the event and of any details that the EAS Participant may have concerning the event.

(c) If the Administrator of the Federal Emergency Management Agency or a State, local, Tribal, or territorial government entity becomes aware of transmission of an EAS false alert to the public, they are encouraged to send an email to the Commission at the FCC Ops Center at FCCOPS@fcc.gov, informing the Commission of the event and of any details that they may have concerning the event.

[83 FR 39621, Aug. 10, 2018, as amended at 86 FR 46791, Aug. 20, 2021; 87 FR 34215, June 6, 2022]

§ 11.46 EAS public service announcements.

EAS Participants may use the EAS Attention Signal and a simulation of the EAS codes as provided by FEMA in EAS Public Service Announcements (PSAs) (including commercially-sponsored announcements, infomercials, or programs) provided by federal, state, and local government entities, or non-governmental organizations, to raise public awareness about emergency alerting. This usage is only permitted if the PSA is presented in a non-misleading and technically harmless manner, including with the explicit statement that the Attention Signal and EAS code simulation are being used in the context of a PSA for the purpose of educating the viewing or listening public about emergency alerting.

[83 FR 39621, Aug. 10, 2018]

§ 11.47 Optional use of other communications methods and systems.

(a) Analog and digital broadcast stations may additionally transmit EAS messages through other communications means. For example, on a voluntary basis, FM stations may use subcarriers to transmit the EAS codes including 57 kHz using the RBDS standard produced by the National Radio Systems Committee (NRSC) and television stations may use subsidiary communications services.